



Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



C. NO: 14

Helpline No.: +91 95481 32613

Lab Ref. No. : 234028175

Name : Mr. SAURAV BHAGAT

Age/ Gender : 37Y / Male Referred By : Dr. SELF

Sample By :


Centre Name : SDA Diagnostics

Collection Time : 24-Feb-2024 11:10AM Receiving Time : 24-Feb-2024 11:10AM

Reporting Time : 24-Feb-2024 12:21PM

Test Name	Results	Units	Biological Ref-Interva
	HAEMATOLOGY		
COMPLETE BLOOD COUNT			
HAEMOGLOBIN	15.50	g/dl	12-16.5
(Colorimetry)			
TOTAL LEUCOCYTE COUNT (Electric Impedence)	4900.00	/Cum m	4000-11000
DIFFERENTIAL LEUCOCYTE COUNT (Microscopy)			
Neutrophils	65.00	%	44-68
Lymphocytes	30.00	%	25- 44
Eosinophils	3.00	%	0.0- 4.0
Monocytes	2.00	%	0.0-7.0
Basophils	0.00	%	0.0-1.0
Immature Cells	00	%	
Absolute Count			
Neutrophils Count (calculated)	3185.00	/cumm	2000-7000
Lymphocytes Count (calculated)	1470.00	/cumm	1000-3000
Eosinophils Count (calculated)	147.00	/cumm	40-440
Monocytes Count (calculated)	98.00	/cumm	200-1000
Basophils Count (calculated)I	0.00	/cumm	0-30
TOTAL R.B.C. COUNT (Electric Impedence)	4.88	10^6/uL	3.50-5.50
Haematocrit Value (P.C.V.) (Calculated)	45.20	%	37.0-54.0
MCV (Calculated)	93.00	fL	76-98
MCH	31.70	pg	27-32





Dr. Bhavna Sharma M.D. Pathology **Dr. Swati Tiwari** M.D. Microbiology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

Lab Ref. No. : 234028175

Name : Mr. SAURAV BHAGAT

Age/ Gender : 37Y / Male Referred By : Dr. SELF

Sample By

Centre Name : SDA Diagnostics

Collection Time : 24-Feb-2024 11:10AM Receiving Time : 24-Feb-2024 11:10AM

Reporting Time : 24-Feb-2024 12:21PM

Test Name	Results	Units	Biological Ref-Interval
(Calculated)			
MCHC (Calculated)	34.20	g/dl	31-35
RDW-CV (Calculated)	14.80	%	11.5 - 14.5
Platelet Count (Electric Impedence)	130	Thousand/cumm	150-450
MPV (Calculated)	10.40	fL	11.5-14.5
PDW (Calculated)	19.10	fL	9.0-17.0
Peripheral Smear			
Erythrocyte Sedimentation Rate (Modified Westergren)			
At the end of 1st hour	15	mm	0-20
BLOOD GROUP			
Blood Group	В		
Rh Status	POSITIVE		
GLYCATED HAEMOGLOBIN (HbA1c	5.60	%	4.5-6.0
ESTIMATED AVERAGE GLUCOSE EXPECTED RESULTS:	114.02	mg/dl	113 010

C. NO: 14


Poor Control od diabetes : 8 % and above
The glycosylated hemoglobin assay has been validated as a reliable indicator of mean blood glucose levels for a period of 8-12
week period prior to HBA1C determination.ADA recommends the testing twice a year in patients with stable blood glucose, and
quarterly, if treatment changes, or if blood glucose levels are unstable.

6.1 % to 7.0 %

7.1 % to 8.0 %

: 4.5 % to 6.0 %





Dr. Bhavna Sharma M.D. Pathology

Non diabetic patients & Stabilized diabetics

Good Control of diabetes

Fair Control of diabetes

Dr. Swati Tiwari M.D. Microbiology Dr. Sonal Dhingra Anand M.D. Pathology

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

• The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

: 234028175 Lab Ref. No.

: Mr. SAURAV BHAGAT Name

Age/ Gender : 37Y / Male Referred By : Dr. SELF

Sample By


Centre Name : SDA Diagnostics

: 24-Feb-2024 11:10AM Collection Time : 24-Feb-2024 11:10AM Receiving Time

Reporting Time : 25-Feb-2024 9:53AM

Test Name	Results	Units	Biological Ref-Interval
	BIOCHEMISTRY	,	
BLOOD GLUCOSE FASTING (GOD/POD method)	103.00	mg/dl	70 - 110
BLOOD GLUCOSE P.P. (GOD/POD method)	134.00	mg/dl	70-140
After 2.0 hrs of meal			

C. NO: 14



Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

: 234028175 Lab Ref. No.

: Mr. SAURAV BHAGAT

Age/ Gender : 37Y / Male Referred By : Dr. SELF

Sample By

Name

Centre Name : SDA Diagnostics

: 24-Feb-2024 11:10AM Collection Time : 24-Feb-2024 11:10AM Receiving Time

Reporting Time : 25-Feb-2024 9:54AM

Test Name	Results	Units	Biological Ref-Interval
LIVER PROFILE			
SERUM BILIRUBIN			
TOTAL	1.32	mg/dl	0.30-1.20
(Diazo)			
DIRECT	0.48	mg/dl	0.00-0.20
(Diazo)			
INDIRECT (Calculated)	0.84	mg/dl	0.20-1.00
S.G.P.T.	40.00	U/L	0-45
(IFCC method)			
S.G.O.T.	38.00	U/L	0-45
(IFCC method)			
SERUM ALKALINE PHOSPHATASE	96.00	IU/L.	35-145
(4-nitrphenylphosphate to 2-amino-2-methyl-1propan			
SERUM PROTEINS			
TOTAL PROTEINS	6.50	Gm/dL.	6.0-8.0
(Biuret)			
ALBUMIN	3.80	Gm/dL.	3.5-5.2
(Bromocresol green Dye)			
GLOBULIN	2.70	Gm/dL.	2.5-3.5
(Calculated)			
A: G RATIO	1.41		1.5-2.5
(Calculated)			

C. NO: 14

LIVER FUNCTION TESTS CHECK THE LEVEL OF CERTAIN ENZYMES AND PROTEINS IN BLOOD

Levels that are higher or lower than normal can indicate liver problems. Some common liver function tests include:

Alanine transaminase (ALT). ALT is an enzyme found in the liver and When the liver is damaged, ALT is released into the bloodstream and levels increase.


Aspartate transaminase (AST). AST is an enzyme that helps metabolize alanine, an amino acid.

AST is normally present in blood at low levels. An increase in AST levels may indicate

liver damage or disease or muscle damage.

Alkaline phosphatase (ALP). ALP is an enzyme in the liver, bile ducts and bone.





Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

Dr. Sonal Dhingra Anand M.D. Pathology

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

Lab Ref. No. : 234028175

: Mr. SAURAV BHAGAT

Age/ Gender : 37Y / Male Referred By : Dr. SELF

Sample By :

Name

Centre Name : SDA Diagnostics

Collection Time : 24-Feb-2024 11:10AM Receiving Time : 24-Feb-2024 11:10AM

Reporting Time : 25-Feb-2024 9:54AM


Sample by .			
Test Name	Results	Units	Biological Ref-Interval
RENAL PROFILE			
BLOOD UREA (Urease Glutamate dehydrogenase)	34.0	mg/dl	10-50
SERUM CREATININE (Jaffe`s)	1.00	mg/dL.	0.6-1.2
SERUM URIC ACID (Urecase method)	6.1	mg/dL.	3.5-7.5
SERUM SODIUM (Na) (ISE Direct)	141.0	mmol/l	135 - 155
SERUM POTASSIUM (K) (ISE Direct)	3.70	mmol/l	3.5 - 5.5
SERUM CALCIUM (Arsenazo)	9.0	mg/dl	8.5-10.1
SERUM PROTEIN			
TOTAL PROTEINS (Biuret)	6.50	Gm/dL.	6.0-8.0
SERUM ALBUMIN (Bromocresol green Dye)	3.80	Gm/dL.	3.5-5.2
GLOBULIN (Calculated)	2.70	Gm/dL.	2.5-3.5
A : G RATIO (Calculated)	1.41	Gm/dL.	1.5-2.5

C. NO: 14

INTERPRETATION:

Urea is the end product of protein metabolism. It reflects on funcioning of the kidney in the body. Creatinine is the end product of creatine metabolism. It is a measure of renal function and eleveted levels are observed in patients typically with 50% or greater impairment of renal function. Sodium is critical in maintaining water & osmotic equilibrium in extracellular fluids. Disturbances in acid base and water balance are typically reflected in the sodium concentrations . Potassium is an essential element involved in critical cell functions. Potassium levels are influenced by electrolyte intake ,excretion and other means of elemination, exercise, hydration and medications. Calcium imbalance my cause a spectrum of disease . High concentrations are seen in Hyperparathyroidism, Malignancy & Sarcoidosis. Low levels may be due to protein deficiency, renal insufficiency and Hypoparathyroidism. Repeat measurement is recommended if the values are outside the reference range.





Dr. Bhavna Sharma M.D. Pathology

t Sharma Dr. Swati Tiwari
hology M.D. Microbiology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

Lab Ref. No. : 234028175

: Mr. SAURAV BHAGAT

Age/ Gender : 37Y / Male Referred By : Dr. SELF

Sample By

Name

Centre Name : SDA Diagnostics

: 24-Feb-2024 11:10AM Collection Time : 24-Feb-2024 11:10AM Receiving Time

Reporting Time : 25-Feb-2024 9:54AM

Sample by .			
2	Results	Units	Biological Ref-Interval
ROFILE			
OLESTEROL ')	157.0	mg/dl	125-200
IGLYCERIDE	106.0	mg/dl	50-150
ESTEROL d)	42.0	mg/dl	30-80
LESTEROL	21.2	mg/dl	5-35
ESTEROL	93.8	mg/dL.	70-130
AATIO	2.2		0.0-4.9
CHOLESTROL RATIO	3.7		1.5-3.0
CHOLESTROL RATIO	3.7		

INTERPRETATION

TRIGLYCERIDE level > 250mg/dL is associated with an approximately 2-fold greater risk of coronary vascular disease. Elevation of triglycerides can be seen with obesity, medication, fast less than 12 hrs., alcohol intake, diabetes melitus, and pancreatitis.

C. NO: 14


CHOLESTEROL, its fractions and triglycerides are the important plasma lipids indefining cardiovascular risk factors and in the management of cardiovascular disease. Highest acceptable and optimum values of cholesterol values of cholesterol vary with age. Values above 220 mgm/dl are associated with increased risk of CHD regardless of HDL & LDL values.

HDL-CHOLESTEROL level <35 mg/dL is associated with an increased risk of coronary vascular disease even in the face of desirable levels of cholesterol and LDL - cholesterol.

LDL - CHOLESTEROL& TOTAL CHOLESTEROL levels can be strikingly altered by thyroid, renal and liver disease as well as hereditary

Based on total cholesterol, LDL- cholesterol, and total cholesterol/HDL - cholesterol ratio, patients may be divided into the three risk





Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

Lab Ref. No. : 234028175

: Mr. SAURAV BHAGAT Name

Age/ Gender : 37Y / Male Referred By : Dr. SELF

Sample By

Centre Name : SDA Diagnostics

: 24-Feb-2024 11:10AM Collection Time

: 24-Feb-2024 11:10AM Receiving Time

Reporting Time : 25-Feb-2024 9:54AM

Test Name	Results	Units	Biological Ref-Interval	
HORMONE				
THYRIOD PROFILE Triiodothyronine (T3)	0.98	ng/dl	0.52-1.85	
(FIA) Thyroxine (T4) (FIA)	8.21	ug/dl	4.8-11.6	
THYROID STIMULATING HORMONE (TSH) (FIA)	3.45	mIU/L	0.50-5.50	

Interpretation Note:

Thyroid Stimulating Hormone (TSH) is a highly effective screening assay for thyroid disorders. In patients with an intact pituitarythyroid axis, TSH provides a physiologic indicator of the functional level of thyroid hormone activity. Increased TSH indicates inadequate thyroid hormone, and suppressed s-TSH indicates excess thyroid hormone. Transient s-TSH abnormalities may be found in seriously ill, hospitalized patients, so this is not the ideal setting to assess thyroid function. However, even in these patients, s-TSH works better than total thyroxine (an alternative screening test), when the s-TSH result is abnormal, appropriate follow-up tests T4 & free T3 levels should be performed. If TSH is between 5.0 to 10.0 & free T4 & free T3 level are normal then it is considered as subclinical hypothyroidism which should be followed up after 4 weeks & If TSH is > 10 & free T4 & free T3 level are normal then it is considered as overt hypothyroidism.

C. NO: 14


Serum triiodothyronine (T3) levels often are depressed in sick and hospitalized patients, caused in part by the biochemical shift to the production of reverse T3. Therefore, T3 generally is not a reliable predictor of hypothyroidism. However, in a small subset of hyperthyroid patients, hyperthyroidism may be caused by overproduction of T3 (T3 toxicosis). To help diagnose and monitor this subgroup, T3 is measured on all specimens with suppressed s-TSH and normal FT4 concentrations.

Normal ranges of TSH & thyroid hormons vary according trimesper in pregnancy.

TSH ref range in Pregnacy Reference range (microIU/ml)

0.24 - 2.00First triemester Second triemester 0.43-2.2 Third triemester 0.8 - 2.5





Dr. Bhavna Sharma

Dr. Swati Tiwari M.D. Pathology M.D. Microbiology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

: 234028175 Lab Ref. No.

: Mr. SAURAV BHAGAT Name

Age/ Gender : 37Y / Male Referred By : Dr. SELF

Sample By

Centre Name : SDA Diagnostics

> : 24-Feb-2024 11:10AM Collection Time : 24-Feb-2024 11:10AM Receiving Time

Reporting Time : 25-Feb-2024 9:56AM

Test Name Results Units **Biological Ref-Interval**

CLINICAL PATHOLOGY

URINE EXAMINATION REPORT

PHYSICAL EXAMINATION

20

C. NO: 14

ml

VOLUME (visual)

PALE YELLOW **COLOUR**

(visual)

(visual)

APPEARENCE

Clear

6.00

pН

4.6 - 8.0

SPECIFIC GRAVITY 1.015

1.010-1.030

(pKa Change)

BIOCHEMICAL EXAMINATION

UROBILINOGEN

NIL NIL

(Erlichs)

BILIRUBIN

NEGATIVE

NEGATIVE

(Azo-coupling reaction)

NITRITE

SUGAR

NEGATIVE NIL

NEGATIVE

(Glucose Oxidase Peroxidase)

Nil

NIL

Nil

(Protein-Error-of-Indicator))

NIL

Nil

PHOSPHATE MICROSCOPIC EXAMINATION

(Microscopy)

RED BLOOD CELLS PUS CELLS EPITHELIAL CELLS CRYSTALS

NIL

/H.P.F. /H.P.F. 0-2 0-5 0-5

NIL NIL

1-2

1-2

/H.P.F. /H.P.F.

/L.P.F.

NIL

CASTS

OTHER

Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

Dr. Sonal Dhingra Anand

M.D. Pathology

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

: 234028175 Lab Ref. No.

: Mr. SAURAV BHAGAT Name

Age/ Gender : 37Y / Male Referred By : Dr. SELF

Sample By

C. NO: 14

Centre Name

: SDA Diagnostics

Collection Time

: 24-Feb-2024 11:10AM

Receiving Time

: 24-Feb-2024 11:10AM

Reporting Time


: 25-Feb-2024 9:56AM

Test Name Results Units

Biological Ref-Interval

-----{END OF REPORT }-----





Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

Dr. Sonal Dhingra Anand M.D. Pathology

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.