Age / Gender: 40 years / Male

Patient ID: 31324
Source: Corporate

Referral: Mediwhile

Collection Time: Dec 23, 2023, 09:51 a.m. **Reporting Time**: Dec 23, 2023, 11:31 a.m.

Sample ID:



			00000004	
Test Description	Value(s)	Reference Range	Unit	
CBC; Complete Blood Count				
Hemoglobin (Hb)*	14.5	13.5 - 18.0	gm/dL	
Method : Cynmeth Photometric Measurement				
Erythrocyte (RBC) Count*	5.34	4.7 - 6.0	mil/cu.mm	
Method : Electrical Impedence				
Packed Cell Volume (PCV)*	44.2	42 - 52	%	
Method : Calculated				
Mean Cell Volume (MCV)*	82.77	78 - 100	fL	
Method : Electrical Impedence				
Mean Cell Haemoglobin (MCH)*	27.15	27 - 31	pg	
Method : Calculated				
Mean Corpuscular Hb Concn. (MCHC)*	32.81	32 - 36	gm/dL	
Method : Calculated				
Red Cell Distribution Width (RDW)*	13.7	11.5 - 14.0	%	
Method : Electrical Impedence				
Total Leucocytes (WBC) Count*	6900	4000-10000	cell/cu.mm	
Method : Electrical Impedence				
Neutrophils*	54	40 - 80	%	
Method : VCSn Technology				
Lymphocytes*	39	20 - 40	%	
Method : VCSn Technology				
Monocytes*	6	2 - 10	%	
Method : VCSn Technology				
Eosinophils*	1	1 - 6	%	
Method : VCSn Technology				
Basophils	0	0 - 1		
Platelet Count*	3.39	1.5 - 4.5	Lakhs/cu.mm	
Method : Electrical Impedence				
Mean Platelet Volume (MPV)*	7.6	7.2 - 11.7	fL	
Method : Electrical Impedence				

Dr.CH.Deepthi Chandrika M.D. Pathology Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 40 years / Male

Patient ID: 31324

Source: Corporate

Referral: Mediwhile

Collection Time: Dec 23, 2023, 09:51 a.m. **Reporting Time**: Dec 23, 2023, 11:31 a.m.

Sample ID :

668056864

Test Description	Value(s)	Reference Range	Unit
PCT*	0.257	0.2 - 0.5	%
Method : Calculated			
PDW* Method : Calculated	14.9	9.0 - 17.0	%

Tests done on Automated Three Part Cell Counter. (WBC, RBC, Platelet count by impedance method, colorimetric method for Hemoglobin, WBC differential by flow cytometry using laser technology other parameters are calculated). All Abnormal Haemograms are reviewed confirmed microscopically.

Esr, Erythrocyte Sedimentation Rate

Esr, Erythrocyte Sedimentation Rate 35 0-10 mm/hr (Westergren)

Negative

Negative

Interpretation:

- It indicates presence and intensity of an inflammatory process. It does not diagnose a specific disease. Changes in the ESR are more significant than the abnormal results of a single test.
- It is a prognostic test and used to monitor the course or response to treatment of diseases like tuberculosis, bacterial endocarditis, acute rheumatic fever, rheumatoid arthritis, SLE, Hodgkins disease, temporal arteritis and polymyalgia rheumatica.
- It is also increased in pregnancy, multiple myeloma, menstruation, and hypothyroidism.

Urine Routine

Urine Ketone*

Blood*

Colour*	Yellow	
Transparency (Appearance)*	Clear	Clear
Reaction (pH)*	5.0	4.5 - 8
Specific Gravity*	1.030	1.010 - 1.030
Chemical Examination (Automated Dipstick Me	thod) Urine	
Chemical Examination (Automated Dipstick Med Urine Glucose*	thod) Urine Negative	Negative
· · · · · · · · · · · · · · · · · · ·		Negative Negative

Dr.CH.Deepthi Chandrika M.D. Pathology

Negative

Negative

Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 40 years / Male

Patient ID: 31324

Source: Corporate

Referral: Mediwhile

Collection Time : Dec 23, 2023, 09:51 a.m. **Reporting Time :** Dec 23, 2023, 11:31 a.m.

Sample ID :

			11	
			Ш	ш
				ш
 	6005	606/	 • •	

Test Description	Value(s)	Reference Range	Unit
Bilirubin*	Negative	Negative	
Nitrite*	Negative	Negative	
Leucocytes*	Negative	Negative	
Urobilinogen*	Normal	Normal	
Microscopic Examination Urine			
Pus Cells (WBCs)*	2-3	0 - 5	/hpf
Epithelial Cells*	1-2	0 - 4	/hpf
Red blood Cells*	Absent	Absent	/hpf
Crystals*	Absent	Absent	
Cast*	Absent	Absent	
Bacteria*	Absent	Absent	

Stool Complete Exam

Blood Group & Rh Type

Blood Grouping & Rh Typing

"B" POSITIVE (+VE)

Method : Forward and Reverse By Tube Method

Methodology

This is done by forward and reverse grouping by tube Agglutination method.

Interpretation

Newborn baby does not produce ABO antibodies until 3 to 6 months of age. So the blood group of the Newborn baby is done by ABO antigen grouping (forward grouping) only, antibody grouping (reverse grouping) is not required. Confirmation of the New-born's blood group is indicated when the A and B antigen expression and the isoagglutinins are fully developed (2–4 years).

Fasting - Glucose

Dr.CH.Deepthi Chandrika M.D. Pathology

Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 40 years / Male

Patient ID: 31324

Source: Corporate

Referral: Mediwhile

Collection Time : Dec 23, 2023, 09:51 a.m. **Reporting Time :** Dec 23, 2023, 11:31 a.m.

Sample ID:

	CON	2002	1	

Test Description	Value(s)	Reference Range	Unit	
Glucose Fasting* Method : Plasma, Hexokinase	88.79	Normal: 70-100 Impaired Fasting Glucose (IFG): 101-125 Diabetes Mellitus: >125	mg/dL	
Post Prandial Blood Sugar				
Blood Glucose-Post Prandial* Method : Plasma - P, Hexokinase	100.48	80-140	mg/dL	
Fasting Urine Sugar				
Fasting Urine Glucose	Negative	Negative		
Post Prandial Urine Sugar				
HBA1C (Glycosylated Haemoglobin)				
Glyco Hb (HbA1C)	5.71	Non-Diabetic: <=5.9	%	
Method : EDTA Whole blood, HPLC		Pre Diabetic:6.0-6.4		
		Diabetic: >=6.5		
Estimated Average Glucose :	117.18		mg/dL	
Interpretations				

- 1. HbA1C has been endorsed by clinical groups and American Diabetes Association guidelines 2017 for diagnosing diabetes using a cut off point of 6.5%
- 2. Low glycated haemoglobin in a non diabetic individual are often associated with systemic inflammatory diseases, chronic anaemia (especially severe iron deficiency and haemolytic), chronic renal failure and liver diseases. Clinical correlation suggested.
- 3. In known diabetic patients, following values can be considered as a tool for monitoring the glycemic control.

Excellent control-6-7 %

Fair to Good control - 7-8 %

Dr.CH.Deepthi Chandrika M.D. Pathology

Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 40 years / Male

Patient ID: 31324

Source: Corporate

Referral: Mediwhile

Collection Time : Dec 23, 2023, 09:51 a.m. **Reporting Time :** Dec 23, 2023, 11:31 a.m.

Sample ID :

688056864

Test Description	Value(s)	Reference Range	Unit
Unsatisfactory control – 8 to 10 % Poor Control – More than 10 %			
Thyroid Function Test (TFT)			
TRI-IODO THYRONINE (T3) Method : CLIA	1.247	0.60 - 1.81	ng/mL
TOTAL THYROXINE (T4) Method : CLIA	7.041	4.2 - 12.0	ug/dL
THYROID STIMULATING HORMONE (TSH) Method: CLIA	0.784	0.46 - 8.10 : 1 Yrs - 5 Yrs 0.36 - 5.80 : 6 Yrs - 18 Yrs 0.35 - 5.50 : >18 Yrs Pregnancy Ranges 1st Trimester :0.1 - 2.5 2nd Trimester :0.2 - 3.0 3rd Trimester:0.3 - 3.0	uIU/mL

Comments:

IF NOT ON DRUGS SUGGESTED FT3 & FT4 ESTIMATION

Please correlate with clinical conditions.

Note: Serum T3, T4 and TSH form the three components of thyroid screening panel, useful in diagnosing various disorders of the thyroid gland. Primary Hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels. Although elevated TSH levels are nearly always indicative of Primary Hypothyroidism, rarely they can from TSH secreting pituitary tumors (Secondary hyperthyroidism)To confirm diagnosis - evaluate FT3 and FT4.

Lipid Profile

Dr.CH.Deepthi Chandrika M.D. Pathology

Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 40 years / Male

Patient ID: 31324
Source: Corporate

Referral : Mediwhile

Collection Time: Dec 23, 2023, 09:51 a.m. **Reporting Time**: Dec 23, 2023, 11:31 a.m.

Sample ID:



Test Description	Value(s)	Reference Range	Unit
Cholesterol-Total Method: Serum, Cholesterol oxidase esterase, peroxidase	221.91	Desirable: <= 200 Borderline High: 201-239 High: > 239 Ref: The National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.	mg/dL
Triglycerides Method: Serum, Enzymatic, endpoint	161.42	Normal: < 150 Borderline High: 150-199 High: 200-499 Very High: >= 500	mg/dL
Cholesterol-HDL Direct Method : Serum, Direct measure-PEG	45.65	<40: Low 40 - 60: Optimal > 60: Desirable	mg/dL
LDL Cholesterol Method : Serum	143.98	Optimal: < 100 Near optimal/above optimal: 100-129 Borderline high: 130-159 High: 160-189 Very High: >= 190	mg/dL
Non - HDL Cholesterol, Serum Method : calculated	176.26	Desirable: < 130 mg/dL Borderline High: 130-159mg/dL High: 160-189 mg/dL Very High: > or = 190 mg/dL	mg/dL
VLDL Cholesterol Method : calculated	32.28	6 - 38	mg/dL
CHOL/HDL RATIO Method : calculated	4.86	3.5 - 5.0	ratio
LDL/HDL RATIO Method : calculated	3.15	Desirable / low risk - 0.5 -3.0 Low/ Moderate risk - 3.0- 6.0 Elevated / High risk - > 6.0	ratio

Dr.CH.Deepthi Chandrika M.D. Pathology

Reg.No.APCM/FMR/77174

Approved by



Age / Gender: 40 years / Male

Patient ID: 31324
Source: Corporate

Referral : Mediwhile

Collection Time: Dec 23, 2023, 09:51 a.m. **Reporting Time**: Dec 23, 2023, 11:31 a.m.

Sample ID :

Test Description	Value(s)	Reference Range	Unit
Note: 8-10 hours fasting sample is required.			
KIDNEY FUNCTION TEST			
Urea *	37.39	15- 50	mg/dL
Method : Serum			
Blood Urea Nitrogen-BUN* Method : Serum, Urease	17.47	7 - 24	mg/dL
Uric Acid*	6.62	3.5 - 7.2	mg/dL
Method : Serum, Uricase/POD			
Creatinine*	0.99	0.7 - 1.3	mg/dL
Method : Serum, Jaffe IDMS			
Liver Funtion Test (LFT) with GGT			
Bilirubin - Total	0.79	0.3 - 1.2	mg/dL
Method : Serum, Jendrassik Grof			
Bilirubin - Direct	0.31	Adults and Children: < 0.5	mg/dL
Method : Serum, Diazotization			
Bilirubin - Indirect	0.48	0.1 - 1.0	mg/dL
Method : Serum, Calculated			
SGOT	34.53	< 50	U/L
Method : Serum, UV with P5P, IFCC 37 degree			
SGPT	49.75	< 50	U/L
Method : Serum, UV with P5P, IFCC 37 degree			
Alkaline Phosphatase-ALP	81.27	30-120	U/L
Method : Serum, PNPP, AMP Buffer, IFCC 37 degree			
Total Protein	7.8	6.6 - 8.3	g/dL
Method : Serum, Biuret, reagent blank end point			
Albumin	4.10	Adults: 3.5 - 5.2	g/dL
Method : Serum, Bromcresol purple			

Dr.CH.Deepthi Chandrika M.D. Pathology Reg.No.APCM/FMR/77174

Obsepter

Approved by



Age / Gender: 40 years / Male

Patient ID: 31324
Source: Corporate

Referral : Mediwhile

Collection Time : Dec 23, 2023, 09:51 a.m. **Reporting Time :** Dec 23, 2023, 11:31 a.m.

Sample ID:

668056864

Value(s)	Reference Range	Unit
3.70	1.8 - 3.6	g/dL
1.11	1.2 - 2.2	ratio
	3.70	3.70 1.8 - 3.6

END OF REPORT

Dr.CH.Deepthi Chandrika M.D. Pathology

Reg.No.APCM/FMR/77174

Approved by

