8800465156

SUMMARY



PATIENT NAME: TRILOK NAVAJI GHANCHI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321XB002877 AGE/SEX :37 Years Male

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : TRILM300886321 DRAWN

F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID:

RECEIVED: 24/02/2024 10:01:44 DELHI ABHA NO REPORTED :24/02/2024 14:48:35 **NEW DELHI 110030**

RESULT PENDING

Test Report Status Results **Biological Reference Interval** Units **Preliminary**

XRAY-CHEST RESULT PENDING ECG RESULT PENDING MEDICAL HISTORY RESULT PENDING ANTHROPOMETRIC DATA & BMI RESULT PENDING

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOWE SOUNT REED DING

GENERAL EXAMINATION RESULT PENDING CARDIOVASCULAR SYSTEM RESULT PENDING RESPIRATORY SYSTEM RESULT PENDING

PER ABDOMEN RESULT PENDING **CENTRAL NERVOUS SYSTEM RESULT PENDING MUSCULOSKELETAL SYSTEM RESULT PENDING BASIC EYE EXAMINATION RESULT PENDING**

FITNESS STATUS RESULT PENDING

Page 1 Of 15







Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321XB002877 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

: TRILM300886321

CLIENT PATIENT ID:

AGE/SEX

:37 Years

Male

RECEIVED: 24/02/2024 10:01:44 REPORTED :24/02/2024 14:48:35

Units **Test Report Status Preliminary** Results

ABHA NO

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOWESOUMARES **ULTRASOUND ABDOMEN** RESULT PENDING **TMT OR ECHO RESULT PENDING**

Page 2 Of 15





View Report

Agilus Diagnostics Ltd.
Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India



8800465156



PATIENT NAME: TRILOK NAVAJI GHANCHI

CODE/NAME & ADDRESS: C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

PATIENT ID TRIL M300896331

PRAWN TRIL M300896331

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI
NEW DELHI 110030

CLIENT PATIENT ID:
ABHA NO :

RECEIVED : 24/02/2024 10:01:44 REPORTED : 24/02/2024 14:48:35

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

HAEMATOLOGY - CBC					
į	MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE				
BLOOD COUNTS,EDTA WHOLE BLOOD					
HEMOGLOBIN (HB)	13.7	13.0 - 17.0	g/dL		
RED BLOOD CELL (RBC) COUNT	5.22	4.5 - 5.5	mil/μL		
WHITE BLOOD CELL (WBC) COUNT	6.54	4.0 - 10.0	thou/µL		
PLATELET COUNT	310	150 - 410	thou/µL		
RBC AND PLATELET INDICES					
HEMATOCRIT (PCV)	43.7	40.0 - 50.0	%		
MEAN CORPUSCULAR VOLUME (MCV)	83.8	83.0 - 101.0	fL		
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	26.3 Low	27.0 - 32.0	pg		
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	31.4 Low	31.5 - 34.5	g/dL		
RED CELL DISTRIBUTION WIDTH (RDW)	15.3 High	11.6 - 14.0	%		
MENTZER INDEX	16.1				
MEAN PLATELET VOLUME (MPV)	8.8	6.8 - 10.9	fL		
WBC DIFFERENTIAL COUNT					
NEUTROPHILS	62	40 - 80	%		
LYMPHOCYTES	24	20 - 40	%		
MONOCYTES	6	2.0 - 10.0	%		
EOSINOPHILS	7 High	1.0 - 6.0	%		
BASOPHILS	1	0 - 1	%		
ABSOLUTE NEUTROPHIL COUNT	4.05	2.0 - 7.0	thou/µL		
ABSOLUTE LYMPHOCYTE COUNT	1.57	1.0 - 3.0	thou/µL		
ABSOLUTE MONOCYTE COUNT	0.39	0.2 - 1.0	thou/µL		
ABSOLUTE EOSINOPHIL COUNT	0.46	0.02 - 0.50	thou/µL		
ABSOLUTE BASOPHIL COUNT	0.07	0.02 - 0.10	thou/µL		

Dr.Miral Gajera Consultant Pathologist





Page 3 Of 15

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB002877 AGE/SEX :37 Years Male

PATIENT ID : TRILM300886321 DRAWN

CLIENT PATIENT ID: RECEIVED: 24/02/2024 10:01:44 ABHA NO REPORTED :24/02/2024 14:48:35

Test Report Status Results **Biological Reference Interval** Units **Preliminary**

NEUTROPHIL LYMPHOCYTE RATIO (NLR) 2.6

MORPHOLOGY

PREDOMINANTLY NORMOCYTIC NORMOCHROMIC **RBC**

WBC NORMAL MORPHOLOGY

ADEQUATE PLATELETS

NO PREMATURE CELLS ARE SEEN. MALARIAL PARASITE NOT DETECTED. REMARKS

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020)

This ratio element is a calculated parameter and out of NABL scope.

Dr.Miral Gajera **Consultant Pathologist**



Page 4 Of 15

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015





REF. DOCTOR: SELF PATIENT NAME: TRILOK NAVAJI GHANCHI

CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB002877 AGE/SEX :37 Years

PATIENT ID : TRILM300886321 DRAWN

CLIENT PATIENT ID: RECEIVED: 24/02/2024 10:01:44 REPORTED :24/02/2024 14:48:35 ABHA NO

Test Report Status Biological Reference Interval Preliminary Results Units

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R 03 0 - 14 mm at 1 hr

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE **BLOOD**

% HBA1C 5.2 Non-diabetic: < 5.7

> Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5Therapeutic goals: < 7.0 Action suggested: > 8.0 (ADA Guideline 2021)

ESTIMATED AVERAGE GLUCOSE(EAG) 102.5 < 116.0 mg/dL

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION:

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. TEST INTERPRETATION

 Pregnancy, Estrogen medication, Aging.
Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease

(Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

 False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

b>False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference

Dr.Miral Gaiera Consultant Pathologist





Page 5 Of 15

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015





CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB002877

PATIENT ID : TRILM300886321

CLIENT PATIENT ID: ABHA NO

AGE/SEX

RECEIVED: 24/02/2024 10:01:44

:37 Years

REPORTED :24/02/2024 14:48:35

Test Report Status Results **Biological Reference Interval** Units **Preliminary**

for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes.3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- 1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
- 2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

HbA1c Estimation can get affected due to :

- 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days. 2. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.
- 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism,chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods,falsely increasing results.
- 4. Interference of hemoglobinopathies in HbA1c estimation is seen in

- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
 b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
 c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr.Miral Gajera **Consultant Pathologist**





Page 6 Of 15

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB002877 AGE/SEX :37 Years

PATIENT ID : TRILM300886321 DRAWN

CLIENT PATIENT ID: RECEIVED: 24/02/2024 10:01:44 ABHA NO REPORTED :24/02/2024 14:48:35

Test Report Status Results **Biological Reference Interval** Units **Preliminary**

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

TYPE B **ABO GROUP POSITIVE** RH TYPE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

Dr.Miral Gajera **Consultant Pathologist**



Page 7 Of 15



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





CODE/NAME & ADDRESS : C000138364 ACCESSION
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

REI. DOCTOR : SEE

ACCESSION NO: 0321XB002877 AGE/SEX: 37 Years Male

TENT ID : TRILM300886321 DRAWN

CLIENT PATIENT ID: ABHA NO : RECEIVED : 24/02/2024 10:01:44

REPORTED :24/02/2024 14:48:35

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR)

85

74 - 99

mg/dL

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR)

63 Low

70 - 140

mg/dL

LIPID PROFILE WITH CALCULATED LDL

CHOLESTEROL, TOTAL 194

Desirable: < 200

mg/dL

mg/dL

BorderlineHigh: 200 - 239 High: > or = 240

TRIGLYCERIDES 217 High

Desirable: < 150

BorderlineHigh: 150 - 199

High: 200 - 499

Very High: > or = 500

/ 40 Low

< 40 Low

mg/dL

mg/dL

mg/dL

> or = 60 High

CHOLESTEROL LDL **108 High** Adult levels: mg/dL Optimal < 100

151 High

43

Near optimal/above optimal:

100-129

100-129

Borderline high: 130-159

High: 160-189

Very high : = 190

Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189

High: 190 - 219

Very high: > or = 220

VERY LOW DENSITY LIPOPROTEIN 43.4 High < or = 30

4.5 High 3.3 - 4.4

2.5 0.5 - 3

0.5 - 3.0 Desirable/Low Risk

3.1 - 6.0 Borderline/Moderate

Dr.Miral Gajera Consultant Pathologist

CHOL/HDL RATIO

LDL/HDL RATIO

HDL CHOLESTEROL

NON HDL CHOLESTEROL



Page 8 Of 15

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : TRILM300886321 DRAWN :

F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 24/02/2024 10:01:44

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

Risk

>6.0 High Risk

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL	0.49	Upto 1.2	mg/dL
BILIRUBIN, DIRECT	0.23 High	Upto 0.2	mg/dL
BILIRUBIN, INDIRECT	0.26	0.00 - 1.00	mg/dL
TOTAL PROTEIN	7.2	6.4 - 8.3	g/dL
ALBUMIN	5.1	3.5 - 5.2	g/dL
GLOBULIN	2.1	2.0 - 4.1	g/dL
ALBUMIN/GLOBULIN RATIO	2.4 High	1.0 - 2.0	RATIO
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	17	0 - 40	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)	20	0 - 41	U/L
ALKALINE PHOSPHATASE	96	40 - 129	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT)	36	8 - 61	U/L
LACTATE DEHYDROGENASE	170	135 - 225	U/L

BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN	8	6 - 20	mg/dL
---------------------	---	--------	-------

CREATININE, SERUM

BUN/CREAT RATIO

BUN/CREAT RAΠΟ 9.64 5.0 - 15.0

Dr.Miral Gajera Consultant Pathologist



Page 9 Of 15

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





PATIENT NAME: TRILOK NAVAJI GHANCHI REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138364 AGE/SEX

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XB002877

PATIENT ID : TRILM300886321 CLIENT PATIENT ID:

ABHA NO

:37 Years

RECEIVED: 24/02/2024 10:01:44 REPORTED :24/02/2024 14:48:35

Test Report Status	Preliminary	Results	Biological Reference Interval	Units

URIC ACID, SERUM URIC ACID	4.5	3.4 - 7.0	mg/dL
TOTAL PROTEIN, SERUM TOTAL PROTEIN	7.2	6.4 - 8.3	g/dL
ALBUMIN, SERUM	F.1	25.52	o (d)
ALBUMIN GLOBULIN	5.1	3.5 - 5.2	g/dL
GLOBULIN	2.1	2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM	137.9	136 - 145	mmol/L
POTASSIUM, SERUM	4.58	3.3 - 5.1	mmol/L
CHLORIDE, SERUM	104.2	98 - 106	mmol/L

Dr.Miral Gajera **Consultant Pathologist**





Page 10 Of 15

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India



Interpretation(s)

GLUCOSE FASTING,FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in

sulfonylureas, tolbutamide, and other oral hypoglycemic agents.



REF. DOCTOR: SELF PATIENT NAME: TRILOK NAVAJI GHANCHI

CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB002877 AGE/SEX :37 Years

PATIENT ID : TRILM300886321 DRAWN

CLIENT PATIENT ID: RECEIVED: 24/02/2024 10:01:44 ABHA NO REPORTED: 24/02/2024 14:48:35

Test Report Status Results **Biological Reference Interval Preliminary** Units

within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment,Renal Glyosuria,Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

 bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, is chemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

<br intestine, spleen, heart, Irain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

 disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease,
Malabsorption,Malnutrition,Nephrotic syndrome,Protein-losing enteropathy etc.

<br

albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome,protein-losing enteropathy,Burns,hemodilution,increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-

SER

CREATININE, SERUM-

- Seru

• blockage in the unitary tract, Kloney problems, such as kidney damage of railarle, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle prosuch as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

<br

b>Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease

 Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

Dr.Miral Gajera **Consultant Pathologist**



Page 11 Of 15

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





CODE/NAME & ADDRESS : C000138364 ACCESSION NO : **0321XB002877** AGE/SEX : 37 Years Male

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : TRILM300886321 DRAWN :

F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED: 24/02/2024 10:01:44

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR Yellow APPEARANCE Clear

CHEMICAL EXAMINATION, URINE

PH	5.5	4.7 - 7.5
SPECIFIC GRAVITY	1.020	1.003 - 1.035
PROTEIN	NOT DETECTED	NEGATIVE
GLUCOSE	NOT DETECTED	NEGATIVE
KETONES	NOT DETECTED	NOT DETECTED
BLOOD	NOT DETECTED	NOT DETECTED
BILIRUBIN	NOT DETECTED	NOT DETECTED
UROBILINOGEN	NORMAL	NORMAL
NITRITE	NOT DETECTED	NOT DETECTED
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	1-2	0-5	/HPF
EPITHELIAL CELLS	1-2	0-5	/HPF

CASTS NOT DETECTED
CRYSTALS NOT DETECTED

BACTERIA NOT DETECTED NOT DETECTED
YEAST NOT DETECTED NOT DETECTED

REMARKS MICROSCOPIC EXAMINATION OF URINE IS CARRIED OUT ON

CENTRIFUGED URINARY SEDIMENT.

Dr.Miral Gajera Consultant Pathologist





Page 12 Of 15

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015





CODE/NAME & ADDRESS : C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: 0321XB002877

PATIENT ID : TRILM300886321

CLIENT PATIENT ID:

AGE/SEX :

:

RECEIVED : 24/02/2024 10:01:44 REPORTED : 24/02/2024 14:48:35

:37 Years

Test Report Status Preliminary Results Biological Reference Interval Units

Dr.Miral Gajera Consultant Pathologist



Page 13 Of 15

View Details

View Report



Agilus Diagnostics Ltd.
Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi,
Ahmedabad, 380015





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321XB002877 AGE/SEX :37 Years ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

PATIENT ID : TRILM300886321

CLIENT PATIENT ID:

ABHA NO

DRAWN

RECEIVED: 24/02/2024 10:01:44 REPORTED :24/02/2024 14:48:35

Test Report Status Results Biological Reference Interval Units **Preliminary**

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOWESOUMARES PHYSICAL EXAMINATION, STOOL **RESULT PENDING CHEMICAL EXAMINATION, STOOL RESULT PENDING** MICROSCOPIC EXAMINATION, STOOL RESULT PENDING

Page 14 Of 15





Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





REF. DOCTOR: SELF PATIENT NAME: TRILOK NAVAJI GHANCHI

CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XB002877

PATIENT ID : TRILM300886321

CLIENT PATIENT ID: ABHA NO

AGE/SEX :37 Years

RECEIVED: 24/02/2024 10:01:44 REPORTED: 24/02/2024 14:48:35

Test Report Status Results Biological Reference Interval Units **Preliminary**

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

THYROID PANEL, SERUM

T3 117.50 80.0 - 200.0 na/dL T4 10.60 5.10 - 14.10 µg/dL 12.020 High 0.270 - 4.200μIU/mL TSH (ULTRASENSITIVE)

> **End Of Report** Please visit www.agilusdiagnostics.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- Test results cannot be used for Medico legal purposes.
- 9. In case of gueries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr.Miral Gaiera Consultant Pathologist





Page 15 Of 15



Agilus Diagnostics Ltd. Grand Malı, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India

