



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 13:54:26
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 28/Sep/2024 14:08:52
UHID/MR NO	: ALDP.0000150392	Received	: 28/Sep/2024 14:26:09
Visit ID	: ALDP0239252425	Reported	: 28/Sep/2024 16:36:30
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

T	D	11		
Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood				
Haemoglobin	11.20	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
			1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	5,500.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	59.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	35.00	%	20-40	FLOW CYTOMETRY
Monocytes	5.00	%	2-10	FLOW CYTOMETRY
Eosinophils	1.00	%	1-6	FLOW CYTOMETRY
Basophils	0.00	%	< 1-2	FLOW CYTOMETRY
ESR				
Observed	24.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5	



80-91 Yr 15.8

Page 1 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 13:54:26
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 28/Sep/2024 14:08:52
UHID/MR NO	: ALDP.0000150392	Received	: 28/Sep/2024 14:26:09
Visit ID	: ALDP0239252425	Reported	: 28/Sep/2024 16:36:30
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic)	
			Leter gestation - 70 (95 if anaemic)	,
Corrected	-	Mm for 1st hr.	,	
PCV (HCT) Platelet count	36.00	%	40-54	
Platelet Count	1.25	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.30	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.16	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	3.97	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	90.80	fl	80-100	CALCULATED PARAMETER
MCH	28.30	pg	27-32	CALCULATED PARAMETER
MCHC	31.20	%	30-38	CALCULATED PARAMETER
RDW-CV	15.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	51.30	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,245.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	55.00	/cu mm	40-440	

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)

Page 2 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 13:54:27
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 28/Sep/2024 14:08:52
UHID/MR NO	: ALDP.0000150392	Received	: 28/Sep/2024 14:26:09
Visit ID	: ALDP0239252425	Reported	: 28/Sep/2024 16:33:41
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	al Method
GLUCOSE FASTING , <i>Plasma</i> Glucose Fasting	86.40	100	0 Normal -125 Pre-diabetes 6 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	102.10	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.10	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	32.10	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	99	mg/dl	

Interpretation:

NOTE:-

• eAG is directly related to A1c.



View Reports on

Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 13:54:27
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 28/Sep/2024 14:08:52
UHID/MR NO	: ALDP.0000150392	Received	: 28/Sep/2024 14:26:09
Visit ID	: ALDP0239252425	Reported	: 28/Sep/2024 16:33:41
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

	Test Name Result	Unit	Bio. Ref. Interval	Method	
--	------------------	------	--------------------	--------	--

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen)	12.40	mg/dL	7.0-23.0
Sample:Serum			

CALCULATED

View Reports on

Chandan 24x7 App









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.LALITA		Registered O		024 13:54:27
Age/Gender	: 35 Y 2 M 28 D /F		Collected		024 14:08:52
UHID/MR NO Visit ID	: ALDP.0000150392 : ALDP0239252425		Received		024 14:26:09 024 16:33:41
	: ALDP0239252425 : Dr. MEDIWHEEL-ARCC) FEMI HEALTH	Reported		
Ref Doctor	CARE LTD -		Status	: Final Repo	rt
			T OF BIOCHEN		
	MEDIWH			LE ABOVE 40 YR	
est Name		Result	Unit	Bio. Ref. Inte	erval Method
Interpretation: Note: Elevated BU	N levels can be seen in th	ne following:			
	hydration, Aging, Certain n		Gastrointestimal	(GI) bleeding.	
Low BUN levels ca	n be seen in the following	j :			
Low-protein diet, ove	erhydration, Liver disease.				
reatinine		0.68	mg/dl (0.5-1.20	MODIFIED JAFFES
ample:Serum		0.00	ng, ar	0.0-1.20	
Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic.	ingle creatinine value must b ner creatinine concentration. oncentration. Serum creatini dly and may result in anoma	e interpreted in lig The trend of serur ne concentrations	ht of the patients r n creatinine conce may increase whe m samples have h	muscle mass. A patie entrations over time is en an ACE inhibitor	nt with a greater muscle s more important than (ACE) is taken. The assay
Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. Interpretation: Note:-	ner creatinine concentration. oncentration. Serum creatini	be interpreted in lig The trend of serur ine concentrations alous values if seru 3.50	ht of the patients r n creatinine conce may increase whe m samples have h	muscle mass. A patie entrations over time i en an ACE inhibitor neterophilic antibodie	nt with a greater muscle s more important than (ACE) is taken. The assay s, hemolyzed, icteric or
Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. Interpretation: Note:- Elevated uric acid	ner creatinine concentration. oncentration. Serum creatini dly and may result in anoma	e interpreted in lig The trend of serur ne concentrations alous values if seru 3.50 Collowing:	ht of the patients r n creatinine conce may increase whe m samples have h mg/dl	muscle mass. A patie entrations over time is en an ACE inhibitor neterophilic antibodie 2.5-6.0	nt with a greater muscle s more important than (ACE) is taken. The assay s, hemolyzed, icteric or
Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. Interpretation: Note:- Elevated uric acid	her creatinine concentration. oncentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic	e interpreted in lig The trend of serur ne concentrations alous values if seru 3.50 Collowing:	ht of the patients r n creatinine conce may increase whe m samples have h mg/dl	muscle mass. A patie entrations over time is en an ACE inhibitor neterophilic antibodie 2.5-6.0	nt with a greater muscle s more important than (ACE) is taken. The assay s, hemolyzed, icteric or
Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. ric Acid ample:Serum Interpretation: Note:- Elevated uric acid I Drugs, Diet (high-pro FT (WITH GAMMA SGOT / Aspartate Ar	her creatinine concentration. concentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic A GT), Serum minotransferase (AST)	e interpreted in lig The trend of serur ine concentrations ilous values if seru 3.50 Collowing: kidney disease, H 18.60	ht of the patients r n creatinine conce may increase whe m samples have h mg/dl : ypertension, Obes	muscle mass. A patie entrations over time is en an ACE inhibitor eterophilic antibodie 2.5-6.0 sity.	nt with a greater muscle s more important than (ACE) is taken. The assay s, hemolyzed, icteric or URICASE
Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. Interpretation: Note:- Elevated uric acid I Drugs, Diet (high-pro FT (WITH GAMMA SGOT / Aspartate Ar SGPT / Alanine Amir	her creatinine concentration. concentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic A GT), Serum minotransferase (AST)	e interpreted in lig The trend of serur ine concentrations ilous values if seru 3.50 Collowing: kidney disease, H 18.60 19.90	ht of the patients r n creatinine conce may increase whe m samples have h mg/dl Typertension, Obes U/L	muscle mass. A patie entrations over time is en an ACE inhibitor eterophilic antibodie 2.5-6.0 sity.	Int with a greater muscle s more important than (ACE) is taken. The assay s, hemolyzed, icteric or URICASE
Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. Interpretation: Note:- Elevated uric acid I Drugs, Diet (high-pro FT (WITH GAMMA SGOT / Aspartate Ar SGPT / Alanine Amir Gamma GT (GGT)	her creatinine concentration. concentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic A GT), Serum minotransferase (AST)	e interpreted in lig The trend of serur ne concentrations llous values if seru 3.50 Collowing: kidney disease, H 18.60 19.90 16.50	ht of the patients r n creatinine conce may increase whe m samples have h mg/dl ypertension, Obes U/L U/L	muscle mass. A patie entrations over time is en an ACE inhibitor leterophilic antibodie 2.5-6.0 sity. < 35 < 40 11-50	Int with a greater muscle s more important than (ACE) is taken. The assay s, hemolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING
Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. ric Acid ample:Serum Interpretation: Note:- Elevated uric acid I Drugs, Diet (high-pro FT (WITH GAMIMA SGOT / Aspartate Ar SGPT / Alanine Amir Gamma GT (GGT) Protein	her creatinine concentration. concentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic A GT), Serum minotransferase (AST)	e interpreted in lig The trend of serur ine concentrations alous values if seru 3.50 Collowing: kidney disease, H 18.60 19.90 16.50 7.10	ht of the patients r n creatinine conce may increase whe m samples have h mg/dl ypertension, Obes U/L U/L IU/L gm/dl	muscle mass. A patie entrations over time is en an ACE inhibitor eterophilic antibodie 2.5-6.0 sity. < 35 < 40 11-50 6.2-8.0	In twith a greater muscle s more important than (ACE) is taken. The assay s, hemolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET
Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. Interpretation: Note:- Elevated uric acid I Drugs, Diet (high-pro FT (WITH GAMMA SGOT / Aspartate Ar SGPT / Alanine Amir Gamma GT (GGT)	her creatinine concentration. concentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic A GT), Serum minotransferase (AST)	e interpreted in lig The trend of serur ne concentrations llous values if seru 3.50 Collowing: kidney disease, H 18.60 19.90 16.50	ht of the patients r n creatinine conce may increase whe m samples have h mg/dl : ypertension, Obes U/L U/L IU/L gm/dl i	muscle mass. A patie entrations over time is en an ACE inhibitor leterophilic antibodie 2.5-6.0 sity. < 35 < 40 11-50	Int with a greater muscle s more important than (ACE) is taken. The assay s, hemolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING



Page 5 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Dational Name		De siteters d. Os	20/0/2024 12 54 27
Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 13:54:27
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 28/Sep/2024 14:08:52
UHID/MR NO	: ALDP.0000150392	Received	: 28/Sep/2024 14:26:09
Visit ID	: ALDP0239252425	Reported	: 28/Sep/2024 16:33:41
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inte	rval Method
Alkaline Phosphatase (Total)	95.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.66	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.23	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.43	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	121.00	mg/dl	<200 Desirable 200-239 Borderline H > 240 High	CHOD-PAP igh
HDL Cholesterol (Good Cholesterol)	36.90	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	72	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optin 130-159 Borderline H 160-189 High > 190 Very High	
VLDL	12.02	mg/dl	10-33	CALCULATED
Triglycerides	60.10	mg/dl	< 150 Normal 150-199 Borderline H 200-499 High >500 Very High	GPO-PAP igh

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)

Page 6 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 13:54:27
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 28/Sep/2024 18:37:12
UHID/MR NO	: ALDP.0000150392	Received	: 28/Sep/2024 18:41:22
Visit ID	: ALDP0239252425	Reported	: 28/Sep/2024 18:58:14
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE , Urine				
Color	LIGHT YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		0	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
	ADOENT	0/	> 500 (++++)	DIDCTION
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++) 1-2 (+++)	
			>2 (++++)	
Ketone	ABSENT	mg/dl	Serum-0.1-3.0	BIOCHEMISTRY
		<u> </u>	Urine-0.0-14.0	
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
	ADOENT			EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.



Page 7 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 13:54:27
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 28/Sep/2024 18:37:12
UHID/MR NO	: ALDP.0000150392	Received	: 28/Sep/2024 18:41:22
Visit ID	: ALDP0239252425	Reported	: 28/Sep/2024 18:58:14
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

IVIEDIN			ADOVE 40 TRS	
Test Name	Result	Unit	Bio. Ref. Interval	Method
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation: (+) < 0.5				
SUGAR, PP STAGE, Urine				
Sugar, PP Stage	ABSENT			
Interpretation: (+) < 0.5 gms%				

(++++) > 2 gms%

AS

Dr.Akanksha Singh (MD Pathology)

Page 8 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965.0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 13:54:27
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 28/Sep/2024 14:08:52
UHID/MR NO	: ALDP.0000150392	Received	: 28/Sep/2024 14:26:09
Visit ID	: ALDP0239252425	Reported	: 28/Sep/2024 18:37:46
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine)	153.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.16	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	8.800	μlU/mL	0.27 - 5.5	CLIA
Interpretation:		0.3-4.5 µIU/n	nL First Trimest	- a u
		0.3-4.5 μIU/n 0.5-4.6 μIU/n		
		0.8-5.2 μIU/m		
		0.5-8.9 μIU/n		55-87 Years
		0.7-27 μIU/n		28-36 Week
		2.3-13.2 μIU/m	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	- 20 Yrs.)
		1-39 μIU	mL Child	0-4 Days
		1.7-9.1 μIU/n	nL Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)



Page 9 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 13:54:27
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 2024-09-28 17:59:25
UHID/MR NO	: ALDP.0000150392	Received	: 2024-09-28 17:59:25
Visit ID	: ALDP0239252425	Reported	: 29/Sep/2024 09:18:54
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis



View Reports on Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 13:54:27
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 2024-09-28 14:33:04
UHID/MR NO	: ALDP.0000150392	Received	: 2024-09-28 14:33:04
Visit ID	: ALDP0239252425	Reported	: 28/Sep/2024 14:50:22
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - **Enlarged in size (16.2 cm)**, with normal shape and **shows diffusely raised echotexture**. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER :- Partially distended (Postprandial status). Sludge and few echogenic foci largest measuring ~ 6.0 mm are seen in the gall bladder lumen.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (9.8 cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. A tiny simple cyst is seen in the left kidney measuring ~ 6.7 x 7.2 mm in mid pole. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Is minimaly distended. Patient unable to hold urine further.

HIGH RESOLUTION :- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

<u>IMPRESSION</u> : Hepatomegaly with grade I fatty changes.

ADV :- Review ultrasound Post 8-10 houres NPO status.

*** End Of Report ***
esult/s to Follow: OOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)
Constant of the second se
This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.
cilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, MD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing,Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & imunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * 5 Days Open *Facilities Available at Select Location
Page 11 of 11
Home Sample Collection View Reports on Chandan 24x7 App





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206

		Contract By	: MEDIWHEEL - ARCOFEMI HEALTH CARE LTD. [52610]CREDIT	
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report	
Visit ID	: ALDP0239252425	Reported	: 28/Sep/2024 08:00PM	
UHID/MR NO	: ALDP.0000150392	Received	: 28/Sep/2024 06:41PM	
Age/Gender	: 35 Y 2 M 28 D /F	Collected	: 28/Sep/2024 06:33PM	
Patient Name	: Mrs.LALITA	Registered On	: 28/Sep/2024 01:54PM	

DEPARTMENT OF CYTOLOGY

CYTOLOGY NO: 337/24-25

GROSS: 2 Slides.

Adequate for evaluation. Cellular smears show superficial and intermediate squamous cells with moderate inflammation. Endocervical cells are not seen.

IMPRESSION: Negative for intraepithelial lesion or malignancy.

*** End Of Report ***

Result/s to Follow: STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)

Dr.Akanksha Singh (MD Pathology)

This report is not for medico legal purpose. If clinical correlation is not established kindly repeate the test at no additional cost within seven days. Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing,Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups * **365 Days Open** *Facilities Available at Selected Location

 \odot







