

Bill No.	:	APHHC240001728	Bill Date		:	23-09-2024 10:11		
Patient Name	:	MR. ABHISHEK KUMAR	UHID		:	APH000020624		
Age / Gender	:	40 Yrs 7 Mth / MALE	Patient Type		:	OPD	If PHC	:
Ref. Consultant	:	MEDIWHEEL	Ward / Bed		:	1		
Sample ID	:	APH24044535	Current Ward / Bed		:	1		
	:		Receiving Date & Tin	ne	:	23-09-2024 13:15		
			Reporting Date & Tin	ne	:	23-09-2024 14:42		

BIOCHEMISTRY REPORTING

		-	-	-
Test (Methodology)	Flag	Result	UOM	Biological Reference
	_			Interval

. Sample Type: EDTA Whole Blood, Plasma, Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

BLOOD UREA Urease-GLDH,Kinetic		29	mg/dL	15 - 45	
BUN (CALCULATED)		13.5	mg/dL	7 - 21	
CREATININE-SERUM (Modified Jaffe s Kinetic)	L	0.7	mg/dL	0.9 - 1.3	
GLUCOSE-PLASMA (FASTING) (UV Hexokinase)	Н	116.0	mg/dL	70 - 100	

Note: A diagnosis of diabetes mellitus is made if fasting blood glucose exceeds 126 mg/dL. (As per American Diabetes Association recommendation)

	GLUCOSE-PLASMA (POST PRANDIAL) (UV Hexokinase)		105.0	mg/dL	70 - 140
loto	· A diagnosis of diabotos mollitus is made if 2 hou	ir poet	load alugoso oxooods 20	0 ma/dl	

Note: A diagnosis of diabetes mellitus is made if 2 hour post load glucose exceeds 200 mg/dL. (As per American Diabetes Association recommendation)

LIPID PROFILE

CHOLESTROL-TOTAL (CHO-POD)	Н	245	mg/dL	0 - 160
HDL CHOLESTROL Enzymatic Immunoinhibition		60	mg/dL	>40
CHOLESTROL-LDL DIRECT Enzymatic Selective Protection	Н	175	mg/dL	0 - 100
S.TRIGLYCERIDES (GPO - POD)		132	mg/dL	0 - 160
NON-HDL CHOLESTROL	Н	185.0	mg/dL	0 - 125
TOTAL CHOLESTROL / HDL CHOLESTROL		4.1		1⁄2Average Risk <3.3 Average Risk 3.3-4.4 2 Times Average Risk 4.5-7.1 3 Times Average Risk 7.2-11.0
LDL CHOLESTROL / HDL CHOLESTROL		2.9		1∕₂Average Risk <1.0 Average Risk 1.0-3.6 2 Times Average Risk 3.7-6.3 3 Times Average Risk 6.4-8.0
CHOLESTROL-VLDL		26	mg/dL	10 - 35

Comments:

• Disorders of Lipid metabolism play a major role in atherosclerosis and coronary heart disease.

• There is an established relationship between increased total cholesterol & LDL cholesterol and myocardial infarction.

• HDL cholesterol level is inversely related to the incidence of coronary artery disease.

• Major risk factors which adversely affect the lipid levels are:

- 1. Cigarette smoking.
- 2. Hypertension.
- 3. Family history of premature coronary heart disease.

4. Pre-existing coronary heart disease.

LIVER FUNCTION TESTS (LFT)

BILIRUBIN-TOTAL (DPD)	0.73	mg/dL	0.2 - 1.0
BILIRUBIN-DIRECT (DPD)	0.15	mg/dL	0 - 0.2
BILIRUBIN-INDIRECT	0.58	mg/dL	0.2 - 0.8
S.PROTEIN-TOTAL (Biuret)	7.6	g/dL	6 - 8.1
ALBUMIN-SERUM (Dye Binding-Bromocresol Green)	5.1	g/dL	3.5 - 5.2



							_					
l No.	:	APHHC240001728			Bill Date		E	23-09-2024 1	0:11			
tient Name	:	MR. ABHISHEK KUMAR			UHID		:	APH000020624				
e / Gender	:	40 Yrs 7 Mth / MALE	Patient Type			:	OPD If PHC :					
f. Consultant	:	MEDIWHEEL			Ward / Bed		:	1				
mple ID	:	APH24044535			Current Ward / Bed		:	1				
	: Receiving Date & Time		ime	:	23-09-2024 1	3:15						
					Reporting Date & T	ime	:	23-09-2024 1	4:42			
S.GLOBULIN			L	2.	5	g/dL		2.	8-3.8			
A/G RATIO				2.0	4			1.	5 - 2	.5		
ALKALINE PH	SSF	PHATASE IFCC AMP BUFFER	L	48	3.4	IU/L		53	3 - 12	8		
ASPARTATE A	MI	NO TRANSFERASE (SGOT) (IFCC)		28	.4	IU/L		10) - 42			
ALANINE AMI	NO	TRANSFERASE(SGPT) (IFCC)		29	9	IU/L		10) - 40			
GAMMA-GLUT	AM	YLTRANSPEPTIDASE (IFCC)		17	3	IU/L		11	- 50			
LACTATE DEH	IYD	ROGENASE (IFCC; L-P)		15	4.9	IU/L		0	- 248	}		
S.PROTEIN-TO		(Biuret)		7.6	6	g/dL		6	- 8.1			
	217		-			13. **						
	ase -	Trinder	Н	8.	8	mg/o	dL	2.	6 - 7	.2		

** End of Report **

 IMPORTANT INSTRUCTIONS

 CL - Critical Low, CH - Critical High, H - High, L - Low

 Laboratory test results are to be clinically correlated.

 Storage and discard of Specimen shall be as per AIMS specimen retention policy.
Test results are not valid for Medico - Legal purposes.





Bill No.	:	APHHC240001728	Bill Date	:	: 23-09-2024 10:11
Patient Name	:	MR. ABHISHEK KUMAR	UHID	:	: APH000020624
Age / Gender	:	40 Yrs 7 Mth / MALE	Patient Type	:	: OPD If PHC :
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	: /
Sample ID	:	APH24044535	Current Ward / Bed	:	: /
	:		Receiving Date & Time	:	: 23-09-2024 13:15
			Reporting Date & Time	:	: 23-09-2024 14:42

Sample Type: EDTA Whole Blood, Plasma, Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

	HBA1C (Turbidimetric Immuno-inhibition)	5.7	%	4.0 - 6.2
INTE	ERPRETATION:			

HbA1c %	Degree of Glucose Control
>8%	Action suggested due to high risk of developing long term complications like Retinopathy, Nephropathy, Cardiopathy and Neuropathy
7.1 - 8.0	Fair Control
<7.0	Good Control

Note:

1.A three monthly monitoring is recommended in diabetics.

 Since HbA1c concentration represents the integrated values for blood glucose over the preceding 6 - 10 weeks and is not affected by daily glucose fluctuation, exercise and recent food intake, it is a more useful tool for monitoring diabetics.

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

Laboratory test results are to be clinically correlated.

Storage and discard of Specimen shall be as per AIMS specimen retention policy.

Test results are not valid for Medico - Legal purposes.

Islins



Bill No.	:	APHHC240001728	Bill Date	:	23-09-2024 10:11
Patient Name	:	MR. ABHISHEK KUMAR	UHID	:	APH000020624
Age / Gender	:	40 Yrs 7 Mth / MALE	Patient Type	:	OPD If PHC :
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	1
Sample ID	:	APH24044454	Current Ward / Bed	:	1
	:		Receiving Date & Time	:	23-09-2024 10:34
			Reporting Date & Time	:	23-09-2024 16:11

SEROLOGY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference
	l' ma a	rtooun		Dielegiean Kererenee
				Interval

Sample Type: Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

PROSTATIC SPECIFIC ANTIGEN(TOTAL) (ELFA)	2.52	ng/mL	0 - 4

Note:

TPSA as a Tumor marker is used as an additional test for prognosis and monitoring of therapy for patients with diagnosed malignant tumors. It may offer a diagnostic value for screening patients with suspected malignancies, as high values may be experienced in situations like benign prostatic hyperplasia, prostatitis, bladder catheterisation, urinary retention, endoscopic examination. Value in between 4-10ng/ml may be an indication of Benign Prostate Hyperplasia or prostate Carcinoma, values greater than 10ng/ml may indicate high risk of Carcinoma.

The test has been carried out in Fully Automated Immunoassay System VIDAS using ELFA (Enzyme Linked Fluorescence Assay) technology.

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low Laboratory test results are to be clinically correlated. Storage and discard of Specimen shall be as per AIMS specimen retention policy. Test results are not valid for Medico - Legal purposes.

Ashis



Bill No.	:	APHHC240001728	Bill Date	:	23-09-2024 10:11		
Patient Name	:	MR. ABHISHEK KUMAR	UHID	:	APH000020624		
Age / Gender	:	40 Yrs 7 Mth / MALE	Patient Type	:	OPD	If PHC :	
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	1	· · ·	
Sample ID	:	APH24044454	Current Ward / Bed	:	1		
	:		Receiving Date & Time	:	23-09-2024 10:34		
			Reporting Date & Time	:	23-09-2024 16:11		

Sample Type: Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

THYROID PROFILE (FT3+FT4+TSH)

FREE-TRI IODO THYRONINE (FT3) (ECLIA)	2.75	pg/mL	2.0-4.4
FREE -THYROXINE (FT4) (ECLIA)	1.57	ng/dL	0.9-1.7
THYROID STIMULATING HORMONE (TSH) (ECLIA)	3.23	mIU/L	0.27-4.20

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low Laboratory test results are to be clinically correlated. Storage and discard of Specimen shall be as per AIMS specimen retention policy.

Test results are not valid for Medico - Legal purposes.

Ashish



Bill No.	:	APHHC240001728	Bill Date	:	23-09-2024 10:11		
Patient Name	:	MR. ABHISHEK KUMAR	UHID	:	APH000020624		
Age / Gender	:	40 Yrs 7 Mth / MALE	Patient Type	:	OPD	If PHC :	
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	1		
Sample ID	:	APH24044451	Current Ward / Bed	:	1		
	:		Receiving Date & Time	:	23-09-2024 10:34		
			Reporting Date & Time	:	23-09-2024 14:24		

BLOOD BANK REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval

Sample Type: EDTA Whole Blood

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

BLOOD GROUP (ABO)	"A"
RH TYPE	POSITIVE

** End of Report **

IMPORTANT INSTRUCTIONS CL - Critical Low, CH - Critical High, H - High, L - Low

Laboratory test results are to be clinically correlated. Storage and discard of Specimen shall be as per AIMS specimen retention policy. Test results are not valid for Medico - Legal purposes.

Ashish



Bill No.	:	APHHC240001728	Bill Date	:	23-09-2024 10:11		
Patient Name	:	MR. ABHISHEK KUMAR	UHID	:	APH000020624		
Age / Gender	:	40 Yrs 7 Mth / MALE	Patient Type	:	OPD	If PHC :	
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	1		
Sample ID	:	APH24044449	Current Ward / Bed	:	1		
	:		Receiving Date & Time	:	23-09-2024 10:34		
			Reporting Date & Time	:	23-09-2024 12:39		

HAEMATOLOGY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference
				Interval

Sample Type: EDTA Whole Blood

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

CBC -1 (COMPLETE BLOOD COUNT)

TOTAL LEUCOCYTE COUNT (Flow Cytometry)		7.8	thousand/cumm	4 - 11
RED BLOOD CELL COUNT (Hydro Dynamic Focussing)		4.7	million/cumm	4.5 - 5.5
HAEMOGLOBIN (SLS Hb Detection)		13.3	g/dL	13 - 17
PACK CELL VOLUME (Cumulative Pulse Height Detection)		45.0	%	40 - 50
MEAN CORPUSCULAR VOLUME		96.1	fL	83 - 101
MEAN CORPUSCULAR HAEMOGLOBIN		28.3	pg	27 - 32
MEAN CORPUSCULAR HAEMOGLOBIN CONCENTRATION	L	29.5	g/dL	31.5 - 34.5
PLATELET COUNT (Hydro Dynamic Focussing)		164	thousand/cumm	150 - 400
	Н	49.2	fL	39 - 46
RED CELL DISTRIBUTION WIDTH (C.V.)	Н	14.3	%	11.6 - 14

DIFFERENTIAL LEUCOCYTE COUNT

ESR (Westergren)	Н	30	mm 1st hr	0 - 10
BASOPHILS		0	%	0 - 1
EOSINOPHILS		2	%	1 - 5
MONOCYTES		4	%	2 - 10
LYMPHOCYTES	L	19	%	20 - 40
NEUTROPHILS		75	%	40 - 80

** End of Report **

IMPORTANT INSTRUCTIONS CL - Critical Low, CH - Critical High, H - High, L - Low

Laboratory test results are to be clinically correlated.

Storage and discard of Specimen shall be as per AIMS specimen retention policy.

Test results are not valid for Medico - Legal purposes.

Ashish



Bill No.	:	APHHC240001728	Bill Date		:	23-09-2024 10:11		
Patient Name	:	MR. ABHISHEK KUMAR	UHID		:	APH000020624		
Age / Gender	:	40 Yrs 7 Mth / MALE	Patient Type		:	OPD	If PHC	:
Ref. Consultant	:	MEDIWHEEL	Ward / Bed		:	1		
Sample ID	ŀ	APH24044450	Current Ward / Bed		:	1		
	:		Receiving Date & Tin	ne	:	23-09-2024 10:34		
			Reporting Date & Tin	ne	:	23-09-2024 13:36		

CLINICAL PATH REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference
	-			Interval

Sample Type: Urine

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

URINE, ROUTINE EXAMINATION

PHYSICAL EXAMINATION

QUANTITY		30 mL			
COLOUR		Pale Straw		Pale Yellow	
TURBIDITY		Clear			

CHEMICAL EXAMINATION

PH (Double pH indicator method)	6.0	5.0 - 8.5
PROTEINS (Protein-error-of-indicators)	Negative	Negative
SUGAR (GOD POD Method)	Negative	Negative
SPECIFIC GRAVITY, URINE (Apparent pKa change)	1.015	1 005 - 1 030

MICROSCOPIC EXAMINATION

LEUCOCYTES		1-2	/HPF	0 - 5		
RBC's		Nil				
EPITHELIAL CELLS	0-1					
CASTS	Nil					
CRYSTALS	Nil					
URINE-SUGAR	NEGATIVE					

** End of Report **

IMPORTANT INSTRUCTIONS CL - Critical Low, CH - Critical High, H - High, L - Low Laboratory test results are to be clinically correlated. Storage and discard of Specimen shall be as per AIMS specimen retention policy. Test results are not valid for Medico - Legal purposes.

DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING

Report : ULTRASOUND

Patient Name	:	MR. ABHISHEK KUMAR	IPD No.	:	
Age	:	40 Yrs 7 Mth	UHID	:	APH000020624
Gender	:	MALE	Bill No.	:	APHHC240001728
Ref. Doctor	:	MEDIWHEEL	Bill Date	:	23-09-2024 10:11:35
Ward	:		Room No.	:	
			Print Date	:	23-09-2024 11:22:34

WHOLE ABDOMEN:

Both the hepatic lobes are normal in size and echotexture (Liver measures 13.8 cm)

No focal lesion seen. Intrahepatic biliary radicals are not dilated.

Portal vein is normal in calibre.

Gall bladder is well distended. Wall thickness is normal. No calculus seen.

CBD is normal in calibre.

Pancreas is obscured.

Spleen is normal in size (9 cm) and echotexture.

Both kidneys are normal in size and echotexture (Right kidney (10.11 cm), Left kidney (10.15 cm).

Cortico-medullary distinction is maintained. No calculus or hydronephrosis seen.

Urinary bladder is distended and appears normal. Wall thickness is normal.

Prostate appears normal in size (Vol. 20.3 cc), outline and echotexture.

No free fluid or collection seen. No basal pleural effusion seen.

No significant lymphadenopathy seen.

No dilated bowel loop seen.

IMPRESSION:- No significant abnormality detected.

Please correlate clinically.....

.....End of Report.....

Prepare By.	
MD.SERAJ	

DR. ALOK KUMAR, M.B.B.S, M.D, DMRD CONSULTANT

Note : The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.

DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING

Report : XRAY

Patient Name	:	MR. ABHISHEK KUMAR	IPD No.	:	
Age	:	40 Yrs 7 Mth	UHID	:	APH000020624
Gender	:	MALE	Bill No.	:	APHHC240001728
Ref. Doctor	:	MEDIWHEEL	Bill Date	:	23-09-2024 10:11:35
Ward	:		Room No.	:	
			Print Date	:	23-09-2024 15:50:12

CHEST PA VIEW:

Cardiac shadow appears normal.

Both lung fields appear clear.

Both domes of diaphragm and both CP angles are clear.

Both hila appear normal.

Soft tissues and bony cage appear normal.

Please correlate clinically.

.....End of Report.....

Prepare By. MD.SALMAN DR. MUHAMMAD SERAJ, MD Radiodiagnosis,FRCR (London) BCMR/46075 CONSULTANT

Note : The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.