# ETERNAL HOSPITAL
## Sanganer

Date & Time 28/10/24
Patient Name: Mr Virendra Ku. Sikhwar
Age / Gen: 33 Years / M
UHID: 40022595

Provisional Diagnosis:

Drug Allergy:

Complaints:

Itching, watering

Physical Examination:

Pallor : Yes/No Icterus : Yes/No
Cynosis : Yes/No Edema : Yes/No
Lymphadenopathy : Yes/No

Systemic Examination:

CVS :
CNS :
Respiratory System :
GI System :
Skin :

Investigation:

Medication Advice:

Pain : ☐ Yes ☐ No

✓S/L✓

VA R 6/6 N/6
L 6/6

Colour vision normal

℞

- Aquasoge eye drop in BE
  0 - 0 x 1 Month

Follow up:

Diet Advice: ☐ Normal ☐ Low Fat ☐ Diabetic ☐ Renal ☐ Low Salt

A Unit of Eternal Care Foundation
Eternal Hospital Sanganer

(A Unit of Eternal Care Foundation)
Near Airport Circle Sanganer, Jaipur - 302011 Rajasthan (India)
Phone:- 0141-3120000
www.eternalhospital.com

# ETERNAL HOSPITAL
*Sanganer*

Mr. VIRENDRA KUMAR SIKHW
40022595 Oct 28 2024 9:26AM
33 Yrs/Male OPSCR24-25/2539
Dr. EHS CONSULTANT
9983666624

## OUT-PATIENT / DAYCARE - INITIAL ASSESSMENT FORM

**Chief Complaints:** Medi wheel Full body Heelty since ago

**Communicable disease (if any):**

**Vital Sign:** SpO2: 97 **Pulse:** 72 **BP:** 133/88 **Height:** ____ cms **Weight:** 97.2 kgs

**Allergies:** ☐ Yes ☐ No If yes specify: Not Known

**Psychosocial:**

**Alcohol intake:** Yes **Substance abuse:** No **Smoking:** No

**Do you have any special religious, spiritual or cultural needs to be considered?** ☐ Yes ☐ No

**Pain:** ☐ Yes ☐ No **Onset:** ____ **Location:** ____ **Duration:** ____ **Aggravation with:** ____

**Characteristic: Sharp/ Dull/ Aching/ constant/ intermittent/ pressure/ tightness/ squeezing/ heavy**

**Pain Score:** 0 / 10 **Pain Scale Used** NRS

**If pain score is more then 3 then inform to pain nurse** ☐ Yes ☐ No

**Nutritional Screening:**

| | | | |
|---|---|---|---|
| Last 3 months appetite | ☐ Increased | ☐ Decreased | ☑ No Change |
| Last 3 months Weight | ☐ Increased | ☐ Decreased | ☐ No Change |
| Type of Patient | ☐ Diabetic | ☐ Non Diabetic | Type of Diet Normal diet |

**Fall Risk Screening Adult:**

- ☐ Age more than 65 years
- ☐ History fall in last 6 Months
- ☐ Walks with assistance
- ☐ Any neurological problem

**Fall Risk Screening Pediatric:**

- ☐ H/O Fall in last 6 Months
- ☐ Neurological Pain
- ☐ Dearranged Mobility
- ☐ No Sign

*In case of 3 or more criteria met initiate detailed fall assessment & fall prevention protocol.*

**Gestational Age - LMP :** ____ **EDD:** ____ **Oedema: Yes/No** NA ☐

**In case of emergency person to contact (Name / Phone No):**

1. Self 2. ____

**Name:** ____ **Sign:** ____ **Emp-Id:** 105 **Date:** 28/10/24 **Time:** 9:30


ABD-DRAP
C5-1
31Hz
TIS0.2 MI 1.3
16cm


ABD-DRAP
C5-1
31Hz
TIS0.2 MI 1.3
16cm


ABD-DRAP
C5-1
31Hz
RIGHT KIDNEY
TIS0.2 MI 1.3
Dist 112 mm
Dist 41.7 mm


ABD-DRAP
C5-1
31Hz
TIS0.2 MI 1.3
Dist 114 mm
16cm

# ETERNAL HOSPITAL
*Sanganer*

## DEPARTMENT OF RADIO DIAGNOSIS

| | | | |
|---|---|---|---|
| **UHID / IP NO** | 40022595 (43273) | **RISNo./Status :** | 4059694/ |
| **Patient Name :** | Mr. VIRENDRA KUMAR SIKHWAR | **Age/Gender :** | 33 Y/M |
| **Referred By :** | Dr. EHS CONSULTANT | **Ward/Bed No :** | OPD |
| **Bill Date/No :** | 28/10/2024 9:26AM/ OPSCR24-25/25390 | **Scan Date :** | |
| **Report Date :** | 28/10/2024 11:24AM | **Company Name:** | Mediwheel - Arcofemi Health Care Ltd. |

**ULTRASOUND STUDY OF WHOLE ABDOMEN**

**Liver:** Normal in size & echotexture. No obvious significant focal parenchymal mass lesion noted. Intrahepatic biliary radicals are not dilated. Portal vein is normal.

**Gall Bladder:** Lumen is clear. Wall thickness is normal. CBD is normal.

**Pancreas:** Normal in size & echotexture.

**Spleen:** Normal in size & echotexture. No focal lesion seen.

**Right Kidney:** Normal in shape, size & location. Echotexture is normal. Corticomedullary differentiation is maintained. No evidence of significant hydronephrosis or obstructive calculus noted.

**Left Kidney:** Normal in shape, size & location. Echotexture is normal. Corticomedullary differentiation is maintained. No evidence of significant hydronephrosis or obstructive calculus noted.

**Urinary Bladder:** Normal in size, shape & volume. No obvious calculus or mass lesion is seen. Wall thickness is normal.

**Prostate:** Is normal in size, measuring approx. cc in volume.

**Others:** No significant free fluid is seen in pelvic peritoneal cavity.

**IMPRESSION: USG findings are suggestive of**

- **No obvious significant sonographic abnormality noted.**

**Correlate clinically & with other related investigations.**

**DR. SURESH KUMAR SAINI**
**RADIOLOGIST**
**MBBS, MD.**
**Reg. No. 22597, 36208.**



# ETERNAL HOSPITAL
## Sanganer

## DEPARTMENT OF CARDIOLOGY

| | | | |
|---|---|---|---|
| **UHID / IP NO** | 40022595 (43273) | **RISNo./Status :** | 4059694/ |
| **Patient Name :** | Mr. VIRENDRA KUMAR SIKHWAR | **Age/Gender :** | 33 Y/M |
| **Referred By :** | Dr. EHS CONSULTANT | **Ward/Bed No :** | OPD |
| **Bill Date/No :** | 28/10/2024 9:26AM/ OPSCR24-25/25390 | **Scan Date :** | |
| **Report Date :** | 28/10/2024 12:16PM | **Company Name:** | Final |

**REFERRAL REASON: HEALTH CHECKUP**

### 2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

**M MODE DIMENSIONS: -**

| | | Normal | | | Normal |
|---|---|---|---|---|---|
| **IVSD** | **11.3** | **6-12mm** | **LVIDS** | **27.6** | **20-40mm** |
| **LVIDD** | **49.0** | **32-57mm** | **LVPWS** | **18.1** | **mm** |
| **LVPWD** | **10.9** | **6-12mm** | **AO** | **27.2** | **19-37mm** |
| **IVSS** | **18.6** | **mm** | **LA** | **33.1** | **19-40mm** |
| **LVEF** | **60-62** | **>55%** | **RA** | **-** | **mm** |

**DOPPLER MEASUREMENTS & CALCULATIONS:**

| STRUCTURE | MORPHOLOGY | VELOCITY (m/s) | | | | GRADIENT (mmHg) | REGURGITATION |
|---|---|---|---|---|---|---|---|
| MITRAL VALVE | NORMAL | E | 1.14 | e' | - | - | NIL |
| | | A | 0.87 | E/e' | - | | |
| TRICUSPID VALVE | NORMAL | E | | 0.72 | | - | NIL |
| | | A | | 0.50 | | | |
| AORTIC VALVE | NORMAL | 1.49 | | | | - | NIL |
| PULMONARY VALVE | NORMAL | 1.02 | | | | - | NIL |

**COMMENTS & CONCLUSION: -**

- ALL CARDIAC CHAMBERS ARE NORMAL
- NO RWMA, LVEF 60-62%
- NORMAL LV SYSTOLIC FUNCTION
- NORMAL LV DIASTOLIC FUNCTION
- ALL CARDIAC VALVES ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

**IMPRESSION: - NORMAL BI VENTRICULAR FUNCTIONS**

**DR SUPRIY JAIN**
MBBS, M.D., D.M. (CARDIOLOGY)
DIRECTOR & INCHARGE
CARDIOLOGY

**DR MEGHRAJ MEENA**
MBBS, SONOLOGIST
FICC, CONSULTANT
PREV. CARDIOLOGY &
INCHARGE CCU

**DR ROOPAM SHARMA**
MBBS, PGDCC, FIAE
CONSULTANT & INCHARGE
EMERGENCY, PREV.
CARDIOLOGY(NIC) & WELLNESS
CENTER

# ETERNAL HOSPITAL
Sanganer

## ETERNAL HOSPITAL MEDICAL TESTING LABORATORY

| | | | |
|---|---|---|---|
| **Patient Name** | Mr. VIRENDRA KUMAR SIKHWAR | **Lab No** | 4059694 |
| **UHID** | 40022595 | **Collection Date** | 28/10/2024 9:38AM |
| **Age/Gender** | 33 Yrs/Male | **Receiving Date** | 28/10/2024 9:43AM |
| **IP/OP Location** | O-OPD | **Report Date** | 28/10/2024 11:57AM |
| **Referred By** | Dr. EHS CONSULTANT | **Report Status** | Final |
| **Mobile No.** | 9983666624 | | |

### BIOCHEMISTRY

| Test Name | Result | Unit | Biological Ref. Range |
|---|---|---|---|
| **BLOOD GLUCOSE (FASTING)** | | | Sample: Fl. Plasma |
| BLOOD GLUCOSE (FASTING) | 103.7 | mg/dl | 71 - 109 |

Method: Hexokinase assay.
Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

| | | | |
|---|---|---|---|
| **THYROID T3 T4 TSH** | | | Sample: Serum |
| T3 | 1.11 | ng/mL | 0.800 - 2.000 |
| T4 | 8.50 | ug/dl | 5.10 - 14.10 |
| TSH | 2.14 | µlU/mL | 0.27 - 4.20 |

**T3**:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in thediagnosis of T3-hyperthyroidism the detection of early stages ofhyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

**T4**:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

**TSH - THYROID STIMULATING HORMONE** :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation:-The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in theconcentrations of the free thyroid hormones bring about much greater oppositechanges in the TSH levels.

| | | | |
|---|---|---|---|
| **LIVER FUNCTION TEST)** | | | Sample: Serum |
| BILIRUBIN TOTAL | 1.05 | mg/dl | 0.00 - 1.20 |
| BILIRUBIN INDIRECT | 0.76 | mg/dl | 0.20 - 1.00 |
| BILIRUBIN DIRECT | 0.29 | mg/dl | 0.00 - 0.30 |
| SGOT | 34.6 | U/L | 0.0 - 40.0 |
| SGPT | **63.7 H** | U/L | 0.0 - 41.0 |

**RESULT ENTERED BY : SUNIL EHS**

**Dr. ABHINAY VERMA**

**MBBS|MD|INCHARGE PATHOLOGY**

| | | | |
|---|---|---|---|
| **Patient Name** | Mr. VIRENDRA KUMAR SIKHWAR | **Lab No** | 4059694 |
| **UHID** | 40022595 | **Collection Date** | 28/10/2024 9:38AM |
| **Age/Gender** | 33 Yrs/Male | **Receiving Date** | 28/10/2024 9:43AM |
| **IP/OP Location** | O-OPD | **Report Date** | 28/10/2024 11:57AM |
| **Referred By** | Dr. EHS CONSULTANT | **Report Status** | Final |
| **Mobile No.** | 9983666624 | | |

## BIOCHEMISTRY

| | | | |
|---|---|---|---|
| TOTAL PROTEIN | 7.1 | g/dl | 6.6 - 8.7 |
| ALBUMIN | 4.7 | g/dl | 3.5 - 5.2 |
| GLOBULIN | 2.4 | | 1.8 - 3.6 |
| ALKALINE PHOSPHATASE | 88 | U/L | 40 - 129 |
| A/G RATIO | 2.0 | Ratio | 1.5 - 2.5 |
| GGTP | 12.0 | U/L | 10.0 - 60.0 |

**BILIRUBIN TOTAL** :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.
**BI UBIN DIRECT** :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, wa soluble bilirubin.
**SGOT - AST** :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.
**SGPT - ALT** :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.
**TOTAL PROTEINS** :- Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder.
**ALBUMIN** :- Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.
**ALKALINE PHOSPHATASE** :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. **GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE** :- Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

## LIPID PROFILE

| | | | |
|---|---|---|---|
| TOTAL CHOLESTEROL | 152.2 | | <200 mg/dl :- Desirable<br>200-240 mg/dl :- Borderline<br>>240 mg/dl :- High |
| HDL CHOLESTEROL | 39.5 | | High Risk :-<40 mg/dl (Male), <40 mg/dl (Female)<br>Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female) |
| LDL CHOLESTEROL | 109.4 | | Optimal :- <100 mg/dl<br>Near or Above Optimal :- 100-129 mg/dl<br>Borderline :- 130-159 mg/dl<br>High :- 160-189 mg/dl<br>Very High :- >190 mg/dl |
| CHOLESTERO VLDL | 21 | mg/dl | 10 - 50 |

**RESULT ENTERED BY : SUNIL EHS**

**Dr. ABHINAY VERMA**

**MBBS|MD|INCHARGE PATHOLOGY**

# ETERNAL HOSPITAL
Sanganer

## ETERNAL HOSPITAL MEDICAL TESTING LABORATORY

| | | | |
|---|---|---|---|
| **Patient Name** | Mr. VIRENDRA KUMAR SIKHWAR | **Lab No** | 4059694 |
| **UHID** | 40022595 | **Collection Date** | 28/10/2024 9:38AM |
| **Age/Gender** | 33 Yrs/Male | **Receiving Date** | 28/10/2024 9:43AM |
| **IP/OP Location** | O-OPD | **Report Date** | 28/10/2024 11:57AM |
| **Referred By** | Dr. EHS CONSULTANT | **Report Status** | Final |
| **Mobile No.** | 9983666624 | | |

### BIOCHEMISTRY

| | | | |
|---|---|---|---|
| TRIGLYCERIDES | 106.9 | | Normal :- <150 mg/dl<br>Border Line:- 150 - 199 mg/dl<br>High :- 200 - 499 mg/dl<br>Very high :- > 500 mg/dl |
| CHOLESTEROL/HDL RATIO | 4 | % | |

**CHOLESTEROL TOTAL** :- Method: CHOD-PAP enzymatic colorimetric assay. **Interpretation**:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. **HDL CHOLESTEROL** :- Method:-Homogenous enzymetic colorimetric method. **Interpretation**:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease. **LDL CHOLESTEROL** :- Method: Homogenous enzymatic colorimetric assay. **Interpretation**:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are synthesized in the liver. **CHOLESTEROL VLDL** :- Method: VLDL C[illegible]lative
TRIGLYCERIDES :- Method: GPO-PAP enzymatic colorimetric assay. **Interpretation**:-High triglycerde levels also occur in various diseases of liver, kidneys and pancreas. DM, nephrosis, liver obstruction. **CHOLESTEROL/HDL RATIO** :- Method: Cholesterol/HDL Ratio Calculative

Sample: Serum

| | | | |
|---|---|---|---|
| UREA | **11.80 L** | mg/dl | 16.60 - 48.50 |
| BUN | 6 | mg/dl | 6 - 20 |
| CREATININE | 1.07 | mg/dl | 0.70 - 1.20 |
| SODIUM | 141 | mmol/L | 136 - 145 |
| POTASSIUM | 4.28 | mmol/L | 3.50 - 5.50 |
| CHLORIDE | 104.7 | mmol/L | 98 - 107 |
| URIC ACID | **7.2 H** | mg/dl | 3.4 - 7.0 |
| CALCIUM | 9.95 | mg/dl | 8.60 - 10.00 |

**RESULT ENTERED BY : SUNIL EHS**

Dr. ABHINAY VERMA

MBBS|MD|INCHARGE PATHOLOGY

# ETERNAL HOSPITAL
Sanganer

## ETERNAL HOSPITAL MEDICAL TESTING LABORATORY

| | | | |
|---|---|---|---|
| **Patient Name** | Mr. VIRENDRA KUMAR SIKHWAR | **Lab No** | 4059694 |
| **UHID** | 40022595 | **Collection Date** | 28/10/2024 9:38AM |
| **Age/Gender** | 33 Yrs/Male | **Receiving Date** | 28/10/2024 9:43AM |
| **IP/OP Location** | O-OPD | **Report Date** | 28/10/2024 11:57AM |
| **Referred By** | Dr. EHS CONSULTANT | **Report Status** | Final |
| **Mobile No.** | 9983666624 | | |

### BIOCHEMISTRY

**CREATININE - SERUM** :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease.
**URIC ACID** :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation,drug abuse and increased alcohol consume.
**SODIUM**:- Method: ISE electrode. Interpretation:-Decrease: Prolonged vomiting or diarrhea,diminished reabsorption in the kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake andkidney reabsorption.
**POTASSIUM** :- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure.
**CHLORIDE - SERUM** :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake,prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.
Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.
**UREA**:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.
**CALCIUM TOTAL** :- Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usuallyassociated with hypercalcemia. Increased serum calcium levels may also beobserved in multiple myeloma and other neoplastic diseases. Hypocalcemia may
beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

Sample: WHOLE BLOOD EDTA

| | | | |
|---|---|---|---|
| HBA1C | 5.7 | % | < 5.7% Nondiabetic<br>5.7-6.4% Pre-diabetic<br>> 6.4% Indicate Diabetes |

Known Diabetic Patients
< 7 % Excellent Control
7 - 8 % Good Control
> 8 % Poor Control

**Method** : - Turbidimetric inhibition immunoassay (TINIA), **Interpretation**:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbA1C and mean blood glucose values during the preceding 2 to 3 months.

**RESULT ENTERED BY : SUNIL EHS**

Abhinay Verma

**Dr. ABHINAY VERMA**

**MBBS|MD|INCHARGE PATHOLOGY**

# ETERNAL HOSPITAL
*Sanganer*

## ETERNAL HOSPITAL MEDICAL TESTING LABORATORY

| | | | |
|---|---|---|---|
| **Patient Name** | Mr. VIRENDRA KUMAR SIKHWAR | **Lab No** | 4059694 |
| **UHID** | 40022595 | **Collection Date** | 28/10/2024 9:38AM |
| **Age/Gender** | 33 Yrs/Male | **Receiving Date** | 28/10/2024 9:43AM |
| **IP/OP Location** | O-OPD | **Report Date** | 28/10/2024 11:57AM |
| **Referred By** | Dr. EHS CONSULTANT | **Report Status** | Final |
| **Mobile No.** | 9983666624 | | |

### BLOOD BANK INVESTIGATION

| Test Name | Result | Unit | Biological Ref. Range |
|---|---|---|---|
| BLOOD GROUPING | "O" Rh Positive | | |

Note :
1. Both forward and reverse grouping performed.
2. Test conducted on EDTA whole blood.

**RESULT ENTERED BY : SUNIL EHS**

**Dr. ABHINAY VERMA**

**MBBS|MD|INCHARGE PATHOLOGY**

# ETERNAL HOSPITAL
Sanganer

## ETERNAL HOSPITAL MEDICAL TESTING LABORATORY

| | | | |
|---|---|---|---|
| **Patient Name** | Mr. VIRENDRA KUMAR SIKHWAR | **Lab No** | 4059694 |
| **UHID** | 40022595 | **Collection Date** | 28/10/2024 9:38AM |
| **Age/Gender** | 33 Yrs/Male | **Receiving Date** | 28/10/2024 9:43AM |
| **IP/OP Location** | O-OPD | **Report Date** | 28/10/2024 11:57AM |
| **Referred By** | Dr. EHS CONSULTANT | **Report Status** | Final |
| **Mobile No.** | 9983666624 | | |

### CLINICAL PATHOLOGY

Sample: Urine

| Test Name | Result | Unit | Biological Ref. Range |
|---|---|---|---|
| **STOOL ROUTINE** | | | |
| COLOUR | BROWNISH | | P YELLOW |
| MUCUS | NIL | | NIL |
| CONSISTENCY AND FORM | SEMI-SOLID | | SEMI-SOLID |
| BLOOD. | NIL | | |
| WBCS/HPF. | 1-2 | | |
| RBCS/HPF. | 0-0 | | |
| C & CYST | ABSENT | | ABSENT |
| OHTERS | NIL | | NIL |

RESULT ENTERED BY : SUNIL EHS

Dr. ABHINAY VERMA

MBBS|MD|INCHARGE PATHOLOGY

# ETERNAL HOSPITAL
Sanganer

## ETERNAL HOSPITAL MEDICAL TESTING LABORATORY

| | | | |
|---|---|---|---|
| **Patient Name** | Mr. VIRENDRA KUMAR SIKHWAR | **Lab No** | 4059694 |
| **UHID** | 40022595 | **Collection Date** | 28/10/2024 9:38AM |
| **Age/Gender** | 33 Yrs/Male | **Receiving Date** | 28/10/2024 9:43AM |
| **IP/OP Location** | O-OPD | **Report Date** | 28/10/2024 11:57AM |
| **Referred By** | Dr. EHS CONSULTANT | **Report Status** | Final |
| **Mobile No.** | 9983666624 | | |

### HEMATOLOGY

Sample: WHOLE BLOOD EDTA

| Test Name | Result | Unit | Biological Ref. Range |
|---|---|---|---|
| HAEMOGLOBIN | 14.7 | g/dl | 13.0 - 17.0 |
| PACKED CELL VOLUME(PCV) | 42.9 | % | 40.0 - 50.0 |
| MCV | 84.8 | fl | 82 - 92 |
| MCH | 29.1 | pg | 27 - 32 |
| MCHC | 34.3 | g/dl | 32 - 36 |
| RBC COUNT | 5.06 | millions/cu.mm | 4.50 - 5.50 |
| TLC (TOTAL WBC COUNT) | 6.39 | 10^3/ uL | 4 - 10 |
| **DIFFERENTIAL LEUCOCYTE COUNT** | | | |
| NEUTROPHILS | 45.4 | % | 40 - 80 |
| LYMPHOCYTE | 30.4 | % | 20 - 40 |
| EOSINOPHILS | **17.2 H** | % | 1 - 6 |
| BASOPHIL | **0.9 L** | % | 1 - 2 |
| MONOCYTES | 6.1 | % | 2 - 10 |
| PLATELET COUNT | 2.49 | lakh/cumm | 1.500 - 4.500 |

**Remark**

Note - Eosinophilia.

**HAEMOGLOBIN** :- Method:-SLS Hemoglobin Methodology by Cell Counter. Interpretation:-Low-Anemia, High-Polycythemia.
**MCV** :- Method:- Calculation by sysmex.
**MCH** :- Method:- Calculation by sysmex.
**MCHC** :- Method:- Calculation bysysmex.
**RBC COUNT** :- Method:-Hydrodynamic focusing. Interpretation:-Low-Anemia, High-Polycythemia.
**TLC (TOTAL WBC COUNT)** :- Method:-Optical Detector block based on Flowcytometry. Interpretation:-High-Leucocytosis, Low-
I openia.
**NEUTROPHILS** :- Method: Optical detector block based on Flowcytometry
**LYMPHOCYTS** :- Method: Optical detector block based on Flowcytometry
**EOSINOPHILS** :- Method: Optical detector block based on Flowcytometry
**MONOCYTES** :- Method: Optical detector block based on Flowcytometry
**BASOPHIL** :- Method: Optical detector block based on Flowcytometry
**PLATELET COUNT** :- Method:-Hydrodynamic focusing method. Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.
HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia.
NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

**RESULT ENTERED BY : SUNIL EHS**

**Dr. ABHINAY VERMA**

**MBBS|MD|INCHARGE PATHOLOGY**

# ETERNAL HOSPITAL
Sanganer

## ETERNAL HOSPITAL MEDICAL TESTING LABORATORY

| | | | |
|---|---|---|---|
| **Patient Name** | Mr. VIRENDRA KUMAR SIKHWAR | **Lab No** | 4059694 |
| **UHID** | 40022595 | **Collection Date** | 28/10/2024 9:38AM |
| **Age/Gender** | 33 Yrs/Male | **Receiving Date** | 28/10/2024 9:43AM |
| **IP/OP Location** | O-OPD | **Report Date** | 28/10/2024 11:57AM |
| **Referred By** | Dr. EHS CONSULTANT | **Report Status** | Final |
| **Mobile No.** | 9983666624 | | |

### HEMATOLOGY

| | | | |
|---|---|---|---|
| ESR (ERYTHROCYTE SEDIMENTATION RATE) | 05 | mm/1st hr | 0 - 15 |

Method:-Modified Westergrens.
Interpretation:-Increased in infections, sepsis, and malignancy.

**End Of Report**

RESULT ENTERED BY : SUNIL EHS

Dr. ABHINAY VERMA

MBBS|MD|INCHARGE PATHOLOGY