Name	: Mrs. SOWMYA B A	
PID No.	: MED112084700	Register On : 24/02/2024 9:11 AM
SID No.	: 712406191	Collection On : 24/02/2024 10:41 AM
Age / Sex	: 31 Year(s) / Female	Report On : 24/02/2024 8:55 PM
Туре	: OP	Printed On : 28/02/2024 10:32 AM
Ref. Dr	: MediWheel	



### **Investigation**

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination) Remark: Test to be confirmed by gel method.

Johan Kumar Sr.LabTechnician VERIFIED BY



<u>Unit</u>

Observed Value

'O' 'Positive'



Biological Reference Interval

APPROVED BY

Name PID No. SID No. Age / Sex Type Ref. Dr	: Mrs. SOWMYA B A : MED112084700 : 712406191 : 31 Year(s) / Female : OP : MediWheel	Register On Collection On Report On Printed On	: 24/02 : 24/02	/2024 9:11 AM 2/2024 10:41 AM 2/2024 8:55 PM 2/2024 10:32 AM	DIAGNOSTICS
	a <u>tion</u> IATOLOGY e Blood Count With - ESR		<u>erved</u> alue	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Haemogl (EDTA Blo INTERPE	obin ood/Spectrophotometry)	ary in Men, Wome			12.5 - 16.0
PCV (Pa	cked Cell Volume) / Haematoc ood/Derived)	-	39.0	%	37 - 47
RBC Cou		4	4.53	mill/cu.mm	4.2 - 5.4
MCV (M	(ean Corpuscular Volume)	:	86.0	fL	78 - 100
	ean Corpuscular Haemoglobir	)	28.7	pg	27 - 32
concentra	Mean Corpuscular Haemoglob ation) pod/Derived)	in .	33.4	g/dL	32 - 36
RDW-CV (Derived)			12.6	%	11.5 - 16.0
RDW-SE (Derived)	)	3	37.93	fL	39 - 46
	BC Count (TC) ood/Derived from Impedance)	5	5200	cells/cu.mm	4000 - 11000
Neutroph			48	%	40 - 75
Lymphoc			46	%	20 - 45

(Blood/Impedance Variation & Flow Cytometry)







APPROVED BY

Name	: Mrs. SOWMYA B A		
PID No.	: MED112084700	Register On : 24/02/2024 9:11 AM	$\sim$
SID No.	: 712406191	Collection On : 24/02/2024 10:41 AM	
Age / Sex	: 31 Year(s) / Female	Report On : 24/02/2024 8:55 PM	medall
Туре	: OP	Printed On : 28/02/2024 10:32 AM	DIAGNOSTICS
Ref. Dr	: MediWheel		

#### Unit Investigation Observed Biological Value **Reference Interval** 02 01 - 06 Eosinophils % (Blood/Impedance Variation & Flow Cytometry) Monocytes 04 % 01 - 10 (Blood/Impedance Variation & Flow Cytometry) 00 - 02 **Basophils** 00 % (Blood/Impedance Variation & Flow Cytometry) Absolute Neutrophil count 2.50 10^3 / µl 1.5 - 6.6 (EDTA Blood/Impedance Variation & Flow Cytometry) Absolute Lymphocyte Count 2.39 10^3 / µl 1.5 - 3.5 (EDTA Blood/Impedance Variation & Flow Cytometry) 0.10 10^3 / µl 0.04 - 0.44 Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry) 10^3 / µl < 1.0 Absolute Monocyte Count 0.21 (EDTA Blood/Impedance Variation & Flow Cytometry) Absolute Basophil count 0.00 10^3 / µl < 0.2 (EDTA Blood/Impedance Variation & Flow Cytometry) 223 10^3 / µl 150 - 450 Platelet Count (EDTA Blood/Derived from Impedance) MPV 7.1 fL 8.0 - 13.3 (Blood/Derived) PCT 0.16 % 0.18 - 0.28 ESR (Erythrocyte Sedimentation Rate) 09 mm/hr < 20



(Citrated Blood/Automated ESR analyser)





APPROVED BY

Name	: Mrs. SOWMYA B A			
PID No.	: MED112084700	Register On	: 24/02/2024 9:11 AM	•
SID No.	: 712406191	<b>Collection On</b>	: 24/02/2024 10:41 AM	
Age / Sex	: 31 Year(s) / Female	Report On	: 24/02/2024 8:55 PM	me
Туре	: OP	Printed On	: 28/02/2024 10:32 AM	DIAGN
Ref. Dr	: MediWheel			

$\mathbf{O}$
medall
DIAGNOSTICS

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.6	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.40	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.1	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.6	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.50	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.84		1.1 - 2.2
INTERPRETATION: Remark : Electrophoresis is the	preferred method		
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC / Kinetic)	15	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	12	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/PNPP / Kinetic)	106	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	15	U/L	< 38







Name	: Mrs. SOWMYA B A			
PID No.	: MED112084700	Register On	: 24/02/2024 9:11 AM	$\sim$
SID No.	: 712406191	<b>Collection On</b>	: 24/02/2024 10:41 AM	
Age / Sex	: 31 Year(s) / Female	Report On	: 24/02/2024 8:55 PM	medall
Туре	: OP	Printed On	: 28/02/2024 10:32 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Lipid Profile			
Cholesterol Total (Serum/Oxidase / Peroxidase method)	155	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	68	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_ circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	32	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	109.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	13.6	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	123.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220







APPROVED BY

Name	: Mrs. SOWMYA B A			
PID No.	: MED112084700	<b>Register On</b>	: 24/02/2024 9:11 AM	$\sim$
SID No.	: 712406191	Collection On	: 24/02/2024 10:41 AM	
Age / Sex	: 31 Year(s) / Female	Report On	: 24/02/2024 8:55 PM	medall
Туре	: OP	Printed On	: 28/02/2024 10:32 AM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	Observed	<u>Unit</u>	<u>Biological</u>			
-	<u>Value</u>		Reference Interval			
INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.						
2.It is the sum of all potentially atherogenic protein	is including LDL, IDL, VL	DL and chylor	nicrons and it is the "new bad cholesterol" and is a			
co-primary target for cholesterol lowering therapy.						

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.8	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	2.1	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.4	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0







Invoctio	ation	Oha	onvod Unit	Piological
Ref. Dr	: MediWheel			
Туре	: OP	Printed On	: 28/02/2024 10:32 AM	DIAGNOSTICS
Age / Sex	: 31 Year(s) / Female	Report On	: 24/02/2024 8:55 PM	medall
SID No.	: 712406191	Collection On	: 24/02/2024 10:41 AM	
PID No.	: MED112084700	Register On	: 24/02/2024 9:11 AM	$\sim$
Name	: Mrs. SOWMYA B A			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/ <i>HPLC</i> )	5.0	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

**INTERPRETATION:** If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 96.8 mg/dl

(Whole Blood)

### **INTERPRETATION:** Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.







APPROVED BY

Name	: Mrs. SOWMYA B A			
PID No.	: MED112084700	Register On : 24/02/2	.024 9:11 AM	$\sim$
SID No.	: 712406191	Collection On : 24/02/2		
Age / Sex	: 31 Year(s) / Female	Report On : 24/02/2	2024 8:55 PM	nedall
Туре	: OP	Printed On : 28/02/2	2024 10:32 AM	IAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	8.4		
Glucose Fasting (FBS) (Plasma - F/GOD- POD)	87	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Urine sugar, Fasting (Urine - F)	Nil		Nil
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	90	mg/dL	70 - 140

### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Sugar (PP-2 hours) (Urine - PP)	Negative	Negative	
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	7.9 mg/dL	7.0 - 21	
Creatinine	0.9 mg/dL	0.6 - 1.1	

### (Serum/Jaffe Kinetic)

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	4.0	mg/dL	
(Serum/Uricase/Peroxidase)			







2.6 - 6.0

APPROVED BY

<u>Investiga</u>	ation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
Ref. Dr	: MediWheel		
Туре	: OP	Printed On : 28/02/2024 10:32 AM	DIAGNOSTICS
Age / Sex	: 31 Year(s) / Female	Report On : 24/02/2024 8:55 PM	medall
SID No.	: 712406191	Collection On : 24/02/2024 10:41 AM	
PID No.	: MED112084700	Register On : 24/02/2024 9:11 AM	$\sim$
Name	: Mrs. SOWMYA B A		

<b>IMMUNOASSAY</b>			
<u>THYROID PROFILE / TFT</u>			
T3 (Triiodothyronine) - Total (Serum/ECLIA)	1.34	ng/ml	0.7 - 2.04
<b>INTERPRETATION:</b> <b>Comment :</b> Total T3 variation can be seen in other condition like pregnar Metabolically active.	ncy, drugs, nephr	osis etc. In such cases, Free T3 is	recommended as it is
T4 (Tyroxine) - Total (Serum/ <i>ECLIA</i> )	7.15	μg/dl	4.2 - 12.0
<b>INTERPRETATION:</b> <b>Comment :</b> Total T4 variation can be seen in other condition like pregnar Metabolically active.	ncy, drugs, nephr	osis etc. In such cases, Free T4 is t	recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	1.71	µIU/mL	0.35 - 5.50

# INTERPRETATION:

INTERPRETATION:
Reference range for cord blood - upto 20
1 st trimester: 0.1-2.5
2 nd trimester 0.2-3.0
3 rd trimester : 0.3-3.0
(Indian Thyroid Society Guidelines)
Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3. Values&amplt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.









**APPROVED BY** 

Name	: Mrs. SOWMYA B A		
PID No.	: MED112084700	Register On : 24/02/2024 9:11 AM	$\sim$
SID No.	: 712406191	Collection On : 24/02/2024 10:41 AM	
Age / Sex	: 31 Year(s) / Female	Report On : 24/02/2024 8:55 PM	medall
Туре	: OP	Printed On : 28/02/2024 10:32 AM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
<b>CLINICAL PATHOLOGY</b>			
PHYSICAL EXAMINATION			
Colour (Urine/ <i>Physical examination</i> )	Pale Yellow		Yellow to Amber
Volume (Urine/Physical examination)	30		ml
Appearance (Urine)	Turbid		
CHEMICAL EXAMINATION			
pH (Urine)	6.5		4.5 - 8.0
Specific Gravity (Urine/Dip Stick - Reagent strip method)	1.015		1.002 - 1.035
Protein (Urine/Dip Stick <sup>-</sup> Reagent strip method)	Negative		Negative
Glucose (Urine)	Nil		Nil
Ketone (Urine/Dip Stick <sup>-</sup> Reagent strip method)	Nil		Nil
Leukocytes (Urine)	Negative	leuco/uL	Negative
Nitrite (Urine/Dip Stick <sup>–</sup> Reagent strip method)	Nil		Nil
Bilirubin (Urine)	Negative	mg/dL	Negative
Blood (Urine)	Positive(++)		Nil







Name	: Mrs. SOWMYA B A		
PID No.	: MED112084700	Register On : 24/02/2024 9:11 AM	$\sim$
SID No.	: 712406191	Collection On : 24/02/2024 10:41 AM	
Age / Sex	: 31 Year(s) / Female	Report On : 24/02/2024 8:55 PM	medall
Туре	: OP	Printed On : 28/02/2024 10:32 AM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation Urobilinogen (Urine/Dip Stick - Reagent strip method)	Observed Value Normal	<u>Unit</u>	Biological Reference Interval Within normal limits
Urine Microscopy Pictures			
RBCs (Urine/Microscopy)	3-4	/hpf	NIL
Pus Cells (Urine/Microscopy)	4-5	/hpf	< 5
Epithelial Cells (Urine/Microscopy)	2-3	/hpf	No ranges
Others (Urine)	Nil		Nil







Name	: Mrs. SOWMYA B A	
PID No.	: MED112084700	
SID No.	: 712406191	
Age / Sex	: 31 Year(s) / Female	
Туре	: OP	
Ref. Dr	: MediWheel	

Register On	: 24/02/2024 9:11 AM
<b>Collection On</b>	: 24/02/2024 10:41 AM
Report On	: 24/02/2024 8:55 PM
Printed On	: 28/02/2024 10:32 AM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Stool Analysis - ROUTINE</u>			
Colour (Stool)	Brown		Brown
Blood (Stool)	Not present		Not present
Mucus (Stool)	Not present		Not present
Reaction (Stool)	Alkaline		Alkaline
Consistency (Stool)	Semi solid		Semi solid
Ova (Stool)	Nil		Nil
Others (Stool)	Nil		Nil
Cysts (Stool)	Nil		Nil
Trophozoites (Stool)	Nil		Nil
RBCs (Stool)	Nil	/hpf	Nil
Pus Cells (Stool)	2-3	/hpf	Nil
Macrophages (Stool)	Nil		Nil
Epithelial Cells (Stool)	1-2	/hpf	Nil







-- End of Report --



Name	Mrs.SOWMYA B A	ID	MED112084700
Age & Gender	31/FEMALE	Visit Date	24/02/2024
Ref Doctor Name	MediWheel		

## ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation.

Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents.

Gall bladder wall is of normal thickness. CBD is of normal calibre. **PANCREAS** has normal shape, size and uniform echopattern.

No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout.

### No evidence of calculus or hydronephrosis.

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.0	1.9
Left Kidney	10.1	1.8

### **URINARY BLADDER** is moderately distended.

**UTERUS** is anteverted and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness 8 mms.

Uterus measures as follows: LS: 6.3cms AP: 4.3cms TS: 4.6cms. **OVARIES** are enlarged in size and show multiple small follicles measuring less than 10mm predominantly in the periphery.

Right ovary measures: 3.4 x 2.8 x 2.9cms, volume 14.8cc Left ovary measures: 3.3 x 2.7 x 2.7cms, volume 12.9cc

POD & adnexa are free. No evidence of ascites.

### **IMPRESSION:**

### > BILATERAL POLYCYSTIC OVARIES.

#### REPORT DISCLAIMER

1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.

- The results reported here in are subject to interpretation by qualified medical professionals only.
   Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food
- consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.

7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

9.Liability is limited to the extend of amount billed.

10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mrs.SOWMYA B A	ID	MED112084700
Age & Gender	31/FEMALE	Visit Date	24/02/2024
Ref Doctor Name	MediWheel		

### **CONSULTANT RADIOLOGISTS**

DR. ANITHA ADARSH MB/MS **DR. MOHAN B** 

#### REPORT DISCLAIMER

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mrs. SOWMYA B A	ID	MED112084700
Age & Gender	31Y/F	Visit Date	Feb 24 2024 9:11AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

DR. MOHAN. B (DMRD, DNB, EDIR, FELLOW IN CARDIAC MRI) CONSULTANT RADIOLOGIST