Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



						alagnostics
PATIENT NAME : SACHIN KUMA	AR	REF.	DOCTOR : S	ELF		
CODE/NAME & ADDRESS : C000138 ARCOFEMI HEALTHCARE LTD (MED F-703, LADO SARAI, MEHRAULISO DELHI NEW DELHI 110030 8800465156	IWHEEL UTH WEST	ACCESSION NO: <b>0321XBOO</b> PATIENT ID : SACHM270 CLIENT PATIENT ID: ABHA NO :	68362	DRAWN RECEIVED	:40 Years : :27/02/2024 :06/03/2024	
Test Report Status <u>Final</u>		Results	Biological	Reference	e Interval L	Inits
MEDI WHEEL FULL BODY HEALT	<u>H CHECK UP ABO</u>	VE 40 MALE				
IMPRESSION		PROMINENT BRONCHO VAS	SCULAR MARK	INGS NOT	ΠED	
ECG						
ECG		NORMAL SINUS RHYTHM				
MEDICAL HISTORY RELEVANT PRESENT HISTORY RELEVANT PAST HISTORY RELEVANT PERSONAL HISTORY RELEVANT FAMILY HISTORY		NOT SIGNIFICANT NOT SIGNIFICANT NOT SIGNIFICANT HYPERTENSION DIABETES				
OCCUPATIONAL HISTORY HISTORY OF MEDICATIONS		NOT SIGNIFICANT NOT SIGNIFICANT				
ANTHROPOMETRIC DATA & BMI HEIGHT IN METERS WEIGHT IN KGS. BMI		1.63 85.4 32	BMI & Wei Below 18.5 18.5 - 24.9 25.0 - 29.9 30.0 and A	5: Underv 9: Norma 9: Overw	l eight	5
<b>GENERAL EXAMINATION</b> MENTAL / EMOTIONAL STATE PHYSICAL ATTITUDE		NORMAL NORMAL				
S	P. V. Kapadia					Page 1 Of 19
Dr.Sahil .N.Shah Consultant Radiologist	Dr.Priyank Kapadia Physician	a				
PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sr Ahmedabad, 380015	n Road, Ambawadi,			Patien	View Details	View Report

**Test Report Status** 



**Biological Reference Interval** Units

PATIENT NAME : SACHIN KUMAR	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XB003090	AGE/SEX :40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : SACHM27068362	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 27/02/2024 08:36:21
NEW DELHI 110030	ABHA NO :	REPORTED :06/03/2024 15:26:06
8800465156		

GENERAL APPEARANCE / NUTRITIONAL	
STATUS	

<u>Final</u>

OBESE

Results

STATUS	
BUILT / SKELETAL FRAMEWORK	AVERAGE
FACIAL APPEARANCE	NORMAL
SKIN	NORMAL
UPPER LIMB	NORMAL
LOWER LIMB	NORMAL
NECK	NORMAL
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER
THYROID GLAND	NOT ENLARGED
TEMPERATURE	NORMAL
PULSE	80/MIN
RESPIRATORY RATE	NORMAL

## CARDIOVASCULAR SYSTEM

120/82 MM HG (SITTING)
NORMAL
NORMAL
S1, S2 HEARD NORMALLY
ABSENT

#### **RESPIRATORY SYSTEM**

SIZE AND SHAPE OF CHEST MOVEMENTS OF CHEST BREATH SOUNDS INTENSITY BREATH SOUNDS QUALITY ADDED SOUNDS NORMAL SYMMETRICAL NORMAL VESICULAR (NORMAL) ABSENT

Dr.Sahil .N.Shah Consultant Radiologist P. V. Kapadia

Dr.Priyank Kapadia Physician

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Page 2 Of 19





View Details



mm/Hg



PATIENT NAME : SACHIN KUMAR	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO : <b>0321XB003090</b> PATIENT ID : SACHM27068362 CLIENT PATIENT ID:	AGE/SEX :40 Years Male DRAWN : RECEIVED :27/02/2024 08:36:21
NEW DELHI 110030 8800465156	ABHA NO :	REPORTED :06/03/2024 15:26:06
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

#### PER ABDOMEN

APPEARANCE	NORMAL
LIVER	NOT PALPABLE
SPLEEN	NOT PALPABLE

#### **CENTRAL NERVOUS SYSTEM**

HIGHER FUNCTIONS	NORMAL
CRANIAL NERVES	NORMAL
CEREBELLAR FUNCTIONS	NORMAL
SENSORY SYSTEM	NORMAL
MOTOR SYSTEM	NORMAL
REFLEXES	NORMAL

# MUSCULOSKELETAL SYSTEM

SPINE	NORMAL
JOINTS	NORMAL

### BASIC EYE EXAMINATION

DISTANT VISION RIGHT EYE WITH GLASSES	WITH GLASSES NORMAL
DISTANT VISION LEFT EYE WITH GLASSES	WITH GLASSES NORMAL
NEAR VISION RIGHT EYE WITH GLASSES	WITHIN NORMAL LIMIT
NEAR VISION LEFT EYE WITH GLASSES	WITHIN NORMAL LIMIT
COLOUR VISION	NORMAL

### SUMMARY

RELEVANT HISTORY RELEVANT GP EXAMINATION FINDINGS NOT SIGNIFICANT

Dr.Sahil .N.Shah Consultant Radiologist

Dr.Priyank Kapadia Physician

P. V. Kapadia

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in











#### **PATIENT NAME : SACHIN KUMAR REF. DOCTOR : SELF** CODE/NAME & ADDRESS : C000138364 ACCESSION NO : 0321XB003090 AGE/SEX :40 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : SACHM27068362 DRAWN : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 27/02/2024 08:36:21 DELHI ABHA NO REPORTED :06/03/2024 15:26:06 : NEW DELHI 110030 8800465156 **Test Report Status** Results Biological Reference Interval Units <u>Final</u> HBA1C:- PRE-DIABETIC, MEAN PLASMA GLUCOSE:- HIGH RELEVANT LAB INVESTIGATIONS HDL:- HIGH RELEVANT NON PATHOLOGY DIAGNOSTICS CHEST X-RAY:- PROMINENT BRONCHO VASCULAR MARKINGS NOTED USG ABDOMEN:- FATTY LIVER **REMARKS / RECOMMENDATIONS** HBA1C:- PRE-DIABETIC, MEAN PLASMA GLUCOSE:- HIGH

ADV:- REDUCE INTAKE OF SWEET, SUGAR, STARCH IN DIET, REGULAR PHYSICAL EXERCISE, REPEAT FBS, PPBS AND HBA1C AND PHYSICIAN OPINION SOS

#### Comments

OUR PANEL DOCTORS FOR NON-PATHOLOGY TESTS:-

CHECK UP DONE BY:- DR. NAMRATA AGRAWAL (M.B.B.S)

REPORT REVIEWED BY:- DR. PRIYANK KAPADIYA (M.B.B.S DNB MEDICINE)

RADIOLOGIST:- DR. SAHIL N SHAH (M.D.RADIOLOGY)

Dr.Sahil .N.Shah Consultant Radiologist P. V. Kapadia

Dr.Priyank Kapadia Physician

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Page 4 Of 19





View Report





PATIENT NAME : SACHIN KUMAR	<b>REF. DOCTOR</b> : S	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO: <b>0321XB003090</b> PATIENT ID :SACHM27068362 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :40 Years Male DRAWN : RECEIVED :27/02/2024 08:36:21 REPORTED :06/03/2024 15:26:06
Test Report Status Final	Results	Units

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN FATTY LIVER

TMT OR ECHO CLINICAL PROFILE 2D ECHO:-

- 1) NORMAL CHAMBERS AND VALVES.
- 2) GOOD LV SYSTOLIC FUNCTION. LVEF 60%. NO RWMA AT REST.
- 3) NO MR, AR, TR.
- 4) NORMAL LV COMPLIANCE.
- 5) NO PAH.
- 6) NO LV CLOT, VEGETATION OR PERICARDIAL EFFUSION.

7) IAS/IVS INTACT.

<b>Interpretation(s)</b> MEDICAL HISTORY- ************************************
THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.
***************************************

P. V. Kapadia

Dr.Sahil .N.Shah Consultant Radiologist

Dr.Priyank Kapadia Physician

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in







View Report





PATIENT NAME : SACHIN KUMAR	REF. DOCTOR	: SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XB003090	AGE/SEX :40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : SACHM27068362	DRAWN :
DELHI	CLIENT PATIENT ID: ABHA NO :	RECEIVED : 27/02/2024 08:36:21 REPORTED :06/03/2024 15:26:06
NEW DELHI 110030 8800465156		100/03/2024 13.20.00
Test Report Status <u>Final</u>	Results Biologic	cal Reference Interval Units

H	AEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECK UP A	BOVE 40 MALE		
BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD : PHOTOMETRIC MEASUREMENT	13.6	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD : COULTER PRINCIPLE	4.81	4.5 - 5.5	mil/µL
WHITE BLOOD CELL (WBC) COUNT METHOD : COULTER PRINCIPLE	7.90	4.0 - 10.0	thou/µL
PLATELET COUNT METHOD : COULTER PRINCIPLE	222	150 - 410	thou/µL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD : CALCULATED	43.3	40.0 - 50.0	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM	90.0	83.0 - 101.0	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD : CALCULATED	28.3	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD : CALCULATED	31.4 Low	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM	14.2 High	11.6 - 14.0	%
MENTZER INDEX METHOD : CALCULATED PARAMETER	18.7		
MEAN PLATELET VOLUME (MPV) METHOD : DERIVED PARAMETER FROM PLATELET HISTOGRAM	10.3	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS METHOD : OPTICAL IMPEDENCE & MICROCSOPY	74	40 - 80	%
LYMPHOCYTES	17 Low	20 - 40	%

METHOD : OPTICAL IMPEDENCE & MICROCSOPY

Dr.Miral Gajera **Consultant Pathologist** 

Page 6 Of 19







PATIENT NAME : SACHIN KUMAR	REF. DOCTOR :	: SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : 0321XB003090	AGE/SEX :40 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	PATIENT ID : SACHM27068362 CLIENT PATIENT ID:	DRAWN : RECEIVED : 27/02/2024 08:36:21
NEW DELHI 110030 8800465156	ABHA NO :	REPORTED :06/03/2024 15:26:06

Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
MONOCYTES	8	2.0 - 10.0	%
METHOD : OPTICAL IMPEDENCE & MICROCSOPY			
EOSINOPHILS	1	1.0 - 6.0	%
METHOD : OPTICAL IMPEDENCE & MICROCSOPY			
BASOPHILS	0	0 - 1	%
METHOD : IMPEDANCE			
ABSOLUTE NEUTROPHIL COUNT	5.85	2.0 - 7.0	thou/µL
METHOD : CALCULATED			
ABSOLUTE LYMPHOCYTE COUNT	1.34	1.0 - 3.0	thou/µL
METHOD : CALCULATED PARAMETER			
ABSOLUTE MONOCYTE COUNT	0.63	0.2 - 1.0	thou/µL
METHOD : CALCULATED PARAMETER			
ABSOLUTE EOSINOPHIL COUNT	0.08	0.02 - 0.50	thou/µL
METHOD : CALCULATED			
ABSOLUTE BASOPHIL COUNT	0.00 Low	0.02 - 0.10	thou/µL
METHOD : CALCULATED			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	4.4		
METHOD : CALCULATED PARAMETER			

MORPHOLOGY	
RBC	NORMOCYTIC NORMOCHROMIC
METHOD : MICROSCOPIC EXAMINATION	
WBC	NORMAL MORPHOLOGY
METHOD : MICROSCOPIC EXAMINATION	
PLATELETS	ADEQUATE
METHOD : MICROSCOPIC EXAMINATION	
REMARKS	NO PREMATURE CELLS ARE SEEN. MALARIAL PARASITE NOT DETECTED.
METHOD : MICROSCOPIC EXAMINATION	

<b>Interpretation(s)</b> BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.</p>

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive

**Dr.Miral Gajera Consultant Pathologist** 



View Details

View Report

Page 7 Of 19







PATIENT NAME : SACHIN KUMAR	REF. DOCTOR : S	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	ACCESSION NO: <b>0321XB003090</b> PATIENT ID :SACHM27068362 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :40 Years Male DRAWN : RECEIVED :27/02/2024 08:36:21 REPORTED :06/03/2024 15:26:06
Test Report Status Final	Results Biological	Reference Interval Units

patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease. (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

**Dr.Miral Gajera Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999  ${\sf Email: customercare.ahmedabad@agilus.in}$ 

Page 8 Of 19









PATIENT NAME : SACHIN KUMAR	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XB003090	AGE/SEX :40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : SACHM27068362	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 27/02/2024 08:36:21
NEW DELHI 110030	ABHA NO :	REPORTED :06/03/2024 15:26:06
8800465156		
		<u>l</u>

Test Report Status	s <u>Final</u>
--------------------	----------------

Results

Biological Reference Interval Units

	HAEMATOLOGY			
MEDI WHEEL FULL BODY HEALTH CHECK UP	P ABOVE 40 MALE			
ERYTHROCYTE SEDIMENTATION RATE (ESR BLOOD	R),EDTA			
E.S.R	11	0 - 14	mm at 1 hr	
METHOD : WESTERGREN METHOD				
GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD				
HBA1C	5.7	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%	
ESTIMATED AVERAGE GLUCOSE(EAG)	116.9 High	< 116.0	mg/dL	

<b>Interpretation(s)</b> ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD-<b>TEST DESCRIPTION</b> :-Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. <b>TEST INTERPRETATION</b>

<b>Increase</b> in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging. Finding a very accelerated ESR<b>(>100 mm/hour)</b> in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. <b>Decreased</b> in: Polycythermia vera, Sickle cell anemia

<b>LIMITATIONS</b>

<b>False elevated</b> ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

<b>False Decreased</b> : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

Dr.Miral Gajera **Consultant Pathologist** 



Page 9 Of 19

View Report

View Details



**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : SACHIN KUMAR	<b>REF. DOCTOR :</b>	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	ACCESSION NO: <b>0321XB003090</b> PATIENT ID : SACHM27068362 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :40 Years Male DRAWN : RECEIVED :27/02/2024 08:36:21 REPORTED :06/03/2024 15:26:06
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-<b>Used For</b>:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

Diagnosing diabetes.
 Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-

controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range. 1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c - 46.7

<b>HbA1c Estimation can get affected due to :</b>
1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1r. test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days. 2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
 b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr.Miral Gajera **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in











PATIENT NAME : SACHIN KUMAR	REF. DOCTOR : S	SELF
	ACCESSION NO : 0321XB003090	AGE/SEX :40 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : SACHM27068362	DRAWN :
DELHI		RECEIVED : 27/02/2024 08:36:21 REPORTED :06/03/2024 15:26:06
NEW DELHI 110030 8800465156		1210103/2024 13.20.00

Test Report Status Final

Results

**Biological Reference Interval** Units

### IMMUNOHAEMATOLOGY

#### MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ADO GROOF & RITTIFL, LDTA WHOLL DLOOD	
ABO GROUP	TYPE AB
METHOD : TUBE AGGLUTINATION	
RH TYPE	POSITIVE
METHOD : TUBE AGGLUTINATION	

<b>Interpretation(s)</b>

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr.Miral Gajera Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in







View Report





PATIENT NAME : SACHIN KUMAR	<b>REF. DOCTOR :</b>	SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XB003090	AGE/SEX :40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : SACHM27068362	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 27/02/2024 08:36:21
NEW DELHI 110030	ABHA NO :	REPORTED :06/03/2024 15:26:06
8800465156		

**Test Report Status Final**  Results

**Biological Reference Interval** Units

	BIOCHEMISTRY		
MEDI WHEEL FULL BODY HEALTH CHECK UP	PABOVE 40 MALE		······································
GLUCOSE FASTING, FLUORIDE PLASMA			
FBS (FASTING BLOOD SUGAR) METHOD : HEXOKINASE	106 High	74 - 99	mg/dL
GLUCOSE, POST-PRANDIAL, PLASMA			
PPBS(POST PRANDIAL BLOOD SUGAR) METHOD : HEXOKINASE	95	70 - 140	mg/dL
LIPID PROFILE WITH CALCULATED LDL			
CHOLESTEROL, TOTAL	183	Desirable: < 200 BorderlineHigh: 200 - 239 High: > or = 240	mg/dL
METHOD : ENZYMATIC, COLORIMETRIC			<i>/</i> H
TRIGLYCERIDES	86	Desirable: < 150 BorderlineHigh: 150 - 199 High: 200 - 499 Very High: > or = 500	mg/dL
METHOD : ENZYMATIC, COLORIMETRIC			<i>,</i>
HDL CHOLESTEROL	73 High	< 40 Low > or = 60 High	mg/dL
CHOLESTEROL LDL	93	Adult levels: Optimal < 100 Near optimal/above optimal 100-129 Borderline high : 130-159 High : 160-189 Very high : = 190	mg/dL :
NON HDL CHOLESTEROL	110	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL
VERY LOW DENSITY LIPOPROTEIN	17.2	< or = 30	mg/dL

Dr.Miral Gajera **Consultant Pathologist** 

Page 12 Of 19







PATIENT NAME : SACHIN KUMAR		REF. DOCTOR : S	SELF		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030	PATIENT ID CLIENT PATIENT	: <b>0321XB003090</b> : SACHM27068362 ID: :		:40 Years : :27/02/2024 :06/03/2024	
8800465156 Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval	Units
CHOL/HDL RATIO LDL/HDL RATIO	<b>2.5 Low</b> 1.3	3.3 - 4.4 0.5 - 3.0 I 3.1 - 6.0 I Risk >6.0 High	Borderline	'Low Risk e/Moderate	

#### Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target. Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

insit off admication for	110010 (110	ier oscier otre cur utovus	cunti un	sease, by Elpie	· issociation of the	****
<b>Risk Category</b>						
Extreme risk group	A.CAD with	h > 1 feature of high risk	k group			
	B. CAD wit	h > 1 feature of Very hi	igh risk g	roup or recurre	ent ACS (within 1 ye	ear) despite LDL-C < or =
	50 mg/dl or polyvascular disease					
Very High Risk	1. Established ASCVD 2. Diabetes with 2 major risk factors or evidence of end organ damage 3.					
	Familial Ho	Familial Homozygous Hypercholesterolemia				
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ					
	damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary					
	Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque					
Moderate Risk	2 major ASCVD risk factors					
Low Risk	0-1 major ASCVD risk factors					
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors						
1. Age $>$ or $=$ 45 year	s in males and	l > or = 55 years in fema	ales	3. Current Ci	garette smoking or t	obacco use
2. Family history of p	Family history of premature ASCVD 4. High blood pressure					
5. Low HDL						
Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.						
Risk Group		Treatment Goals			Consider Drug T	
		LDL-C (mg/dl)	Non-H	DL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group	Category A	<50 (Optional goal	< 80 (0	Optional goal	>OR = 50	>OR = 80

	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
	< OR = 30)	< OR = 60)		
Extreme Risk Group Category B	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>&gt; 30</td><td>&gt;60</td></or></td></or>	<or 60<="" =="" td=""><td>&gt; 30</td><td>&gt;60</td></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR=100
Moderate Risk	<100	<130	>OR=100	>OR=130
Low Risk	<100	<130	>OR=130*	>OR=160

\*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

**Dr.Miral Gajera Consultant Pathologist** 





**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in

Page 13 Of 19





RE

0006587004



PATIENT NAME : SACHIN KUMAR		REF. DOCTOR : S	ELF		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : <b>03</b> PATIENT ID : SA CLIENT PATIENT ID : ABHA NO :	CHM27068362	DRAWN RECEIVED	:40 Years : :27/02/2024 :06/03/2024	
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval U	Inits
BILIRUBIN, TOTAL BILIRUBIN, DIRECT	0.29 0.17	Upto 1.2 Upto 0.2		mg, mg,	
METHOD : DIAZO COLORIMETRIC BILIRUBIN, INDIRECT	0.12	0.00 - 1.00	)	mg,	/dL

TOTAL PROTEIN	6.3 Low	6.4 - 8.3	g/dL
METHOD : COLORIMETRIC ALBUMIN	4.5	3.5 - 5.2	g/dL
METHOD : BROMOCRESOL GREEN	4.5	5.5 - 5.2	g/ dL
GLOBULIN	1.8 Low	2.0 - 4.1	g/dL
ALBUMIN/GLOBULIN RATIO	2.5 High	1.0 - 2.0	RATIO
ASPARTATE AMINOTRANSFERASE	12	0 - 40	U/L
(AST/SGOT) METHOD : IFCC WITHOUT PYRIDOXAL-5-PHOSPHATE			
ALANINE AMINOTRANSFERASE (ALT/SGPT)	22	0 - 41	U/L
METHOD : IFCC WITHOUT PYRIDOXAL-5-PHOSPHATE			
ALKALINE PHOSPHATASE	72	40 - 129	U/L
METHOD : COLORIMETRIC GAMMA GLUTAMYL TRANSFERASE (GGT)	18	8 - 61	U/L
METHOD : ENZYMATIC, COLORIMETRIC	10	8-01	0/L
LACTATE DEHYDROGENASE	255 High	135 - 225	U/L
METHOD : UV ASSAY METHOD			
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	10	6 - 20	mg/dL
CREATININE, SERUM			

CREATININE METHOD : JAFFE ALKALINE PICRATE	0.69 Low	0.70 - 1.30	mg/dL
BUN/CREAT RATIO			

14.49

BUN/CREAT RATIO

Dr.Miral Gajera Consultant Pathologist



5.0 - 15.0



View Report

Page 14 Of 19

View Details

■製紙浦■



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : SACHIN KUMAR		<b>REF. DOCTOR :</b>	SELF	
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 032	21XB003090	AGE/SEX :40 Years Male	
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : SAC	CHM27068362	DRAWN :	
F-703, LADO SARAI, MEHRAULISOUTH WEST	CLIENT PATIENT ID:		RECEIVED : 27/02/2024 08:36:21	
DELHI NEW DELHI 110030	ABHA NO :		REPORTED :06/03/2024 15:26:06	
8800465156				
Test Report Status <u>Final</u>	Results	Biological	Reference Interval Units	
URIC ACID, SERUM				
URIC ACID	4.9	3.4 - 7.0	mg/dL	
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN METHOD : COLORIMETRIC	6.3 Low	6.4 - 8.3	g/dL	
ALBUMIN, SERUM				
ALBUMIN METHOD : BROMOCRESOL GREEN	4.5	3.5 - 5.2	g/dL	
GLOBULIN				
GLOBULIN	1.8 Low	2.0 - 4.1	g/dL	
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM, SERUM	140.9	136- 145	mmol/L	
POTASSIUM, SERUM	4.19	3.50- 5.1	0 mmol/L	
CHLORIDE, SERUM	106.8	98 - 107	mmol/L	
Interpretation(s)				

Sodium Potassium Chloride			
	Sodium	Potassium	Chloride

Dr.Miral Gajera **Consultant Pathologist** 











PATIENT NAME : SACHIN KUMAR	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	PATIENT ID SACHM27068362 CLIENT PATIENT ID:	AGE/SEX :40 Years Male DRAWN : RECEIVED :27/02/2024 08:36:21 REPORTED :06/03/2024 15:26:06
(	i	i.

**Test Report Status Final**  Results

**Biological Reference Interval** Units

Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome,osmotic diuresis (e.g., hyperglycemia),alkalosis, familial periodic paralysis,trauma (transient).Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison' s disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, high- dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide.salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences:Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

<b>Interpretation(s)</b>

GLUCOSE FASTING, FLUORIDE PLASMA-<b>TEST DESCRIPTION</b>

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine

<b>Increased in</b>:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.<b>Decreased in </b>:Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease, malignancy (adrenocotical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol sulfonylureas,tolbutamide,and other oral hypoglycemic agents.

<b>NOTE:</b> While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic

index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE. SERUM-

<b>>Bilirubin</b> is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. <b>Elevated levels</b> results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than

unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin. <b>AST</b> is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly

measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the

**Dr.Miral Gaiera Consultant Pathologist** 



Page 16 Of 19

View Details



(iii)

**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : SACHIN KUMAR	REF. DOCTOR : SELF				
	ACCESSION NO : <b>0321XB003090</b> PATIENT ID : SACHM27068362 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :40 Years Male DRAWN : RECEIVED :27/02/2024 08:36:21 REPORTED :06/03/2024 15:26:06			
Test Report Status Final	Results Biological	Reference Interval Units			

liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

<b>ALP</b> is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

Abrevers serving Trypophatasia, Haindarton, Protein denderby, wisons disease.
(b)= GGT</b> is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

ds>Total Protein also known as total protein; a biocherical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease,

Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. <b>Albumin</b> is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood

albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome,protein-losing

enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-<b>Causes of Increased</b> levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage,

Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) <b>Causes of decreased</b> level include Liver disease, SIADH.

CBLCauses of decreased (70> level include Liver disease, SLADE).
CREATININE, SERUM-<b>Higher than normal level may be due to:</b>
Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)
<b>Lower than normal level may be due to:</b>
Matchelic aurdiarea.
CAUSE of Increased levels:
/b>-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2
Matchelic aurdiarea.
Matchelic aurdiarea.
(b) Low Zing interlace OCP Multiple Scienceic

DM,Metabolic syndrome <br/>
Social Science (a) Social (a) Socia <b>Lower-than-normal levels may be due to:</b> Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. <b>Low blood albumin levels (hypoalbuminemia) can be caused by:</b> Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

**Dr.Miral Gajera Consultant Pathologist** 

**PERFORMED AT:** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in







View Report





PATIENT NAME : SACHIN KUMAR	<b>REF. DOCTOR :</b> S	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	PATIENT ID : SACHM27068362 CLIENT PATIENT ID:	AGE/SEX :40 Years Male DRAWN : RECEIVED :27/02/2024 08:36:21 REPORTED :06/03/2024 15:26:06
Test Report Status Final	Results Biological	Reference Interval Units

•	est	rep	л	Status	<u>Filla</u>

\_\_\_\_\_

# SPECIALISED CHEMISTRY - HORMONE

# MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

THYROID PANEL, SERUM			
ТЗ	85.60	80.0 - 200.0	ng/dL
method : eclia T4	7.85	5.10 - 14.10	µg/dL
I4 METHOD : ECLIA	7.05	5.10 - 14.10	μу/α∟
TSH (ULTRASENSITIVE)	2.970	0.270 - 4.200	µIU/mL
METHOD : ECLIA			

#### Interpretation(s)

**Triiodothyronine T3**, **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism.Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
		_		_	(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism

Dr.Miral Gajera Consultant Pathologist



Page 18 Of 19

View Report

View Details



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



#### **REF. DOCTOR : SELF PATIENT NAME : SACHIN KUMAR** CODE/NAME & ADDRESS : C000138364 ACCESSION NO : 0321XB003090 AGE/SEX :40 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : SACHM27068362 DRAWN : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 27/02/2024 08:36:21 DELHI REPORTED :06/03/2024 15:26:06 ABHA NO **NEW DELHI 110030** : 8800465156

Test Re	eport	Status	<u>Final</u>
---------	-------	--------	--------------

Results

Biological Reference Interval Units

6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

> \*\*End Of Report\*\* Please visit www.agilusdiagnostics.com for related Test Information for this accession

### **CONDITIONS OF LABORATORY TESTING & REPORTING**

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form. performed or assayed with highest quality standards, 2. All tests are performed and reported as per the clinical safety & technical integrity. turnaround time stated in the AGILUS Directory of Services. 6. Laboratory results should not be interpreted in 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any determine final diagnosis. other unforeseen event. 7. Test results may vary based on time of collection, 4. A requested test might not be performed if: i. Specimen received is insufficient or inappropriate

- ii. Specimen quality is unsatisfactory
- iii. Incorrect specimen type

iv. Discrepancy between identification on specimen container label and test requisition form

5. AGILUS Diagnostics confirms that all tests have been

isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to

physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.

8. Test results cannot be used for Medico legal purposes. 9 In case of queries please call customer care

(91115 91115) within 48 hours of the report.

**Agilus Diagnostics Ltd** 

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

**Dr.Miral Gaiera Consultant Pathologist** 





View Repor

Page 19 Of 19

View Details



**PERFORMED AT:** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in