



Add: Armelia,1St Floor,56New Road, M.K.P Chowk, Dehradun Ph: 9235501532,01356617357

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SNEHAMAL -681531 Registered On : 30/Jun/2024 09:52:10 Age/Gender Collected : 36 Y 0 M 0 D /F : 30/Jun/2024 10:05:40 UHID/MR NO : IDUN.0000230905 Received : 30/Jun/2024 10:47:41 Visit ID : IDUN0107752425 Reported : 30/Jun/2024 14:07:13

: Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD.DDN -

DEPARTM ENT OF HABMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood	1			
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE
				AGGLUTINA
Or and let a Discard Occupt (ODO)				
Complete Blood Count (OBC), Whole Blo				
Haemoglobin	12.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
	C Turbout	4-	Female- 12.0-15.5 g/dl	
TLC (WBC)	6,990.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	75.40	%	40-80	ELECTRONIC IMPEDANCE
Lymphocytes	17.80	%	20-40	ELECTRONIC IMPEDANCE
Monocytes	5.10	%	2-10	ELECTRONIC IMPEDANCE
Eosinophils	1.20	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.50	%	< 1-2	ELECTRONIC IMPEDANCE
Observed	18.00	MM/1H	10-19 Yr 8.0	
	45	,	20-29 Yr 10.8	
			30-39 Yr 10.4	
			40-49 Yr 13.6	
			50-59 Yr 14.2	
			60-69 Yr 16.0	
			70-79 Yr 16.5	
			80-91 Yr 15.8	
			Pregnancy	











CIN: U85110DL2003PLC308206



Patient Name : Mrs.SNEHAMAL -681531 Registered On : 30/Jun/2024 09:52:10 Age/Gender Collected : 30/Jun/2024 10:05:40 : 36 Y 0 M 0 D /F UHID/MR NO : IDUN.0000230905 Received : 30/Jun/2024 10:47:41 Visit ID : IDUN0107752425 Reported : 30/Jun/2024 14:07:13

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected		Mm for 1st hr.	< 20	
PCV (HCT)	39.00	%	40-54	
Platelet count		,		
Platelet Count	2.23	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	14.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	44.80	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.28	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count Page 1				
RBC Count	4.23	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	92.20	fl	80-100	CALCULATED PARAMETER
MCH	29.60	pg	27-32	CALCULATED PARAMETER
MCHC	32.10	%	30-38	CALCULATED PARAMETER
RDW-CV	14.50	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	48.40	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,280.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	80.00	/cu mm	40-440	

DR. RITU BHATIA MD (Pathology)











CIN: U85110DL2003PLC308206



 Patient Name
 : Mrs.SNEHAMAL -681531
 Registered On
 : 30/Jun/2024 09:52:15

 Age/Gender
 : 36 Y 0 M 0 D /F
 Collected
 : 30/Jun/2024 10:05:40

 UHID/MR NO
 : IDUN.0000230905
 Received
 : 30/Jun/2024 10:47:41

UHID/MR NO : IDUN.0000230905 Received : 30/Jun/2024 10:47:41
Visit ID : IDUN0107752425 Reported : 30/Jun/2024 12:55:39

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING, Plasma

Glucose Fasting 80.37 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP 86.18 mg/dl <140 Normal GOD POD Sample:Plasma After Meal 140-199 Pre-diabetes

140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c) 5.20 % NGSP HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c) 33.00 mmol/mol/IFCC
Estimated Average Glucose (eAG) 103 mg/dl

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



Home Sample Collection 1800-419-0002





CIN: U85110DL2003PLC308206



: 30/Jun/2024 09:52:15 Patient Name : Mrs.SNEHAMAL -681531 Registered On Collected Age/Gender : 36 Y 0 M 0 D /F : 30/Jun/2024 10:05:40 UHID/MR NO : IDUN.0000230905 Received : 30/Jun/2024 10:47:41 Visit ID : IDUN0107752425 Reported : 30/Jun/2024 12:55:39 : Dr.MEDIWHEEL ACROFEMI Ref Doctor

Status : Final Report HEALTHCARE LTD.DDN -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
-----------	--------	------	--------------------	--------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	9.00	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.86	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid Sample:Serum	3.00	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT), Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





CIN: U85110DL2003PLC308206



Patient Name : Mrs.SNEHAMAL -681531 Registered On : 30/Jun/2024 09:52:15 Age/Gender Collected : 30/Jun/2024 10:05:40 : 36 Y 0 M 0 D /F UHID/MR NO : IDUN.0000230905 Received : 30/Jun/2024 10:47:41 Visit ID : IDUN0107752425 Reported : 30/Jun/2024 12:55:39

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Ur	nit Bio. Ref. Interva	al Method
		6		
SGOT / Aspartate Aminotransferase (AST)	20.38	U/L	<35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	17.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	10.28	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.52	gm/dl	6.2-8.0	BIURET
Albumin	4.14	gm/dl	3.4-5.4	B.C.G.
Globulin	2.38	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.74		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	125.94	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.42	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.16	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.26	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	162.10	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	54.07	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	91	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	17.29	mg/dl	10-33	CALCULATED
Triglycerides	86.47	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

DR. RITU BHATIA MD (Pathology)











CIN: U85110DL2003PLC308206



Patient Name : Mrs.SNEHAMAL -681531 Registered On : 30/Jun/2024 09:52:14 Age/Gender Collected : 36 Y 0 M 0 D /F : 30/Jun/2024 13:20:04 UHID/MR NO : IDUN.0000230905 Received : 30/Jun/2024 14:11:57 Visit ID : IDUN0107752425 Reported : 30/Jun/2024 18:06:52

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Urine				
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Neutral (7.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
Sugar	ADSEINT	g111570	0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	2-5/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-1/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
Others	ABSENT			EXAMINATION
Others	ADSLINI			
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		

Interpretation:







CHANDAN DIAGNOSTIC CENTRE

 $Add: Armelia, 1St\ Floor, 56New\ Road,\ M.K.P\ Chowk, Dehradun$

Ph: 9235501532,01356617357 CIN: U85110DL2003PLC308206



Patient Name

Since 1991

: Mrs.SNEHAMAL -681531

Registered On

: 30/Jun/2024 09:52:14

Age/Gender

: 36 Y 0 M 0 D /F

Collected

: 30/Jun/2024 13:20:04 : 30/Jun/2024 14:11:57

UHID/MR NO Visit ID

: IDUN.0000230905 : IDUN0107752425 Received Reported

: 30/Jun/2024 18:06:52

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN - Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

DR.SMRITI GUPTA MD (PATHOLOGY)











Ref Doctor

Add: Armelia,1St Floor,56New Road, M.K.P Chowk, Dehradun Ph: 9235501532,01356617357 CIN: U85110DL2003PLC308206



Patient Name : Mrs.SNEHAMAL -681531 Registered On : 30/Jun/2024 09:52:15 Age/Gender : 36 Y 0 M 0 D /F Collected : 30/Jun/2024 10:05:40 UHID/MR NO : IDUN.0000230905 Received : 30/Jun/2024 10:47:41 Visit ID : 30/Jun/2024 16:33:40 : IDUN0107752425 Reported : Dr.MEDIWHEEL ACROFEMI

Status : Final Report HEALTHCARE LTD.DDN -

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine)	103.74	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	6.40	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.120	μIU/mL	0.27 - 5.5	CLIA
		v		
Interpretation:				
		0.3-4.5 $\mu IU/m$		ter
		$0.5-4.6 \mu IU/m$	L Second Trim	nester
		0.8-5.2 µIU/m	L Third Trimes	ster
		$0.5-8.9 \mu IU/m$	L Adults	55-87 Years
		0.7-27 µIU/m	L Premature	28-36 Week
		2.3-13.2 μIU/ml	L Cord Blood	> 37Week
		0.7-64 μIU/ml	L Child(21 wk	- 20 Yrs.)
		1-39 μIU/r		0-4 Days
		1.7-9.1 μIU/m		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

DR.SMRITI GUPTA MD (PATHOLOGY)

Page 8 of 10









UHID/MR NO

Ref Doctor

Visit ID

Add: Armelia,1St Floor,56New Road, M.K.P Chowk, Dehradun Ph: 9235501532,01356617357

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SNEHAMAL -681531 Age/Gender

: 36 Y 0 M 0 D /F

: IDUN.0000230905 : IDUN0107752425

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -

Registered On

Collected

: 30/Jun/2024 09:52:18

: 2024-06-30 10:57:35

Received : 2024-06-30 10:57:35 Reported : 30/Jun/2024 13:10:33

Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA (500 mA COM PUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Pulmonary parenchyma did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Diaphragmatic shadows are normal on both sides.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Bony cage is normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY DETECTED

Dr. Amit Bhandari MBBS MD RADIOLOGY







CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk, Dehradun Ph: 9235501532,01356617357

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SNEHAMAL -681531 Registered On : 30/Jun/2024 09:52:18 Age/Gender : 36 Y 0 M 0 D /F Collected : 2024-06-30 10:59:20 UHID/MR NO : IDUN.0000230905 Received : 2024-06-30 10:59:20 Visit ID : IDUN0107752425 Reported : 30/Jun/2024 11:49:03

: Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report

HEALTHCARE LTD.DDN -

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: is normal in size and echotexture. No focal lesion seen.

PORTAL VEIN: is normal at porta.

CBD is normal. Intra Hepatic biliary radicles are not dilated.

GALL BLADDER: seen in distended state with echofree lumen. Wall thickness is normal.

SPLEEN: is normal in size, shape and echotexture. No focal lesion is seen.

PANCREAS: Head and body appear normal. Tail is obscured by bowel gases.

RIGHT KIDNEY:- is normal in size (102 mm), shape and echotexture. Cortico-medullary differentiation is maintained. Parenchymal thickness is normal. No mass/calculus/hydronephrosis seen.

LETT KIDNEY:- is normal in size (111 mm), shape and echotexture. Cortico-medullary differentiation is maintained. Parenchymal thickness is normal. No mass/calculus/hydronephrosis seen.

LYM PHNODES: No pre-or-para aortic lymph node mass is seen.

URINARY BLADDER: seen in distended state with echofree lumen. Wall thickness is normal.

UTERUS: - is normal in size, shape and echotexture. No focal lesion seen.

Endometrial thickness is approx 6.5 mm.

ADNEXA: - Both ovaries are normal. No adnexal mass is seen.

FLUID: No significant free fluid seen in peritoneal cavity.

IMPRESSION: - NO SIGNIFICANT ABNORMALITY DETECTED.

Note: - In case of any discrepancy due to typing error kindly get it rectified immediately.

*** End Of Report ***

EXAMINATION, ECG / EKG

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open *Facilities Available at Select Location







Chandan Diagnostic



Age / Gender: 36/Female


Date and Time: 30th Jun 24 10:12 AM

Patient ID:

IDUN0107752425

Patient Name:

Mrs.SNEHAMAL -681531



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

AUTHORIZED BY

REPORTED BY

em B

Posailwad ..

Dr. Charit MD, DM: Cardiology Dr. Bhagyalaxmi Sunil Bailwad

63382

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.