भारत सरकार Government of India






Kashi Nath Saw Date of Birth/DOB: 02/02/1986 Male/ MALE

4214 5007 9062 VID : 9106 3818 9796 5032 मेरा आधार, मेरी पहचान

Ju Dr. Shailendra Ruprela

MD , Medicine Reg. No.: CGMC-511/2006





NAME : MR. KASHINATH SAW REF. BY : ARCOFEMI

AGE : 39 Y/M DATE : 08.10.2024

X-RAY CHEST PA VIEW

- The lungs on the either side show equal translucency.
- The peripheral pulmonary vasculature is normal.
- No focal lung lesion is seen.
- The pleural spaces are normal.
- The cardiac size is normal.
- The domes of the diaphragms are normal in position, and show smooth outline.
- Both hila are normal in size, have equal density and bear normal relationship.
- The heart and trachea are central in position and no mediastinal abnormality is visible.
- IMPRESSION : No evidence of pulmonary, pleural or cardiac pathology is noted.
 Radiograph of chest is within normal limits.



FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG, BILASPUR ROAD, RAIPUR-492009 (Chhattisgarh) Ph.: 0771-4048886, Mob.: 9406396296, Email : nmsdiagnostic.service@gmail.com





NAME: MR. KASHINATH SAW **REF. BY : ARCOFEMI**

AGE : 39 Y/M DATE : 08.10.2024

WHOLE ABDOMINAL SONOGRAPHY

The Real time, B mode, gray scale sonography was performed.

LIVER : The liver is normal in size, shape and has smooth margins. It has uniform echotexture, has normally distributed and normal size biliary and portal radicles and is without solid or cystic mass lesion or calcification. GALL BLADDER : The gall bladder is seen as a well distended, pear shaped bag with uniformly thin and regular walls, without, gall stones or mass lesions. COMMON BILE DUCT : The common bile duct is normal in caliber. No evidence of calculus is noted in common bile duct. PANCREAS : The pancreas is normal in size, shape, contours and echotexture. No evidence of solid or cystic mass lesion is noted. KIDNEYS : The kidneys are normal in size and have smooth renal margins. Cortical echotexture is normal. The central echocomplex does not show evidence of calculus. SPLEEN : The spleen is normal in size and shape. Its echotexture is homogeneous. No evidence of focal lesion is noted. URINARY BLADDER : The urinary bladder is well distended & appears normal. No evidence of calculus is seen. No evidence of mass or diverticulum is noted. PROSTATE : The prostate shows well defined and sharp margins. The prostatic echotexture is normal and homogenous. IMPRESSION : The Sonography Of Whole Abdomen Is Within Normal Limits

As with any other investigations the results obtained serve as an aid to diagnosis and should be interpreted in relation to any other clinical and diagnostic findings.

Thanks for referal with regards

FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG, BILASPUR ROAD, RAIPUR-492009 (Chhattisgarh) Ph.: 0771-4048886, Mob.: 9406396296, Email : nmsdiagnostic.service@gmail.com

"COMPLETE SOLUTION



NAME: MR. KASHINATH SAW REF.BY: ARCOFEMI AGE/SEX : 39 Y/M DATE: 08.10.2024

| REF.BY: ARCOFEMI | | | DATE. 00.10.20. |
|-------------------------|--------------------|---------------|-----------------|
| | ECHO - CARDIO | OGRAPHY | |
| M-MODE MEASUREMENTS: | Patient value (cm) | normal v | alue (cm) |
| Aortic Root | 3.1 | L | 2.0-3.7 |
| Left Atrial Dimension | 3.0 |) | 1.9-4.0 |
| Left Ventricular ED | 4.1 | L | 3.7-5.6 |
| Left Ventricular ES | 3.3 | 3 | 2.2-4.0 |
| Intervenrticular Septal | ED : 0.9 | ES:0.8 | 0.6-1.2 |
| LEFT VENT PW | ED : 0.9 | ES:0.8 | 0.6-1.2 |
| 2 D ECHO | | | |
| CHAMBERS | - All c | ardiac chambe | rs normal. |
| /ALVE | - NOF | RMAL | |
| SEPTAE | - IVS/ | IAS INTACT | |
| RWMA | - NO | | |
| EF (OVARALL)(LV) | - 60 | % | |
| CLOT/ VEGETATION | - NIL | | |
| PER. EFFUSION | - NIL | | |
| CONTINUOUS WAVE & PULS | | | |
| Valve | Regurgitation | | Gradient(mm Hg) |
| Mitral Valve | NIL | | Not Significant |
| Aortic Valve | NIL | | Not Significant |
| Tricuspid Valve | NIL | | PASP= |
| Pulmonary Valve | Nil | | Not Significant |
| PULSE WAVE DOPPLER | | | |
| MITRAL VALVE INFLOW | > Waves DT | m sec | |
| | | | |

IMPRESSION -

- NO RWMA AT REST, LVEF=60%
- NORMAL BIVENTRICULAR FUNCTION
- NORMAL CHAMBERS DIMENSION.
- NO CLOT/VEGETATION/PERICARDIAL EFFUSION.
- NORMAL VALVES

DR AJAY HALWAI MBBS, MD, PGDCC

FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG, BILASPUR ROAD, RAIPUR-492009 (Chhattisgarh) Ph.: 0771-4048886, Mob.: 9406396296, Email : nmsdiagnostic.service@gmail.com



6/6

N/6

NAME : MR. KASHINATH SAW

Ref. By : ARCOFEMI

Complain Of: No Complaints

Ocular H/O: Nil

Family Ocular H/O: Nil


WEARING GLASSES : YES/NO

(IF YES PLEASE MENTION THE POWER)

| DISTANCE VISION: | |
|-------------------------|--|
| (With / without PGP) | |

NEAR VISION: (With / without PGP)

EXTERNAL EYE EXAMINATION:



LE

LE

6/6

N/6

RE

RE

EOM: NAD

SQUINT EVALUATION: ABSENT


NYSTAGMUS: ABSENT

COLOR VISION TEST: NORMAL

NYCTALOPIA (Night Blindness): ABSENT

Dr. Vaibhav Sharma Opthalmologist Reg. No. MCI/10-37782

FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG, BILASPUR ROAD, RAIPUR-492009 (Chhattisgarh) Ph.: 0771-4048886, Mob.: 9406396296, Email : nmsdiagnostic.service@gmail.com





AGE: 39 Y/SEX/M

DATE: 08.10.2024



TO WHOM SO EVER IT MAY CONCERN

THIS IS TO DECLARE THAT MR. KASHINATH SAW AGE-39/M HE UNDERGONE ENT EXAMINATION ON 08/10/2024. DURING HIS EXAMINATION NO SOFT AND HARD TISSUE ABNORMALITIES WERE DETECTED IN THE EAR, NOSE AND THROAT. NO DISCHARGE FOUND. NO SIGNIFICANT HISTORY.

NO LYMPH NODES WERE TENDER AND PALPABLE.

AIR AND BONE CONDUCTION TEST WERE NEGATIVE.

ADVISE: MAINTAIN GOOD HYGIENE AND FOLLOW UP

ekha Mudgal MS. ENT Reg. No.: CGMC- 5083/2014

FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG, BILASPUR ROAD, RAIPUR-492009 (Chhattisgarh) Ph.: 0771-4048886, Mob.: 9406396296, Email : nmsdiagnostic.service@gmail.com







NAME : MR. KASHINATH SAW AGE/SEX : 39 Y/ M REFERRED BY : ARCOFEMI DATE : 08.10.2024

PERIPHERAL SMEAR EXAMINATION

RBC : Macrocytic normochromic .

"HFAITH"

WBC: Total counts within normal range. No toxic granulation seen. Band cells-9%, Neutrophils-46%, Lymphocytes-43%, Monocytes-2%.

Platelets: Appears adequate on smear.

Haemoparasite: No haemoparasite seen.

END OF REPORT


Dr. Avishesh Kumar Singh MD (Pathologist)

FAFADIH, NEAR OVER BRIDGE, RUPRELA MARG, BILASPUR ROAD, RAIPUR-492009 (Chhattisgarh) Ph.: 0771-4048886, Mob.: 9406396296, Email : nmsdiagnostic.service@gmail.com

"COMPLETE SOLUTION







VID :- E/14656 :- 202481017130292 PID No.

Name :- Mr. KASHINATH SAW



| Age/Sex :- 39 Y / M | • | Received on/at : | Reported on/at |
|---|-----------------------|------------------|----------------------------|
| Ref. By. :- ARCOFEMI HEALTHCARE LIMITED | 08/10/202 | 24 9:15AM | 08/10/2024 2:37PM |
| | BIOCHEMISTRY | , - | |
| Investigation | Observed Value | Unit | Biological Reference Range |
| GGT/GammaGT | | | |
| Gamma GT | 26.4 | U/L | 11 - 34 |
| Szasz method | | | |
| BLOOD SUGAR F | | | |
| Glucose Fasting | 83 | mg/dl | 60 - 110 |
| BLOOD SUGAR PP | | | |
| Glucose PP | 94 | mg/dl | 70 - 140 |
| LFT (LIVER FUNCTION TEST) | | | |
| Bilirubin (Total) | 0.68 | mg/dL | <1.0 |
| (Serum,Diazo) | | | |
| Bilirubin (Direct) | 0.23 | mg/dL | 0 - 0.3 |
| (Serum,Diazo) | | | |
| Bilirubin (Indirect) | 0.45 | mg/dL | UPTO 1.0 |
| (Serum,Calculated) | | | |
| SGOT (AST) | 34 | U/L | 5 - 37 |
| (Serum,Enzymatic) | | | |
| SGPT (ALT) | 40 | U/L | 10 - 40 |
| (Serum,Enzymatic | 405 | | 00,000 |
| Alkaline Phosphatase | 195 | U/L | 80 - 290 |
| (Serum,pNPP) Total Proteins | 7.38 | g/dL | 6.4 - 8.3 |
| (Serum,Biuret) | 7.50 | g/uL | 0.4 - 0.5 |
| Albumin | 4.26 | g/dL | 3.7 - 5.6 |
| Globulin | 3.12 | g/dL | 1.8 - 3.6 |
| (Serum) | 0.12 | g/ac | |
| A/G Ratio | 1.37 | g/dl | 1.1 - 2.2 |
| (Serum) | | 0 | |
| Gamma GT | 26.4 | U/L | 11 - 34 |

Szasz method

----- End Of Report ------

 VID
 :- E/14656

 PID No.
 :- 202481017130292





Reported on/at

Age/Sex :- 39 Y / M

| Ref. By. :- ARCOFEMI HEALTHCARE LIMITED | | 08/10/2024 9:15AM | 08/10/2024 2:37PM |
|---|------|-------------------|--|
| Lipid Profile (Fasting Sample Required) | | | |
| Cholesterol - Total | 120 | mg/dL | Desirable <200 Borderline High : 200-239 High :>=240 |
| Triglycerides Level | 115 | mg/dL | Normal : <150 Borderline High :150-199 High : 200-499 Very High : >=500 |
| HDL Cholesterol | 28 | mg/dl | Major risk factor for heart Disease :<40 Negative risk factor for heart Disease:>=60 |
| LDL Cholesterol | 69 | mg/dL | Optimal : <100 Near Optimal : 100-129 Borderline High : 130 - 159 High :160 - 189 Very High : >190 |
| VLDL Cholesterol | 23 | mg/dL | 6-38 |
| LDL/HDL RATIO | 2.46 | | 2.5-3.5 |
| CHOL/HDL RATIO | 4.29 | | 3.5 - 5 |

Sample Received on/at :

Note : Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

RFT (RENAL FUNCTION TEST) Renal (Kidney) Function Test

| <u>Renal (Ridney) Function Test</u> | | | |
|-------------------------------------|------|--------|------------|
| Urea | 28.9 | mg/dL | 15 - 43 |
| (Serum) | | | |
| Creatinine | 0.91 | mg/dL | 0.57 - 1.4 |
| (Serum,Jaffe) | | | |
| Sodium | 141 | mmol/L | 135 - 145 |
| Potassium | 4.20 | mmol/L | 3.5 - 5.1 |
| Uric Acid | 4.25 | mg/dL | 2.6 - 6 |
| (Serum,Uricase) | | | |
| Chlorides | 102 | mmol/L | 98 - 107 |
| | | | |

The performance of the Roche cobas c 111 was evaluated using sigma metrics. The calculations were performed using James O. Westgard methodology.[2] This approach uses an assays total allowable error (TEa), accuracy (bias), and precision (SD) to calculate a Sigma metric to characterize the performance of that assay.

----- End Of Report ------

| VID :- E/14656 PID No. :- 202481017130292 Name :- Mr. KASHINATH SAW | | Dr. Ruprela's Diagnostics & Ima '' अपूर्क निदान'' स्वस्थ जीवन की ओर | | | | |
|---|------|---|--|------------------------|--|--|
| Age/Sex :- 39 Y / M | | Sample Received on/at : | Reported o | | | |
| Ref. By. :- ARCOFEMI HEALTHCARE LIMITED | | 08/10/2024 9:15AM | 08/10/2024 | 2:37PM | | |
| HBA1C HbA1c Value | 4.57 | % | 4-6=Normal | 6-7=Good | | |
| NDA IC Value | 4.57 | 70 | Control Control 8-10=Unsatisfacto >10%=Poor Contr | 7-8=Fair ry Control | | |

Glycosylated Hemoglobin/Glycated Hemoglobin/GlycoHemoglobin/HbA1c. [1]

Its primary use is to monitor diabetic patient's compliance and long term blood glucose level control. It is an index of diabetic control (direct relationship between poor control and development of complications). It predicts development and progression of diabetic microvascular complications.

----- End Of Report ------

Dr. Avishesh Kumar Singh

M.D. (Pathologist)

 VID
 :- E/14656

 PID No.
 :- 202481017130292

Name :- Mr. KASHINATH SAW

Age/Sex :- 39 Y / M

Ref. By. :- ARCOFEMI HEALTHCARE LIMITED



Sample Received on/at : 08/10/2024 9:15AM

Reported on/at 08/10/2024 2:37PM

CLINICAL PATHOLOGY Investigation **Observed Value** Unit **Biological Reference Range URINE R/M Physical Examination** Specific Gravity 1.015 1.003-1.030 Appearance Clear Clear Pale Yellow Pale Yellow Colour Acidic Acidic pH (Reaction) NIL NIL Glucose **Microscopic Examination** PUS CELLS 1-2 /hpf 0-5 **Epithelial Cells** 0-1 0-5 /hpf RBC Absent /hpf Absent Bacteria Absent Absent Crystals Absent Absent Casts Absent Absent **Chemical Examination** Protein NIL NIL Test Done by Urisys 1100 (ROCHE) Fully Automatic.

----- End Of Report ------

VID :- E/14656

PID No. :- 202481017130292

Name :- Mr. KASHINATH SAW

Age/Sex :- 39 Y / M

Ref. By. :- ARCOFEMI HEALTHCARE LIMITED



Sample Received on/at : 08/10/2024 9:15AM

Reported on/at 08/10/2024 2:37PM

| Complete Blood Count (Haemogram) | | | | | |
|-----------------------------------|-----------------------|-------------|----------------------------|--|--|
| Investigation | Observed Value | Unit | Biological Reference Range | | |
| CBC | | | | | |
| <u>Erythrocytes</u> | | | | | |
| Haemoglobin (Hb) | 12.8 | gm/dL | 12.5 - 16.5 | | |
| Erythrocyte (RBC) Count | 4.99 | mill/cu.mm | 4.2 - 5.6 | | |
| PCV (Packed Cell Volume) | 42.9 | % | 36 - 47 | | |
| MCV (Mean Corpusculer Volume) | 86 | fl | 78 - 95 | | |
| MCH (Mean Corpusculer Hb) | 25.7 | pg | 26 - 32 | | |
| MCHC (Mean Corpuscular Hb Concn.) | 29.8 | g/dL | 32 - 36 | | |
| RDW (Red Cell Distribution Width) | 16.0 | % | 11.5 - 14 | | |
| <u>Leucocytes</u> | | | | | |
| Total Leucocytes (WBC) Count | 5000 | cells/cu.mm | 4000 - 11000 | | |
| Neutrophils | 60 | % | 40 - 75 | | |
| Lymphocytes. | 35 | % | 20 - 40 | | |
| Monocytes | 04 | % | 2-10 | | |
| Eosinophils | 01 | % | 1-6 | | |
| Basophils | 00 | % | 0 - 1 | | |
| Platelets- | | | | | |
| Platelet count | 150 | x10^9/L | 150 - 450 | | |
| MPV (Mean Platelet Volume) | 7.8 | fL. | 6 - 9.5 | | |
| PCT (Platelet Haematocrit) | 0.182 | % | 0.15 - 0500 | | |
| PDW (Platelet Distribution Width) | 7.4 | % | 11 - 18 | | |

EDTA Whole Blood - Tests done on Automated ABX Micros ES60(HORIBA) Cell Counter. WBC, RBC & Platelet count by impedance method, WBC differential by VCS technology & other parameters calculated) All abnormal Haemograms are reviewed & confirmed microscopically. Differential count is based on approximately 10,000 cells.

----- End Of Report ------

Dr. Ruprela's VID :- E/14656 Diagnostics & Imagin PID No. :- 202481017130292 न की ओर... :- Mr. KASHINATH SAW Name Age/Sex :- 39 Y / M Sample Received on/at : Reported on/at 08/10/2024 9:15AM 08/10/2024 2:37PM Ref. By. :- ARCOFEMI HEALTHCARE LIMITED Hematology Investigation **Observed Value Biological Reference Range** Unit **Blood Group & RH Type Screening** "B" ABO Group "POSITIVE" Rh Type Method: Column agglutination technology (CAT) is an automated. System for blood grouping which is superior in sensitivity to conventional tube method. ESR ESR - Erythrocyte Sedimentation Rate 30 mm at 1hr 0 - 15

(Citrate Blood) Method: Westergren

Interpretation:

1. It indicates presence and intensity of an inflammatory process, never diagnostic of a specific disease. Changes are more significant than a single abnormal test.

2. It is a prognostic test and used to monitor the course or response to treatment of diseases like tuberculosis, bacterial endocarditis, acute rheumatic fever, rheumatoid arthritis, SLE, Hodgkins disease, temporal arteritis, polymyalgia rheumatica.

3. It is also increased in pregnancy, multiple myeloma.


----- End Of Report ------

Dr. Avishesh Kumar Singh

M.D. (Pathologist)

VID :- E/14656 PID No. :- 202481017130292

Name :- Mr. KASHINATH SAW





| Age/Sex :- 39 Y / M | | Sample Rece | eived on/at : | Reported on/at | |
|--|-------------|-----------------|-----------------|----------------------------|--|
| Ref. By. :- ARCOFEMI HEALTHCARE LIMITED | | 08/10/2024 | 9:15AM | 08/10/2024 2:37PM | |
| | PATHO | <u>DLOGY</u> | | | |
| Investigation | Observed | l Value | Unit | Biological Reference Range | |
| Urine Sugar Fasting | | | | | |
| Urine Sugar (Fasting) | NEGATIVE | <u>.</u> | | Absent | |
| Thyroid Panel 1 (T3, T4, TSH) | | | | | |
| Т3 | 1.00 | | ng/dl | 0.6-1.8 | |
| Remarks :1. Decreased values of T3 (T4 and TSH nor diagnosis of hypothyroidism 2. Total T3 and T4 values proteins or binding sites Pregnancy,Drugs (Androgens T3 and Free T4 give corrected values. T4 | may also be | altered in othe | er conditions d | ue to changes in serum | |
| Remark:1.Total T3 and T4 values may also be altered in other conditions due to changes in serum proteins or binding sites Pregnancy,Drugs (Androgens,Estrogens,O C pills, Phenytoin) Nephrosis etc. In such cases Free T3 and Free T4 give corrected values. TSH 1.97 uIU/mI 0.25-5.5 | | | | | |
| TSH | 1.97 | | uIU/ml | 0.23-5.5 | |
| Remarks : 1.4.51 to 15 µIU/mL - Suggested clinical co-relation or repeat the test with new sample as physiological factors can give falsely high TSH. 2.TSH values may be transiently altered because of non thyroidal illness like severe infections,liver disease, renal and heart failure,severe burns, trauma and surgery etc | | | | | |

3. Drugs that decrease TSH values e.g:L-dopa, Glucocorticoids Drugs that increase TSH values e.g Iodine,Lithium,Amiodarone

Remark

Method Used : ELFA (Enzyme Linked Fluorescence Assay) on Mini Vidas most Efficient Analyzer Internationally accepted most advanced technology with high quality result.

----- End Of Report ------