PID No.
 : MED111465646
 Register On
 : 17/02/2024 8:54 AM

 SID No.
 : 522402667
 Collection On
 : 17/02/2024 10:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 17/02/2024 5:42 PM

 Type
 : OP
 Printed On
 : 19/02/2024 10:46 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)	'O' 'Positive'	

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	16.0	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	46.6	%	42 - 52
RBC Count (EDTA Blood)	5.22	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	89.4	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	30.7	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	34.3	g/dL	32 - 36
RDW-CV	15.3	%	11.5 - 16.0
RDW-SD	47.87	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6200	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	44.1	%	40 - 75
Lymphocytes (Blood)	40.7	%	20 - 45
Eosinophils (Blood)	5.9	%	01 - 06
Monocytes (Blood)	8.6	%	01 - 10







 PID No.
 : MED111465646
 Register On
 : 17/02/2024 8:54 AM

 SID No.
 : 522402667
 Collection On
 : 17/02/2024 10:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 17/02/2024 5:42 PM

 Type
 : OP
 Printed On
 : 19/02/2024 10:46 AM

Ref. Dr : MediWheel

<u>Investigation</u>	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood)	0.7	%	00 - 02
INTERPRETATION: Tests done on Automated F	Five Part cell count	er. All abnormal results	are reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	2.73	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.52	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.37	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.53	$10^3 / \mu l$	< 1.0
Absolute Basophil count (EDTA Blood)	0.04	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	228	10^3 / µl	150 - 450
MPV (Blood)	7.9	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.18	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	2	mm/hr	< 15
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	85.03	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F/GOD - POD)			
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	72.06	mg/dL	70 - 140







The results pertain to sample tested.

 PID No.
 : MED111465646
 Register On
 : 17/02/2024 8:54 AM

 SID No.
 : 522402667
 Collection On
 : 17/02/2024 10:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 17/02/2024 5:42 PM

 Type
 : OP
 Printed On
 : 19/02/2024 10:46 AM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	8.8	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.75	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic) <u>Liver Function Test</u>	4.70	mg/dL	3.5 - 7.2
Bilirubin(Total) (Serum/DCA with ATCS)	0.63	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.22	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.41	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	15.62	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	22.39	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	21.32	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	89.1	U/L	53 - 128







 PID No.
 : MED111465646
 Register On
 : 17/02/2024 8:54 AM

 SID No.
 : 522402667
 Collection On
 : 17/02/2024 10:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 17/02/2024 5:42 PM

 Type
 : OP
 Printed On
 : 19/02/2024 10:46 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Total Protein (Serum/Biuret)	6.79	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.74	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.05	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	2.31		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	169.70	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	85.66	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	34.97	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	117.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	17.1	mg/dL	< 30







 PID No.
 : MED111465646
 Register On
 : 17/02/2024 8:54 AM

 SID No.
 : 522402667
 Collection On
 : 17/02/2024 10:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 17/02/2024 5:42 PM

 Type
 : OP
 Printed On
 : 19/02/2024 10:46 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Non HDL Cholesterol (Serum/Calculated)	134.7	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Ratio (Serum/Calculated)		Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	2.4	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.4	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

4.9

Glycosylated Haemoglobin (HbA1c)

Total Cholesterol/HDL Cholesterol

HbA1C 4.7 % Normal: 4.5 - 5.6 (Whole Blood/HPLC) Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 88.19 mg/dL

(Whole Blood)







Optimal: < 3.3

 PID No.
 : MED111465646
 Register On
 : 17/02/2024 8:54 AM

 SID No.
 : 522402667
 Collection On
 : 17/02/2024 10:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 17/02/2024 5:42 PM

 Type
 : OP
 Printed On
 : 19/02/2024 10:46 AM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u>
Value Reference Interval

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.53 ng/ml 0.7 - 2.04

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total $10.46 \, \mu g/dl$ 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.21 μIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

PHYSICAL EXAMINATION (URINE

COMPLETE)







APPROVED BY

The results pertain to sample tested.

Page 6 of 10

 PID No.
 : MED111465646
 Register On
 : 17/02/2024 8:54 AM

 SID No.
 : 522402667
 Collection On
 : 17/02/2024 10:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 17/02/2024 5:42 PM

 Type
 : OP
 Printed On
 : 19/02/2024 10:46 AM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Colour (Urine)	Yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	20		
<u>CHEMICAL EXAMINATION (URINE COMPLETE)</u>			
pH (Urine)	5.5		4.5 - 8.0
Specific Gravity (Urine)	1.021		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
MICROSCOPIC EXAMINATION			







(URINE COMPLETE)

 PID No.
 : MED111465646
 Register On
 : 17/02/2024 8:54 AM

 SID No.
 : 522402667
 Collection On
 : 17/02/2024 10:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 17/02/2024 5:42 PM

 Type
 : 0P
 Printed On
 : 19/02/2024 10:46 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts NIL /hpf NIL (Urine)

Crystals NIL /hpf NIL

(Urine)







 PID No.
 : MED111465646
 Register On
 : 17/02/2024 8:54 AM

 SID No.
 : 522402667
 Collection On
 : 17/02/2024 10:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 17/02/2024 5:42 PM

 Type
 : OP
 Printed On
 : 19/02/2024 10:46 AM

Ref. Dr : MediWheel

InvestigationObserved ValueUnit ValueBiological Reference IntervalBUN / Creatinine Ratio11.76.0 - 22.0





 PID No.
 : MED111465646
 Register On
 : 17/02/2024 8:54 AM

 SID No.
 : 522402667
 Collection On
 : 17/02/2024 10:41 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 17/02/2024 5:42 PM

 Type
 : OP
 Printed On
 : 19/02/2024 10:46 AM

Ref. Dr : MediWheel

Investigation Observed U

<u>Unit</u>

Biological Reference Interval

URINE ROUTINE





-- End of Report --



Patient Name	Jagadish	Date	17/2/2024
Age	3748	Visit Number	52240266
Sex	Male	Corporate	Mediwheel

GENERAL PHYSICAL EXAMINATION

Ide	tification	Mark:
IUCI	Lilleation	IVIUITY .

Height: 116 Cm

cms

Weight: 🗇

kgs

Pulse: Ad lum

/minute

Blood Pressure: 180 7 and

mm of Hg

BM

BM INTERPRETATION

Underweight = <18.5

Normal weight = 18.5-24.9

Overweight = 25-29.9

Chest :

Expiration:

cms

Inspiration:

cms

Abdomen Measurement: 93 Cm

CVS:

No abnormality is detected. His / Her general physical examination is within normal limits.


NOTE: MEDICAL FIT FOR EMPLOYMENT YES / NO

Signature

You can also conveniently view the reports and trends through our Apr. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.



Name	MR.JAGADISH HOSAMANI	ID	MED111465646
Age & Gender	37Y/MALE	Visit Date	17 Feb 2024
Ref Doctor Name	MediWheel	-	

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (13.8 cm) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)	
Right Kidney	11.0	1.4	
Left Kidney	10.9	1.6	

URINARY BLADDER is partially distended.

PROSTATE: Visualized prostate appears normal.

No evidence of ascites.

IMPRESSION:

• No significant abnormality detected.

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST Hn/Mi

Name	MR.JAGADISH HOSAMANI	ID	MED111465646
Age & Gender	37Y/MALE	Visit Date	17 Feb 2024
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHIC STUDY

M-mode measurement:

AORTA 3.24 cms. LEFT ATRIUM 3.14 cms. **AVS** 1.47 cms. LEFT VENTRICLE (DIASTOLE) 4.83 cms. (SYSTOLE) 2.78 cms. **VENTRICULAR SEPTUM** (DIASTOLE) 1.08 cms. (SYSTOLE) 1.44 cms. POSTERIOR WALL (DIASTOLE) 1.03 cms. (SYSTOLE) 1.28 cms. **EDV** 112 ml. **ESV** 28 ml. % FRACTIONAL SHORTENING 38 **EJECTION FRACTION** 60 % **EPSS** cms. **RVID** 1.80 cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE: E - 0.8 m/s A -0.6 m/s NO MR.

AORTIC VALVE: 1.1 m/s NO AR.

TRICUSPID VALVE: E - 0.4 m/s A - 0.3 m/s NO TR.

PULMONARY VALVE: 0.8 m/s NO PR.

Name	MR.JAGADISH HOSAMANI ID MEDI		MED111465646
Age & Gender	37Y/MALE	Visit Date	17 Feb 2024
Ref Doctor Name	MediWheel	-	

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle : Normal size, Normal systolic function.

: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal.Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. YASHODA RAVI CONSULTANT CARDIOLOGIST

Name	MR.JAGADISH HOSAMANI	ID	MED111465646
Age & Gender	37Y/MALE	Visit Date	17 Feb 2024
Ref Doctor Name	MediWheel		

Name	Mr. JAGADISH HOSAMANI	Customer ID	MED111465646
Age & Gender	37Y/M	Visit Date	Feb 17 2024 8:54AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

Dr. Hemanandini Consultant Radiologist

and.vy