## **Chandan Diagnostic**



Age / Gender: 46/Male


Date and Time: 22nd Jan 24 11:22 AM

Patient ID:

IDUN0357192324

Patient Name:

Mr.DAYANAND ARYA-282245



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

AUTHORIZED BY

REPORTED BY

sem to

Pasailwad ..

Dr. Charit MD, DM: Cardiology Dr. Bhagyalaxmi Sunil Bailwad

63382

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.





CIN: U85110DL2003PLC308206



Patient Name : Mr.DAYANAND ARYA-282245 Registered On : 22/Jan/2024 10:20:52 Age/Gender Collected : 46 Y 0 M 0 D /M : 22/Jan/2024 10:30:58 UHID/MR NO : IDUN.0000218951 Received : 22/Jan/2024 10:43:01 Visit ID : IDUN0357192324 Reported : 22/Jan/2024 12:28:47

## DEPARTMENT OF HAEMATOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blo	od			
Blood Group	АВ			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE  MAGNETIZED  TECHNOLOGY / TUBE  AGGLUTINA
0 1 1 10 10 100 1				
Complete Blood Count (CBC) * , Whole	Blood			
TLC (WBC)  DLC  Polymorphs (Neutrophils )  Lymphocytes	5,490.00 57.70 35.40	g/dl /Cu mm % %	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
	5.80		3-5	ELECTRONIC IMPEDANCE
Monocytes Eosinophils	0.70	% %	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.40	%	<1	ELECTRONIC IMPEDANCE
Observed	6.00	Mm for 1st hr.		
Corrected	,	Mm for 1st hr.	<9	
PCV (HCT) Platelet count	38.80	%	40-54	
Platelet Count	2.42	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	48.30	%	35-60	ELECTRONIC IMPEDANCE











CIN: U85110DL2003PLC308206



Patient Name : Mr.DAYANAND ARYA-282245 Registered On : 22/Jan/2024 10:20:52 : 46 Y 0 M 0 D /M Age/Gender Collected : 22/Jan/2024 10:30:58 UHID/MR NO : IDUN.0000218951 Received : 22/Jan/2024 10:43:01 Visit ID : IDUN0357192324 Reported : 22/Jan/2024 12:28:47

## DEPARTMENT OF HAEM ATOLOGY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.28	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.34	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	89.40	fΙ	80-100	CALCULATED PARAMETER
MCH	31.00	pg	28-35	CALCULATED PARAMETER
MCHC	34.70	%	30-38	CALCULATED PARAMETER
RDW-CV	12.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	46.30	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,170.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	40.00	/cu mm	40-440	

DR. RITU BHATIA MD (Pathology)





Page 2 of 11





CIN: U85110DL2003PLC308206



Patient Name : Mr.DAYANAND ARYA-282245 : 22/Jan/2024 10:20:54 Registered On : 46 Y 0 M 0 D /M Age/Gender Collected : 22/Jan/2024 10:30:58 UHID/MR NO : IDUN.0000218951 Received : 22/Jan/2024 10:43:01 Visit ID : IDUN0357192324 Reported : 22/Jan/2024 14:26:13

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

## DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING, Plasma

Glucose Fasting 87.75 mg/dl <100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

#### **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP 99.05 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

## **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c) 5.30 % NGSP HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c) 34.00 mmol/mol/IFCC
Estimated Average Glucose (eAG) 106 mg/dl

#### **Interpretation:**

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









CIN: U85110DL2003PLC308206

HEALTHCARE LTD.DDN -



Patient Name : Mr.DAYANAND ARYA-282245 Registered On : 22/Jan/2024 10:20:54 Collected Age/Gender : 46 Y 0 M 0 D /M : 22/Jan/2024 10:30:58 UHID/MR NO : IDUN.0000218951 Received : 22/Jan/2024 10:43:01 Visit ID : IDUN0357192324 Reported : 22/Jan/2024 14:26:13 : Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result	Unit Bio. Ref. Interval Method	
------------------	--------------------------------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

<sup>\*</sup>Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	15.30	mg/dL	7.0-23.0	CALCULATED
Oreatinine Sample:Serum	0.90	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	3.90	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) \*, Serum





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

<sup>\*</sup>Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

<sup>\*</sup>With optimal control, the HbA 1c moves toward normal levels.

<sup>\*</sup>A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

<sup>\*</sup>Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

<sup>\*</sup>Pregnancy d. chronic renal failure. Interfering Factors:





CIN: U85110DL2003PLC308206



Patient Name : Mr.DAYANAND ARYA-282245 Registered On : 22/Jan/2024 10:20:54 Age/Gender Collected : 22/Jan/2024 10:30:58 : 46 Y 0 M 0 D /M UHID/MR NO Received : IDUN.0000218951 : 22/Jan/2024 10:43:01 Visit ID : IDUN0357192324 Reported : 22/Jan/2024 14:26:13

## DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Interv	al Method
SGOT / Aspartate Aminotransferase (AST)	27.19	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	27.31	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	16.02	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.39	gm/dl	6.2-8.0	BIURET
Albumin	4.00	gm/dl	3.4-5.4	B.C.G.
Globulin	2.39	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.67	g, w.	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	73.88	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.24	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.40	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.84	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	215.81	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	69.50	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	116	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL .	30.23	mg/dl	10-33	CALCULATED
Triglycerides	151.15	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

DR.SMRITI GUPTA MD (PATHOLOGY)









CIN: U85110DL2003PLC308206



Patient Name : Mr.DAYANAND ARYA-282245 Registered On : 22/Jan/2024 10:20:53 Age/Gender Collected : 22/Jan/2024 10:30:58 : 46 Y 0 M 0 D /M UHID/MR NO Received : IDUN.0000218951 : 22/Jan/2024 10:43:01 Visit ID : IDUN0357192324 Reported : 22/Jan/2024 12:49:59

## DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE*, Urine				
Color	YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++) 200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
		1 1	>2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			DIDCTICK
Nitrite Blood	ABSENT			DIPSTICK
Microscopic Examination:	ABSENT			DIPSTICK
	4.24			MUCDOCCODIC
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	0-1/h.p.f			LAAMINATION
RBCs	ABSENT			MICROSCOPIC
NDC3	ABSENT			EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE*, Urine		1		
	ABSENT	amc <sup>0</sup> /		
Sugar, Fasting stage	ADSENT	gms%		

## **Interpretation:**



Home Sample Collection 1800-419-0002



Since 1991

## CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name

: Mr.DAYANAND ARYA-282245

Registered On

: 22/Jan/2024 10:20:53

Age/Gender

: 46 Y 0 M 0 D /M

Collected

: 22/Jan/2024 10:30:58 : 22/Jan/2024 10:43:01

UHID/MR NO Visit ID : IDUN.0000218951 : IDUN0357192324 Received Reported

: 22/Jan/2024 12:49:59

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -

Status

: Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2



DR. RITU BHATIA MD (Pathology)

Page 7 of 11





## CHANDAN DIAGNOSTIC CENTRE



Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mr.DAYANAND ARYA-282245 Registered On : 22/Jan/2024 10:20:54 Collected Age/Gender : 46 Y 0 M 0 D /M : 22/Jan/2024 10:30:58 UHID/MR NO : IDUN.0000218951 Received : 22/Jan/2024 10:43:01 Visit ID : IDUN0357192324 Reported : 22/Jan/2024 17:07:04

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report HEALTHCARE LTD.DDN -

## DEPARTMENT OF IMMUNOLOGY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
		,		_	
PSA (Prostate Specific Antigen), Total * Sample:Serum	0.21	ng/mL	<4.1	CLIA	

#### **Interpretation:**

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

## THYROID PROFILE - TOTAL\*, Serum

T3, Total (tri-iodothyronine)	96.41	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.70	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.370	μIU/mL	0.27 - 5.5	CLIA

## **Interpretation:**

0.3 - 4.5	μIU/mL	First Trimester		
0.5-4.6	$\mu IU/mL$	Second Trimester		
0.8 - 5.2	μIU/mL	Third Trimester		
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years	
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week	
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week	
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)	
1-39	$\mu IU/mL$	Child	0-4 Days	
1.7-9.1	$\mu IU/mL$	Child	2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.











UHID/MR NO

Ref Doctor

Visit ID

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mr.DAYANAND ARYA-282245 Age/Gender : 46 Y 0 M 0 D /M

: IDUN.0000218951 : IDUN0357192324

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN - Registered On

Collected

Received

Reported

: 22/Jan/2024 10:20:54 : 22/Jan/2024 10:30:58

: 22/Jan/2024 10:43:01 : 22/Jan/2024 17:07:04

Status : Final Report

#### DEPARTMENT OF IMMUNOLOGY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

DR.SMRITI GUPTA MD (PATHOLOGY)



Home Sample Collection 1800-419-0002





CIN: U85110DL2003PLC308206



Patient Name : Mr.DAYANAND ARYA-282245 Registered On : 22/Jan/2024 10:20:55

 Age/Gender
 : 46 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDUN.0000218951
 Received
 : N/A

Visit ID : IDUN0357192324 Reported : 22/Jan/2024 14:53:52

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

# DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

# X-RAY DIGITAL CHEST PA \* (500 mA COM PUTERISED UNIT SPOT FILM DEVICE)

#### DIGITAL CHEST P-A VIEW

- Pulmonary parenchyma did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Diaphragmatic shadows are normal on both sides.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Bony cage is normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY DETECTED

Dr. Amit Bhandari MBBS MD RADIOLOGY







Age/Gender

UHID/MR NO

Ref Doctor

## CHANDAN DIAGNOSTIC CENTRE

Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192

CIN: U85110DL2003PLC308206



Patient Name : Mr.DAYANAND ARYA-282245

: 46 Y 0 M 0 D /M

: IDUN.0000218951

Visit ID : IDUN0357192324

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN - Collected Received Reported

Registered On

: 22/Jan/2024 10:20:55 : N/A

eived : N/A

: 22/Jan/2024 11:50:16

Status : Final Report

# DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER) \*

LIVER: is normal in size and echotexture. No focal lesion seen.

PORTAL VEIN: is normal at porta.

CBD is normal. Intra Hepatic biliary radicles are not dilated.

GALL BLADDER: seen in distended state with echofree lumen. Wall thickness is normal.

SPLEEN: is normal in size, shape and echotexture. No focal lesion is seen.

PANCREAS: Head and body appear normal. Tail is obscured by bowel gases.

KIDNEYS: Right kidney measures approx 96 x 39 mm and Left kidney measures approx 100 x 48 mm.

Both kidneys are normal in size, shape and echotexture. Cortico-medullary differentiation is maintained. Parenchymal thickness is normal.

No mass/calculus/hydronephrosis seen.

LYMPHNODES: No pre-or-para aortic lymph node mass is seen.

URINARY BLADDER: seen in distended state with echofree lumen. Wall thickness is normal.

PROSTATE: is normal in size and echotexture.

FLUID: No significant free fluid seen in peritoneal cavity.

IMPRESSION: - NO SIGNIFICANT ABNORMALITY DETECTED.

Note: - In case of any discrepancy due to typing error kindly get it rectified immediately

\*\*\* End Of Report \*\*\*

Result/s to Follow:

EXAMINATION, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT)

Dr. Amit Bhandari MBBS MD RADIOLOGY

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*Facilities Available at Select Location\*





