

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:56:59
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000100053	Received	: N/A
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 15:59:22
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ECG / EKG *

	1. Machnism, Rhythm	Sinus, Regular	
	2. Atrial Rate	60	/mt
	3. Ventricular Rate	60	/mt
	4. P - Wave	Normal	
	5. P R Interval	Normal	
	6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
	7. Q T c Interval	Normal	
	8. S - T Segment	Normal	
FINAL IMPRE	9. T – Wave SSION	Normal	

ECG Within Normal Limits: Sinus Rhythm, Sinus Arrhythmia Seen.Baseline artefacts. Please correlate clinically









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:56:56
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: 07/Jan/2024 09:14:53
UHID/MR NO	: ALDP.0000100053	Received	: 07/Jan/2024 09:38:03
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 13:16:48
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS					
Test Name	Result			Method	
Blood Group (ABO & Rh typing) * ,	Blood				
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA	
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE	
Complete Blood Count (CBC) * , What	ble Blood				
Haemoglobin	10.70	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl		
TLC (WBC) DLC	7,100.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE	
Polymorphs (Neutrophils)	61.00	%	55-70	ELECTRONIC IMPEDANCE	
Lymphocytes	34.00	%	25-40	ELECTRONIC IMPEDANCE	
Monocytes	2.00	%	3-5	ELECTRONIC IMPEDANCE	
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE	
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE	
Observed	18.00	Mm for 1st hr.			
Corrected		Mm for 1st hr.	< 20		
PCV (HCT) Platelet count	33.00	%	40-54		
Platelet Count	2.03	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC	
PDW (Platelet Distribution width)	15.50	fL	9-17	ELECTRONIC IMPEDANCE	
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE	







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:56:56
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: 07/Jan/2024 09:14:53
UHID/MR NO	: ALDP.0000100053	Received	: 07/Jan/2024 09:38:03
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 13:16:48
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.24	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.00	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.02	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	66.90	fl	80-100	CALCULATED PARAMETER
MCH	21.30	pg	28-35	CALCULATED PARAMETER
MCHC	31.80	%	30-38	CALCULATED PARAMETER
RDW-CV	15.50	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	38.80	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,331.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	213.00	/cu mm	40-440	

AS

Dr.Akanksha Singh (MD Pathology)

Page 3 of 11





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:56:58
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: 07/Jan/2024 09:14:52
UHID/MR NO	: ALDP.0000100053	Received	: 07/Jan/2024 09:38:03
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 12:52:14
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Uni	t Bio. Ref. Interv	al Method			
GLUCOSE FASTING * , Plasma							
Glucose Fasting	103.00		< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD			
Interpretation:a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person							

will never get diabetics in future, which is why an Annual Health Check up is essential. c) I.G.T = Impared Glucose Tolerance.

Glucose PP * Sample:Plasma After Meal	129.10	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD
			> 200 Didbettes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) * , EDTA BLOOD						
Glycosylated Haemoglobin (HbA1c)	5.30	% NGSP	HPLC (NGSP)			
Glycosylated Haemoglobin (HbA1c)	34.40	mmol/mol/IFCC				
Estimated Average Glucose (eAG)	105	mg/dl				

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:56:58
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: 07/Jan/2024 09:14:52
UHID/MR NO	: ALDP.0000100053	Received	: 07/Jan/2024 09:38:03
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 12:52:14
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result	t Unit Bio. Ref. Interval Method	
------------------	----------------------------------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	7.43	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.90	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid * Sample:Serum	3.73	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT) * , Serum



Page 5 of 11



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:56:58
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: 07/Jan/2024 09:14:52
UHID/MR NO	: ALDP.0000100053	Received	: 07/Jan/2024 09:38:03
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 12:52:14
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS	

Test Name	Result	L	Jnit Bio. Ref. Interv	val Method
SGOT / Aspartate Aminotransferase (AST)	20.50	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	18.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	12.20	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.60	gm/dl	6.2-8.0	BIURET
Albumin	4.60	gm/dl	3.4-5.4	B.C.G.
Globulin	2.00	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.30	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	59.80	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.50	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.30	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	145.00	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	46.40	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	71	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	27.26	mg/dl	10-33	CALCULATED
Triglycerides	136.30	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP h

AS

Dr.Akanksha Singh (MD Pathology)





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:56:57
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: 07/Jan/2024 13:27:20
UHID/MR NO	: ALDP.0000100053	Received	: 07/Jan/2024 13:42:33
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 14:58:26
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE *	, Urine			
Color	CLEAR			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	[′] mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	DIDOTION
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++) > 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	ing/ di	0.1 0.0	DIGONEINIGHT
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and a service of	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			Dirottok
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:	, BOEITI			Dirottok
Epithelial cells	0-2/h.p.f			MICROSCOPIC
	0-2/11.p.1			EXAMINATION
Pus cells	0-2/h.p.f			2.0.000
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
-				EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.

STOOL, ROUTINE EXAMINATION * , Stool

Color

BROWNISH





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:56:57
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: 07/Jan/2024 13:27:20
UHID/MR NO	: ALDP.0000100053	Received	: 07/Jan/2024 13:42:33
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 14:58:26
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Que esta transmission				
Consistency	SEMI SOLID			
Reaction (PH)	Neutral (7.0)			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT	5		
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
	ABSENT	amc ⁰ /		
Sugar, Fasting stage	ADJEINT	gms%		
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0			and a strand	
(+++) 1-2				
(++++) > 2				
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Interpretation:				

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%

AS

Dr.Akanksha Singh (MD Pathology)

Page 8 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:56:58
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: 07/Jan/2024 09:14:52
UHID/MR NO	: ALDP.0000100053	Received	: 07/Jan/2024 09:38:03
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 15:10:49
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	133.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.10	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.300	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:56:59
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000100053	Received	: N/A
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 16:20:13
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Icrohilh

DR K N SINGH (MBBS, DMRE)

Page 10 of 11







CHANDAN DIAGNOSTIC CENTRE Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagr Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PRACHI VERMA-110462	Registered On	: 07/Jan/2024 08:57:00
Age/Gender	: 33 Y 9 M 20 D /F	Collected	: N/A
UHID/MR NO	: ALDP.0000100053	Received	: N/A
Visit ID	: ALDP0328792324	Reported	: 07/Jan/2024 10:27:05
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (14.9 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Not visualized (Post cholecystectomy status).

CBD :- Normal in calibre measuring ~ 8.1 mm is seen at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size , shape and echogenicity.

RIGHT KIDNEY: - Normal in size (9.2 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (9.4 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

UTERUS :- Anteverted, and is normal in size (8.5 x 2.8 x 4.2 cm). No focal myometrial lesion seen. Endometrium is normal in thickness.(7.0 mm).

OVARIES :- Bilateral ovaries are normal in size, shape and echogenicity.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION : No significant abnormality seen.

Please correlate clinically.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.



DR K N SINGH (MBBS, DMRE)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * *365 Days Open*

Page 11 of 11



