

### CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ARVIND KUMAR - 161071

: 42 Y 4 M 25 D /M

UHID/MR NO : ALDP.0000124921 Visit ID : ALDP0164162324

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd.

Registered On

: 02/Sep/2023 10:31:46

Collected : N/A

Received : N/A Reported : 06/3

: 06/Sep/2023 11:10:33

Status : Final Report

## DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG / EKG \*

Age/Gender

1. Machnism, Rhythm

. .

Sinus, Regular

/mt

3. Ventricular Rate

89

/mt

4. P - Wave

2. Atrial Rate

Normal

5. P R Interval

Normal

6. Q R S

Axis:

Normal

R/S Ratio: Configuration:

Normal Normal

7. Q T c Interval

Normal

8. S - T Segment

Normal

9. T – Wave

Normal

**FINAL IMPRESSION** 

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ARVIND KUMAR - 161071 Registered On : 02/Sep/2023 10:31:42 : 42 Y 4 M 25 D /M Age/Gender Collected : 02/Sep/2023 10:46:45 UHID/MR NO : 02/Sep/2023 11:59:25 : ALDP.0000124921 Received Visit ID : ALDP0164162324 Reported : 02/Sep/2023 13:35:21

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) *, Blood	od			
Blood Group	АВ			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) *, Whole B	Blood			
Haemoglobin	15.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl	
- The state of the			Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	6,100.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils )	70.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	24.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	1.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	4.00	Mm for 1st hr.		
Corrected	45	Mm for 1st hr.	< 9	
PCV (HCT)	48.00	%	40-54	
Platelet count				
Platelet Count	1.60	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.90	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	46.60	%	35-60	ELECTRONIC IMPEDANCE









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ARVIND KUMAR - 161071 Registered On : 02/Sep/2023 10:31:42 Age/Gender : 42 Y 4 M 25 D /M Collected : 02/Sep/2023 10:46:45 UHID/MR NO : 02/Sep/2023 11:59:25 : ALDP.0000124921 Received Visit ID : ALDP0164162324 Reported : 02/Sep/2023 13:35:21

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.83	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	99.40	fl	80-100	CALCULATED PARAMETER
MCH	32.20	pg	28-35	CALCULATED PARAMETER
MCHC	32.30	%	30-38	CALCULATED PARAMETER
RDW-CV	13.10	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	49.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,270.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	61.00	/cu mm	40-440	

AS

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.ARVIND KUMAR - 161071 : 02/Sep/2023 10:31:45 Registered On Age/Gender : 42 Y 4 M 25 D /M Collected : 02/Sep/2023 10:46:45 UHID/MR NO : ALDP.0000124921 Received : 02/Sep/2023 11:59:25 Visit ID : ALDP0164162324 Reported : 02/Sep/2023 12:53:10

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit Bio	o. Ref. Interval	Method
GLUCOSE FASTING * , Plasma				
Glucose Fasting	90.10	mg/dl < 100 Norr	mal GOD PO	D

100-125 Pre-diabetes ≥ 126 Diabetes

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	102.00	n	ng/dl	<140 Normal	GOD POD
Sample:Plasma After Meal				140-199 Pre-diabetes	
				>200 Diabetes	

#### Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.60	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	37.60	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	114	mg/dl	

### Interpretation:

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Ref Doctor

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : 02/Sep/2023 10:31:45 : Mr.ARVIND KUMAR - 161071 Registered On Age/Gender : 42 Y 4 M 25 D /M Collected : 02/Sep/2023 10:46:45 UHID/MR NO : ALDP.0000124921 Received : 02/Sep/2023 11:59:25 Visit ID : ALDP0164162324 Reported : 02/Sep/2023 12:53:10 Dr. Mediwheel - Arcofemi Health Care Ltd.

Status : Final Report

#### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

<sup>\*</sup>Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	12.57	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.10	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 2 Female-20-320	MODIFIED JAFFES 0-275
Uric Acid * Sample:Serum	5.49	mg/dl	3.4-7.0	URICASE





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

<sup>\*</sup>Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

<sup>\*</sup>With optimal control, the HbA 1c moves toward normal levels.

<sup>\*</sup>A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

<sup>\*</sup>Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

<sup>\*</sup>Pregnancy d. chronic renal failure. Interfering Factors:





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ARVIND KUMAR - 161071 Registered On : 02/Sep/2023 10:31:45 Age/Gender : 42 Y 4 M 25 D /M Collected : 02/Sep/2023 10:46:45 UHID/MR NO : ALDP.0000124921 Received : 02/Sep/2023 11:59:25 Visit ID Reported : 02/Sep/2023 12:53:10 : ALDP0164162324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

## DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result		Unit	Bio. Ref. Interva	nl Method
LET (MUTIL CANANAA CT) *					
LFT (WITH GAMMA GT) * , Serum					
SGOT / Aspartate Aminotransferase (AST)	30.80	U/L	< 35		IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	51.20	U/L	< 40		IFCC WITHOUT P5P
Gamma GT (GGT)	32.50	IU/L	11-50		OPTIMIZED SZAZING
Protein	7.30	gm/dl	6.2-8		BIURET
Albumin	4.30	gm/dl	3.4-5	.4	B.C.G.
Globulin	3.00	gm/dl	1.8-3	.6	CALCULATED
A:G Ratio	1.43		1.1-2	.0	CALCULATED
Alkaline Phosphatase (Total)	112.30	U/L	42.0-	165.0	IFCC METHOD
Bilirubin (Total)	0.80	mg/dl	0.3-1	.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	)	JENDRASSIK & GROF
Bilirubin (Indirect)	0.50	mg/dl	< 0.8		JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum					
Cholesterol (Total)	219.00	mg/dl		Desirabl <mark>e</mark> 239 Borderline High High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	68.70	mg/dl	30-70	0	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	120	mg/dl		Optimal 29 Nr.	CALCULATED
The same of the sa			130-1 160-1 > 190	nal/Above Optimal 59 Borderline High 89 High Very High	
VLDL	30.00	mg/dl	10-33		CALCULATED
Triglycerides	150.00	mg/dl	150-1 200-4	Normal 99 Borderline High 99 High Very High	GPO-PAP

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.ARVIND KUMAR - 161071 Registered On : 02/Sep/2023 10:31:44 Collected Age/Gender : 42 Y 4 M 25 D /M : 02/Sep/2023 17:00:44 UHID/MR NO : ALDP.0000124921 Received : 02/Sep/2023 17:08:42 Visit ID Reported : 02/Sep/2023 18:25:34 : ALDP0164162324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
RINE EXAMINATION, ROUTINE *	, Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	TRACE	mg %	< 10 Absent	DIPSTICK
		, 3	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
	ADCENT		> 2 (++++)	DIOCHEN MCTDV
Cetone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Jrobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
pithelial cells	0-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	1-3/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			

### **SUGAR, FASTING STAGE** \* , Urine

Sugar, Fasting stage ABSENT gms%

#### **Interpretation:**

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



 Patient Name
 : Mr.ARVIND KUMAR - 161071
 Registered On
 : 02/Sep/2023 10:31:44

 Age/Gender
 : 42 Y 4 M 25 D /M
 Collected
 : 02/Sep/2023 17:00:44

UHID/MR NO : ALDP.0000124921 Received : 02/Sep/2023 17:08:42 Visit ID : ALDP0164162324 Reported : 02/Sep/2023 18:25:34

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

(++++) > 2

**SUGAR, PP STAGE \***, Urine

Sugar, PP Stage

**ABSENT** 

**Interpretation:** 

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr.Akanksha Singh (MD Pathology)







### CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ARVIND KUMAR - 161071 : 02/Sep/2023 10:31:47 Registered On Age/Gender Collected : 42 Y 4 M 25 D /M : 02/Sep/2023 10:46:45 UHID/MR NO : ALDP.0000124921 Received : 03/Sep/2023 09:50:53 Visit ID : ALDP0164162324 Reported : 03/Sep/2023 10:51:09

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.59	ng/mL	< 2.0	CLIA	

#### **Interpretation:**

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Bring

Dr. Anupam Singh (MBBS MD Pathology)



Home Sample Collection 1800-419-0002





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ARVIND KUMAR - 161071 : 02/Sep/2023 10:31:44 Registered On Age/Gender : 42 Y 4 M 25 D /M Collected : 02/Sep/2023 10:46:45 UHID/MR NO : ALDP.0000124921 Received : 02/Sep/2023 11:59:25 Visit ID : 02/Sep/2023 13:37:24 : ALDP0164162324 Reported

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	l Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	129.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.600	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
. •		0.3-4.5 μIU/r	nL First Trimes	ster
		0.5-4.6 μIU/r	nL Second Trin	nester
		0.8-5.2 μIU/n	nL Third Trime	ster
		0.5-8.9 µIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	z - 20 Yrs.)
			/mL Child	0-4 Days
		1.7-9.1 μlU/r		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ARVIND KUMAR - 161071 Registered On : 02/Sep/2023 10:31:46

 Age/Gender
 : 42 Y 4 M 25 D /M
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000124921
 Received
 : N/A

Visit ID : ALDP0164162324 Reported : 02/Sep/2023 13:35:22

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

#### X-RAY DIGITAL CHEST PA \*

# X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS,DMRE)







Age/Gender

UHID/MR NO

#### CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



: 02/Sep/2023 10:31:46

: N/A

: N/A

Patient Name : Mr.ARVIND KUMAR - 161071 Registered On

: 42 Y 4 M 25 D /M

Collected : ALDP.0000124921 Received

Visit ID : ALDP0164162324 Reported : 02/Sep/2023 13:05:36

: Dr. Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

### DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

LIVER: - Normal in size (13.5 cm), shape and shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I fatty changes. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

**GALL BLADDER**:- Not visualized (Post cholecystetomy status)

**CBD**:- Normal in calibre measuring ~ 5.6 mm at porta.

**PORTAL VEIN**: - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

**SPLEEN**: - Normal in size, shape and echogenicity.

**RIGHT KIDNEY**: - Normal in size (9.7 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size (9.8 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER:** Normal in shape, outline and distension. No e/o wall thickening / calculus.

**PROSTATE:** Normal in size (2.5 x 2.7 x 3.0 cm vol - 11.1 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

**IMPRESSION**: Grade I fatty liver.

Please correlate clinically

#### \*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow: STOOL, ROUTINE EXAMINATION



DR K N SINGH (MBBS, DMRE)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* \*Facilities Available at Select Location 365 Days Open





