



LETTER OF APPROVAL / RECOMMENDATION

To,

The Coordinator,
Mediwheel (Arcofemi Healthcare Limited)
Helpline number: 011- 41195959

Dear Sir / Madam,

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS	EMPLOYEE DETAILS
NAME	MR. KUMAR ABHIJEET
EC NO.	116258
DESIGNATION	SINGLE WINDOW OPERATOR A
PLACE OF WORK	BOKARO STEEL CITY
BIRTHDATE	17-12-1979
PROPOSED DATE OF HEALTH CHECKUP	09-03-2024
BOOKING REFERENCE NO.	23M116258100095758E

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from **02-03-2024** till **31-03-2024** The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a **cashless facility** as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

**Chief General Manager
HRM Department
Bank of Baroda**

(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))



 **बैंक ऑफ बरोडा**
Bank of Baroda

नाम
Name **अभिजीत कुमार**
Abhijeet Kumar

एकल पत्र नं. **116258**
EC No. **116258**


अभिजीत कुमार
Signature of Abhijeet Kumar





भारत सरकार
GOVERNMENT OF INDIA



अभिजीत कुमार
Abhijeet Kumar
DOB: 17-12-1979
Gender: Male



6147 2339 1317

आधार - आम आदमी का अधिकार



आधार

भारतीय विशिष्ट पहचान प्राधिकरण
UNIQUE IDENTIFICATION AUTHORITY OF INDIA

S/O: रवी प्रकाश गुप्ता, प्लॉट नं.-
एचए-13, सिटी सेंटर, सेक्टर-4,
बोकारो स्टील सिटी, पदुली, सेक्टर-
आईवी, चास, बोकारो, झारखण्ड,
827004

Address:
S/o: Ravi Prakash Gupta, Plot No.-
Ha-13, City Center, Sector-4,
Bokaro Steel City, Paduli, Sector:
Iv, Chas, Bokaro, Jharkhand,
827004



1947
1800 300 1947

help@uidai.gov.in

www.uidai.gov.in

P.O. Box No.1947,
Bengaluru-560 001





असर्फी हॉस्पिटल

सबके लिए स्वास्थ्य
Department of Emergency

OUT PATIENT DEPARTMENT

Patient Name : MR. ABHIJEET KUMAR
 Age/Sex : 44 Y 2 M 0 D / Male
 Address : CITY CENTRE, SEC-4, BOKARO STEEL CITY, Bokaro - 827004, JHARKHAND,
 Doctor : Dr. Amir Rashid MEM

Visit :
 Mobile :
 Date :
 OPD Timing :
 Referred By :

: OPD/80324/197401
 : 8877933394
 : 8-Mar-2024 3:29 pm

Allergies :
 History and complaints :
 Height : Ft In Temp : 97.0 F
 Weight : 90 Kg Pulse : 101 BPM SPO2 : 94 %
 B.P. : 150/80 mm/Hg

PHC - WNL.
NO fever complaint.

Examination:

Diagnosis:

W/O Hypertension / DM
x1yr (x1yr no)

Investigations:

Medicines Prescribed:

- Continue home medicines
- Review 60s
- follow up :- Physician / Subspecialty

Follow up:

Days

Advice (Diet/ Lifestyle / Rehab)

Date :

Time :

Signature of Doctor

*This document is not valid for Medico-Legal purposes.



44 Years

mr abhijeet kumar
Male

08-Mar-24 12:36:07

ASARFI INST. OF CARDIAC SCIENCES




Rate 102 . Sinus tachycardia.....rate> 99
FR 127 . ST elev, probable normal early repol pattern.....ST elevation, age<55
QRS 89
QT 330
QTc 430

--AXIS--
P 62
QRS 13
T 22
12 Lead; Standard Placement

-- OTHERWISE NORMAL ECG --

Unconfirmed Diagnosis



Device:

Speed: 25 mm/sec

Limb: 10 mm/mV

Chest: 10.0 mm/mV

F 50~ 0.50-100 Hz W

PH100B CL






P?

ASARFI INSTITUTE OF CARDIAC SCIENCES

Name : MR ABHIJEET KUMAR

Date : 08/03/2024

Patient Id : 79026



REPORT

ECHOCARDIOGRAPHY REPORT

Name: MR ABHIJEET KUMAR

Age: 44

Sex: Male

Date: 08/03/2024

2D & M-MODE MEASUREMENTS

LA Diam	3.2 cm
Ao Diam	2.2 cm
IVSd	1.0 cm
LVIDd	4.9 cm
LVPWd	0.9 cm
IVSs	1.5 cm
LVIDs	3.2 cm

2D & M-MODE CALCULATIONS

EDV(Teich)	112 ml
ESV(Teich)	40 ml
EF(Teich)	64 %
%FS	35 %
SV(Teich)	72 ml
LVd Mass	187.31 g
RWT	0.37

MITRAL VALVE

MV E Vel	0.99 m/s
MV DecT	161 ms
MV Dec Slope	6.2 m/s ²
MV A Vel	0.78 m/s
MV E/A Ratio	1.27

AORTIC VALVE

AV Vmax	1.23 m/s
AV maxPG	6.02 mmHg

TRICUSPID VALVE

PV Vmax	1.37 m/s
PV maxPG	7.52 mmHg


PULMONARY VALVE

COMMENTS:

- NORMAL SIZE CARDIAC CHAMBERS
- NO LVRWMA
- GOOD LV SYSTOLIC FUNCTION (EF-62%)
- NORMAL MITRAL INFLOW PATTERN
- NO MR, AR, NO TR, NO PAH
- IAS, IVS INTACT
- NO CLOT, PE
- IVC NORMAL

IMPRESSION:

- NORMAL ECHO STUDY


DR. S. H. CHAVAN
(CONSULTANT CARDIOLOGIST)

TECH. SIG



RADIOLOGY REPORT

Reg. No.	79026	Ref. Dr.	SELF
Name	MR. ABHIJEET KUMAR	Study	USG WHOLE ABDOMEN
Age & Sex	44Y /M	Rep Date	08.03.2024

USG WHOLE ABDOMEN

- LIVER** : Liver is normal in size & shape. It appears bright in echotexture. No obvious focal lesion is seen. IHBR are not dilated.
- GALL BLADDER** : GB is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- CBD** : CBD is normal in course & caliber.
- PV** : PV is normal in course & caliber.
- PANCREAS** : Pancreas is normal in size, shape & echotexture. Peripancreatic soft tissues appear normal. MPD is not dilated.
- SPLEEN** : Spleen is normal in shape, size & echotexture. It measures 9.9cm in size.
- KIDNEYS** : The right kidney measures 10.9 x 4cm. The left kidney measures 11.4 x 5.5cm. Both kidneys are normal in shape, size & position. The pelvicalyceal system is normal. Corticomedullary differentiation is maintained. No focal lesion is seen.
- URINARY BLADDER** : Urinary bladder is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- PROSTATE** : Prostate is normal in size, shape & echotexture. It measures 2.8 x 3.2 x 3cm in size (volume - 14.5gram).
- OTHERS** : No ascites or retroperitoneal lymphadenopathy is seen.
- IMPRESSION** : • **Grade I diffuse fatty infiltration of liver.**
Clinical correlation is suggested.



Dr. VAISHALI PATEL
MBBS, DNB (Radio-diagnosis)
Consultant Radiologist

RADIOLOGY REPORT

Patient Name :	MR.ABHIJEET KUMAR	Patient ID :	79026
Modality :	DX	Sex :	M
Age :	44Y	Study :	CXR
Reff. Dr. :	DR. SELF	Study Date :	08-03-2024

X-RAY CHEST PA VIEW

Bilateral bronchovascular markings are prominent.
Bilateral costophrenic angles are unremarkable.
Bilateral hila are unremarkable.
Domes of diaphragm are normal in morphology and contour.
Cardiac size is within normal limits.
Bony thoracic cage appears normal.

*Recommended clinical correlation with other investigations

Manish Kumar Jha

Dr. Manish Kumar Jha

MBS, MD (Radio diagnosis)

Registration No. 77237 (WBMC)

Date 08-03-2024 Time 11-41-56



Disclaimer: - It is an online interpretation of medical imaging based on clinical data. All modern machines/ procedures have their own limitation. If there is any clinical discrepancy, this investigation may be repeated or reassessed by other tests. Patient's identification in online reporting is not established, so in no way can this report be utilized for any medico legal purpose.





FINAL REPORT

Name : MR. ABHJEET KUMAR
Reg. No. : MAR24-79026
Age / Sex : 44 Y 2 M 0 D / Male
Doctor : Self-Walkin
Pat. Type : Mediwheel



Collection Time : 08-03-2024 10:04:27
Receiving Time : 08-03-2024 10:06:58
Reporting Time : 08-03-2024 12:36:40
Publish Time : 08-03-2024 2:29 pm

Test Name	Result	Flag	Unit	Reference Range
Liver Function Test (LFT)				
Method: Spectrophotometry				
Bilirubin Total (Diazo)	0.7		mg/dl	0.3-1.2
Bilirubin Direct (Diazo)	0.2		mg/dl	0.00-0.2
Bilirubin Indirect (Calculated)	0.5		mg/dl	0.00-1.0
SGPT (IFCC without PDP)	17.0		U/L	7-50
SGOT (IFCC without PDP)	27.0		U/L	5-45
Alkaline Phosphate (PNP AMP Kinetic)	342.5	H	U/L	70-306
GGT (Enzymatic)	26.0		U/L	0-55
Protein Total (Biuret)	7.4		g/dl	6.4-8.3
Albumin (BCG)	4.0		g/dl	3.5-5.2
Globulin (Calculated)	3.4		g/dl	2.3-3.5
A : G Ratio (Calculated)	1.18			0.8-2.0

Machine Name: XL-640



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) The results of the test are valid only if the specimen is properly labeled and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s). (2) Laboratory Investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Results of the tests are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282. Email-labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



MC-5939

FINAL REPORT

Name : MR. ABHJEET KUMAR
Reg. No. : MAR24-79026
Age / Sex : 44 Y 2 M 0 D / Male
Doctor : Self-Walkin
Pat. Type : Mediwheel



Collection Time : 08-03-2024 10:04:27
Receiving Time : 08-03-2024 10:06:58
Reporting Time : 08-03-2024 12:36:40
Publish Time : 08-03-2024 2:29 pm

Test Name	Result	Flag	Unit	Reference Range
Clinical Pathology				



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) It is presumed that the result(s) obtained are only for the purpose of diagnosis and are not to be used for medico-legal purposes. (2) Laboratory investigations are only to facilitate in arriving at diagnosis and should be clinically correlated. (3) Results are not valid for medico-legal purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/epemic etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297562252. Email-labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



FINAL REPORT

Name : MR. ABHJEET KUMAR
Reg. No. : MAR24-79026
Age / Sex : 44 Y 2 M 0 D / Male
Doctor : Self-Walkin
Pat. Type : Mediwheel



Collection Time : 08-03-2024 10:04:27
Receiving Time : 08-03-2024 10:06:58
Reporting Time : 08-03-2024 12:36:40
Publish Time : 08-03-2024 2:29 pm

Test Name	Result	Flag	Unit	Reference Range
Crystals	NOT SEEN		/hpf.	
others	NOT SEEN			
Protein:Creatinine Ratio; Urine				
Method: Immunoturbidimetry, Spectrophotome:				
Protein	100.0		mg/L	
Creatinine	44.9		mg/dl	
PCR	2.23		mg/g	0-0.5



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Test results are not valid for clinical use purposes. (4) Test requested might not be performed due to following Reason. (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/serum etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282. Email: labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



MC-5939

FINAL REPORT

Name : MR. ABHJEET KUMAR
Reg. No. : MAR24-79026
Age / Sex : 44 Y 2 M 0 D / Male
Doctor : Self-Walkin
Pat. Type : Mediwheel



Collection Time : 08-03-2024 10:04:27
Receiving Time : 08-03-2024 10:06:56
Reporting Time : 11-03-2024 11:06:13
Publish Time : 11-03-2024 11:18 am

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

Microbiology

Culture & Sensitivity (Urine)

Method : vitek 2 compact

Organism Isolated

Machine Name: vitek 2 compact

NO GROWTH OF ANY ORGANISM



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the laboratory. (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



FINAL REPORT

Name : MR. ABHJEET KUMAR
Reg. No. : MAR24-79026
Age / Sex : 44 Y 2 M 0 D / Male
Doctor : Self-Walkin
Pat. Type : Mediwheel



Collection Time : 08-03-2024 10:04:27
Receiving Time : 08-03-2024 10:06:58
Reporting Time : 08-03-2024 12:36:40
Publish Time : 08-03-2024 2:29 pm

Test Name	Result	Flag	Unit	Reference Range
STOOL EXAMINATION, ROUTINE; STOOL R/E				
Method : Manual Method, Light Microscopy				
<i>Machine Name: microscope</i>				
Occult Blood	NEGATIVE			
Protozoa	NOT FOUND			
Epithelial Cells	1-2			
Vegetable Cells	PRESENT			
Yeast Cells	NOT SEEN			
Colour	BROWNISH			0-00
Form & Consistency	SEMI SOLID			
Reaction	ALKALINE			
Pus Cells	1-2			
RBC's	NIL			
Macrophages	NOT SEEN			
Trophozoites	NOT SEEN			
Cysts	NOT SEEN			
Ova	NOT SEEN			
Larva	NOT FOUND			
Visible Blood	ABSENT			



DR N N SINGH
MD. (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) /Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the representative at the point of generation of the said specimen(s). (2) Accuracy investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for the following reasons: (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/epemic etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282. Email: labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



FINAL REPORT

Name : MR. ABHJEET KUMAR
Reg. No. : MAR24-79026
Age / Sex : 44 Y 2 M 0 D / Male
Doctor : Self-Walkin
Pat. Type : Mediwheel



Collection Time : 08-03-2024 10:04:27
Receiving Time : 08-03-2024 10:06:58
Reporting Time : 08-03-2024 12:36:40
Publish Time : 08-03-2024 2:29 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

Haematology

BLOOD GROUP, ABO & RH TYPING

Method : Agglutination

ABO GROUP

O

0-0

RH TYPING

POSITIVE

0-0

ESR (Erythrocyte Sedimentaion Rate)

Method : Westergren

ESR

17

H

Machine Name: VES-MATIC 20

mm/hr

0-10



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) /Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative. (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason (a) Specimen received in insufficient or inappropriate. (haemolysed/clotted/peptic etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282. Email: labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



FINAL REPORT

Name : MR. ABHJEET KUMAR
Reg. No. : MAR24-79026
Age / Sex : 44 Y 2 M 0 D / Male
Doctor : Self-Walkin
Pat. Type : Mediwheel



Collection Time : 08-03-2024 10:04:27
Receiving Time : 08-03-2024 10:06:58
Reporting Time : 08-03-2024 12:36:40
Publish Time : 08-03-2024 2:29 pm

Test Name	Result	Flag	Unit	Reference Range
Nature of Material: EDTA Blood Sample				
Complete Blood Count (CBC)				
Method: Electronical Impedence				
Machine Name: Sysmex 6 part				
Hemoglobin (Photometry)	11.9	L	g/dl	13-18
PCV (Calculated)	37.5	L	%	40-50
MCH (Calculated)	29.7		Pg	27-31
MCHC (Calculated)	31.7		g/dl	31.5-35.5
Red Cell Distribution Width (RDW) (Electrical Impedence)	15.7	H	%	11.6-14
Total Leukocyte Count (TLC) (Electrical Impedence)	8,400		/cu-mm	4000-11000
RBC Count (Electrical Impedence)	4.01	L	million/mm ³	4.5-5.5
Mean Corpuscular Volume (MCV) (Electrical Impedence)	93.5		fL	83-101
Platelet Count (Electrical impedance)	2.27		lakhs/cumm	1.5-4.5
Neutrophils (VCS Technology)	70		%	55-75
Lymphocytes (VCS Technology)	22		%	15-30
Eosinophils (VCS Technology)	03		%	1-6
Monocytes (VCS Technology)	05		%	2-10
Basophils (VCS Technology)	00		%	0-1



DR N N SINGH
MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative. (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-lab@asarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhanbad 828 130

Ph. No.: 7808368888, 9297062252, 9234681514



MC-5939

FINAL REPORT

Name : MR. ABHJEET KUMAR
 Reg. No. : MAR24-79026
 Age / Sex : 44 Y 2 M 0 D / Male
 Doctor : Self-Walkin
 Pat. Type : Mediwheel



Collection Time : 08-03-2024 10:04:27
 Receiving Time : 08-03-2024 10:06:58
 Reporting Time : 08-03-2024 12:36:40
 Publish Time : 08-03-2024 2:29 pm

Test Name	Result	Flag	Unit	Reference Range
Immunology and Serology				
Prostate Specific Antigen(PSA), Total, Serum				
Method: ECLIA		Machine Name: VITROS ECI		
Prostate Specific Antigen(PSA), Total, Serum	0.26		ng/ml	0.0-4.0
THYROID PROFILE, TOTAL, SERUM				
Method: ECLIA		Machine Name: Vitros ECI		
T3, Total	1.20		ng/ml	0.8-2.0
T4, Total	11.9		µg/dL	5.10-14.10
TSH (Ultrasensitive)	2.99		mIU/mL	0.27-4.2



DR N N SINGH

MD (PATHOLOGY)

Condition of Laboratory Testing & Reporting

It is assumed that the tests performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representatives at the point of generation of the test request. (1) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (2) Results are not valid for medico-legal purposes. (3) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297062252. Email: labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"