



BMI CHART

Date: 09/09/2023

Name: Hiranjan Kumar Age: 41 yrs

Sex: M / F

BP: 120/70 mmHg Height (cms): 170 cm Weight(kgs): 75.6 BMI: _____

WEIGHT lbs	100	105	110	116	120	125	130	135	140	145	150	155	160	165	170	175	180	185	190	195	200	205	210	215
kgs	45.5	47.7	50.0	52.3	54.5	56.8	59.1	61.4	63.6	65.9	68.2	70.5	72.7	75.0	77.3	79.5	81.8	84.1	86.4	88.6	90.9	93.2	95.5	97.7
HEIGHT in/cm	Underweight				Healthy				Overweight				Obese				Extremely Obese							
5'0" - 152.4	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
5'1" - 154.9	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
5'2" - 157.4	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		
5'3" - 160.0	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38		
5'4" - 162.5	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38		
5'5" - 165.1	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37		
5'6" - 167.6	15	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37		
5'7" - 170.1	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36		
5'8" - 172.7	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36		
5'9" - 175.2	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35		
5'10" - 177.8	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35		
5'11" - 180.3	14	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34		
6'0" - 182.8	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34		
6'1" - 185.4	13	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33		
6'2" - 187.9	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33		
6'3" - 190.5	12	13	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32		
6'4" - 193.0	12	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32		

Doctors Notes:

Signature



UHID	12698593	Date	09/09/2023	
Name	Mr. Niranjan Kumar	Sex	Male	Age 41
OPD	Opthal 14	Health Check Up		

U - DOV in PISA

Drug allergy: No
 Sys illness: No
 Habit - y. No

Unaided VA \uparrow 6/12
6/12

Ref \leq -0.50 DS / -0.75 DC X 90° - 6/c
 -0.75 DS / -0.75 DC 90° - 6/c

Near +1.25 DS
 Add \uparrow +1.25 DS

SOP \uparrow 14.6 mmHg
 15.2

Aer

Prescribe Spectar

Hiranandani Healthcare Pvt. Ltd.
Mini Sea Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703
Board Line: 022 - 39199222 | Fax: 022 - 39199220
Emergency: 022 - 39199100 | Ambulance: 1255
For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300
www.fortishealthcare.com |
CIN : U85100MH2005PTC154823
GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D



Hiranandani
HOSPITAL
(A Fortis Network Hospital)

UHID	12698593	Date	09/09/2023		
Name	Mr.Niranjan Kumar	Sex	Male	Age	41
OPD	Dental 12 7387696540	Health Check Up			

Drug allergy:
Sys illness:

O/E

Stains + calculus +

Impacted 8 |

A/L

Surgical Extraction with 8 |

Deep cleaning.

PATIENT NAME : MR.NIRANJAN KUMAR		REF. DOCTOR :	
CODE/NAME & ADDRESS : C000045507	ACCESSION NO : 0022WI002061	AGE/SEX : 41 Years Male	
FORTIS VASHI-CHC -SPLZD	PATIENT ID : FH.12698593	DRAWN : 09/09/2023 10:01:00	
FORTIS HOSPITAL # VASHI,	CLIENT PATIENT ID: UID:12698593	RECEIVED : 09/09/2023 10:01:02	
MUMBAI 440001	ABHA NO :	REPORTED : 09/09/2023 18:02:43	

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074
CORP-OPD
BILLNO-150123OPCR051934
BILLNO-150123OPCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY - CBC

CBC-S, EDTA WHOLE BLOOD

BLOOD COUNTS, EDTA WHOLE BLOOD

HEMOGLOBIN (HB)	11.6 Low	13.0 - 17.0	g/dL
METHOD : SLS METHOD			
RED BLOOD CELL (RBC) COUNT	6.63 High	4.5 - 5.5	mil/ μ L
METHOD : HYDRODYNAMIC FOCUSING			
WHITE BLOOD CELL (WBC) COUNT	7.97	4.0 - 10.0	thou/ μ L
METHOD : FLUORESCENCE FLOW CYTOMETRY			
PLATELET COUNT	126 Low	150 - 410	thou/ μ L
METHOD : HYDRODYNAMIC FOCUSING BY DC DETECTION			

RBC AND PLATELET INDICES

HEMATOCRIT (PCV)	39.5 Low	40.0 - 50.0	%
METHOD : CUMULATIVE PULSE HEIGHT DETECTION METHOD			
MEAN CORPUSCULAR VOLUME (MCV)	59.6 Low	83.0 - 101.0	fL
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	17.5 Low	27.0 - 32.0	pg
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION(MCHC)	29.4 Low	31.5 - 34.5	g/dL
METHOD : CALCULATED PARAMETER			
RED CELL DISTRIBUTION WIDTH (RDW)	18.7 High	11.6 - 14.0	%
METHOD : CALCULATED PARAMETER			
MENTZER INDEX	9.0		
METHOD : CALCULATED PARAMETER			

WBC DIFFERENTIAL COUNT

NEUTROPHILS	66	40.0 - 80.0	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING			



Dr. Akshay Dhotre
Consultant Pathologist

Page 1 Of 16



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CIN - U74899PB1995PLC045956
Email : -



Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

ACCESSION NO : 0022W1002061

PATIENT ID : FH.12698593

CLIENT PATIENT ID: UID:12698593

ABHA NO :

AGE/SEX : 41 Years Male

DRAWN : 09/09/2023 10:01:00

RECEIVED : 09/09/2023 10:01:02

REPORTED : 09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074

CORP-DPO

BILLNO-1501230PCR051934

BILLNO-1501230PCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
LYMPHOCYTES		25	20.0 - 40.0	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING				
MONOCYTES		5	2.0 - 10.0	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING				
EOSINOPHILS		4	1 - 6	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING				
BASOPHILS		0	0 - 2	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING				
ABSOLUTE NEUTROPHIL COUNT		5.26	2.0 - 7.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE LYMPHOCYTE COUNT		1.99	1.0 - 3.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE MONOCYTE COUNT		0.40	0.2 - 1.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE EOSINOPHIL COUNT		0.32	0.02 - 0.50	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE BASOPHIL COUNT		0 Low	0.02 - 0.10	thou/ μ L
METHOD : CALCULATED PARAMETER				
NEUTROPHIL LYMPHOCYTE RATIO (NLR)		2.6		
METHOD : CALCULATED				

MORPHOLOGY

RBC

METHOD : MICROSCOPIC EXAMINATION

WBC

METHOD : MICROSCOPIC EXAMINATION

PLATELETS

METHOD : MICROSCOPIC EXAMINATION

REMARKS

HYPOCHROMASIA (++) MICROCYTOSIS (++) , MILD ANISOPOIKILOCYTOSIS

NORMAL MORPHOLOGY

ADEQUATE ON SMEAR, MACROPLATELETS SEEN, PLATELETS SEEN ON SMEAR~1,65,000-1,75,000/microliter.

ADVICE- SERUM IRON STUDIES AND HB ELECTROPHORESIS.



 Dr. Akshay Dhotre
 Consultant Pathologist

Page 2 Of 16



View Details



View Report

PERFORMED AT :

 Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-36199222, 022-49723322,
 CIN - U74899PB1995PLC045956
 Email : -


Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR		REF. DOCTOR :
CODE/NAME & ADDRESS : C000045507 FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001	ACCESSION NO : 0022WI002061 PATIENT ID : FH.12698593 CLIENT PATIENT ID: UID:12698593 ABHA NO :	AGE/SEX : 41 Years Male DRAWN : 09/09/2023 10:01:00 RECEIVED : 09/09/2023 10:01:02 REPORTED : 09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074
CORP-OPD
BILLNO-1501230PCR051934
BILLNO-1501230PCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Interpretation(s)

RBC AND PLATELET INDICES- Mentzer Index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anemia (>13) from beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT- The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age \geq 49.5 years old and NLR = 3.3, 45.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

[Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 94 (2020) 106504
This ratio element is a calculated parameter and out of NABL scope.



Dr. Akshay Dhotre
Consultant Pathologist

Page 3 Of 16



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CIN - U74899MH1995PLC045956
Email : -



Patient Ref. No. 22000000971328

PATIENT NAME : MR.NIRANJAN KUMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022WI002061

AGE/SEX : 41 Years Male

FORTIS VASHI-CHC -SPLZD
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

PATIENT ID : FH.12698593

DRAWN : 09/09/2023 10:01:00

CLIENT PATIENT ID: UID:12698593

RECEIVED : 09/09/2023 10:01:02

ABHA NO : 1

REPORTED : 09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074
CORP-OPD
BILLNO-1501230PCR051934
BILLNO-1501230PCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD

E.S.R	06	0 - 14	mm at 1 hr
METHOD : WESTERGEN METHOD			

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition. CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculitis, Inflammatory arthritis, Renal disease, Anemia, Hemoglobinuria and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR (>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraneoplasms, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy ESR in first trimester is 0-18 mm/hr (52 if anemic) and in second trimester (0-70 mm/hr (85 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythemia vera, Sickle cell anemia.

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs (Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased : Polkthocytosis, (Sickle Cells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine, salicylates)

REFERENCE :

1. Nathan and Dahl's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACCPress, 7th edition, Edited by S. Scott; 3. The reference for the adult reference range is "Practical Haematology by Decker and Lewis, 10th edition.



Dr. Akshay Dhotre
Consultant Pathologist

Page 4 Of 16



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd,
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-36199222, 022-49723322,
CIN - U74899PB1995PLC045956
Email : -



Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

ACCESSION NO : 0022W1002061

PATIENT ID : FH.12698593

CLIENT PATIENT ID: UID:12698593

ABHA NO :

AGE/SEX :41 Years Male

DRAWN :09/09/2023 10:01:00

RECEIVED :09/09/2023 10:01:02

REPORTED :09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074

CORP-OPD

BILLNO-150123OPCR051934

BILLNO-150123OPCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

IMMUNOHAEMATOLOGY

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

TYPE A

METHOD : TUBE AGGLUTINATION

RH TYPE

POSITIVE

METHOD : TUBE AGGLUTINATION

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.



Page 5 Of 16

Dr.Akshay Dhote
 Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
 Hirvanandani Hospital-Vashi, Mini Seashore Road, Sector 18,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222,022-49723322,
 CIN - U74899FD1995PLC045956
 Email : -



Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507
 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

ACCESSION NO : 0022W1002061
 PATIENT ID : FH.12698593
 CLIENT PATIENT ID: UID:12698593
 ABHA NO :

AGE/SEX : 41 Years Male
 DRAWN : 09/09/2023 10:01:00
 RECEIVED : 09/09/2023 10:01:02
 REPORTED : 09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074
 CORP-OPD
 BILLNO-150123OPCR051934
 BILLNO-150123OPCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL METHOD : JENDRASSIK AND GROFF	1.18 High	0.2 - 1.0	mg/dL
BILIRUBIN, DIRECT METHOD : JENDRASSIK AND GROFF	0.09	0.0 - 0.2	mg/dL
BILIRUBIN, INDIRECT METHOD : CALCULATED PARAMETER	1.09 High	0.1 - 1.0	mg/dL
TOTAL PROTEIN METHOD : BIURET	7.1	6.4 - 8.2	g/dL
ALBUMIN METHOD : BCF DYE BINDING	4.1	3.4 - 5.0	g/dL
GLOBULIN METHOD : CALCULATED PARAMETER	3.0	2.0 - 4.1	g/dL
ALBUMIN/GLOBULIN RATIO METHOD : CALCULATED PARAMETER	1.4	1.0 - 2.1	RATIO
ASPARTATE AMINOTRANSFERASE(AST/SGOT) METHOD : UV WITH PSP	25	15 - 37	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT) METHOD : UV WITH PSP	82 High	< 45.0	U/L
ALKALINE PHOSPHATASE METHOD : PNPP-AMP	85	30 - 120	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT) METHOD : GAMMA GLUTAMYLCABOXY 4-NITROANILIDE	119 High	15 - 85	U/L
LACTATE DEHYDROGENASE METHOD : LACTATE -PYRUVATE	114	85 - 227	U/L

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR) METHOD : HEXOKINASE	207 High	Normal : < 100 Pre-diabetes: 100-125 Diabetes: >/=126	mg/dL
--	----------	---	-------



Dr. Akshay Dhotre
 Consultant Pathologist

Page 6 Of 16




View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
 Viranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 New Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322,
 CIN - U74899MH1995PLC045956
 Email : *



Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

ACCESSION NO : 0022WI002061

PATIENT ID : FH.12698593

CLIENT PATIENT ID: UID:12698593

ABHA NO :

AGE/SEX :41 Years Male

DRAWN :09/09/2023 10:01:00

RECEIVED :09/09/2023 10:01:02

REPORTED :09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074

CORP-OPD

BILLNO-150123OPCR051934

BILLNO-150123OPCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C	11.2 High	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
-------	-----------	--	---

METHOD : HB VARIANT (HPLC)

ESTIMATED AVERAGE GLUCOSE(EAG)	274.7 High	< 116.0	mg/dL
--------------------------------	------------	---------	-------

METHOD : CALCULATED PARAMETER

KIDNEY PANEL - 1

BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN	7	6 - 20	mg/dL
---------------------	---	--------	-------

METHOD : UREASE - UV

CREATININE EGFR- EPI

CREATININE	0.90	0.90 - 1.30	mg/dL
------------	------	-------------	-------

METHOD : ALKALINE PICRATE KINETIC JAFFES

AGE	41		years
-----	----	--	-------

GLOMERULAR FILTRATION RATE (MALE)	110.04	Refer Interpretation Below	mL/min/1.73m2
-----------------------------------	--------	----------------------------	---------------

METHOD : CALCULATED PARAMETER

BUN/CREAT RATIO

BUN/CREAT RATIO	7.78	5.00 - 15.00	
-----------------	------	--------------	--



Page 7 Of 16


Dr.Akshay Dhotre
Consultant Pathologist

View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Niranjanani Hospital-Vashi, Mini Seachore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-35199222,022-49723322,
CIN - U74859MH1995PLC045956
Email : -


Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022WI002061

AGE/SEX : 41 Years Male

FORTIS VASHI-CHC -SPLZD

PATIENT ID : FH.12698593

DRAWN : 09/09/2023 10:01:00

FORTIS HOSPITAL # VASHI,

CLIENT PATIENT ID: UID:12698593

RECEIVED : 09/09/2023 10:01:02

MUMBAI 440001

ABHA NO :

REPORTED : 09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074

CORP-OPD

BILLNO-150123OPCR051934

BILLNO-150123OPCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : CALCULATED PARAMETER

URIC ACID, SERUM

URIC ACID

5.0

3.5 - 7.2

mg/dL

METHOD : URICASE UV

TOTAL PROTEIN, SERUM

TOTAL PROTEIN

7.1

6.4 - 8.2

g/dL

METHOD : BIURET

ALBUMIN, SERUM

ALBUMIN

4.1

3.4 - 5.0

g/dL

METHOD : BCP DYE BINDING

GLOBULIN

GLOBULIN

3.0

2.0 - 4.1

g/dL

METHOD : CALCULATED PARAMETER

ELECTROLYTES (NA/K/CL), SERUM

SODIUM, SERUM

134 Low

136 - 145

mmol/L

METHOD : ISE INDIRECT

POTASSIUM, SERUM

3.65

3.50 - 5.10

mmol/L

METHOD : ISE INDIRECT

CHLORIDE, SERUM

99

98 - 107

mmol/L

METHOD : ISE INDIRECT



Dr. Akshay Dhotre
Consultant Pathologist

Page 8 Of 16




View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CIN - U74899PB1995PLC045956
Email : -



Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022W1002061

AGE/SEX : 41 Years Male

FORTIS VASHI-CHC -SPLZD

PATIENT ID : FH.12698593

DRAWN : 09/09/2023 10:01:00

FORTIS HOSPITAL # VASHI,

CLIENT PATIENT ID: UID:12698593

RECEIVED : 09/09/2023 10:01:02

MUMBAI 440001

ABHA NO :

REPORTED : 09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074

CORP-OPD

BILLNO-150123OPCR051934

BILLNO-150123OPCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Interpretation(s)

Interpretation(s)

LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in viral hepatitis. Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured directly as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pericarditis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mostly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Ductoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, lymphoma, Paget's disease, Rickets, Scurvy etc. Lower-than-normal ALP levels seen in Hypophosphatemia, Malnutrition, Protein deficiency, Wilson's disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenström disease. Lower-than-normal levels may be due to: Agermalnutrition, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodialysis, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

Increased in: Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (10%), Drugs: corticosteroids, phenytoin, estrogen, thiazides.

Decreased in: Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease,

malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency

diseases (e.g. galactosemia), Drugs: insulin, ethanol, propranolol, sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN (HbA1c), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
2. Diagnosing diabetes.



Dr. Akshay Dhotre
Consultant Pathologist

Page 9 Of 16



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Niranjan Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CIN - U74899PB1995PLC045956
Email : -



Patient Ref. No. 2200000871328

PATIENT NAME : MR.NIRANJAN KUMAR
REF. DOCTOR :
CODE/NAME & ADDRESS : C000045507
 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

ACCESSION NO : 0022WI002061
PATIENT ID : FH.12698593
CLIENT PATIENT ID: UID:12698593
ASHA NO : :
AGE/SEX :41 Years Male
DRAWN :09/09/2023 10:01:00
RECEIVED :09/09/2023 10:01:02
REPORTED :09/09/2023 18:02:43
CLINICAL INFORMATION :
UID:12698593 REQNO-1580074
CORP-OPD
BILLNO-150123OPCR051934
BILLNO-150123OPCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

3. Identifying patients at increased risk for diabetes (pre-diabetes).
 The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patient's metabolic control has remained continuously within the target range.
 1. eAG (Estimated average glucose) converts percentage HbA1c to mg/dL, to compare blood glucose levels.
 2. eAG gives an evaluation of blood glucose levels for the test cycle of months.
 3. eAG is calculated as $eAG (mg/dL) = 28.7 * HbA1c + 46.7$

HbA1c Estimation can get affected due to :

- Shortened erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- Vitamin C & E are reported to falsely lower test results (possibly by inhibiting glycation of hemoglobin).
- Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hypochlorinemia, chronic alcoholism, chronic ingestion of opiates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.
- Interference of hemoglobinopathies in HbA1c estimation is seen in

- Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
 - Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
 - HbF > 25% on alternate platform (Sephacryl affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy.
- BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include:** renal (High protein diet, increased protein catabolism, GI hemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Hypertension, Nephrolithiasis, Prostatism)
- Causes of decreased level include:** Liver disease, SGAH.
- CREATININE (CRP)- EPI--** Kidney disease outcomes quality initiative (KDQGI) guidelines state that estimation of GFR is the best overall indices of the kidney function.
- It gives a rough measure of number of functioning nephrons. Reduction in GFR implies progression of underlying disease.
 - The GFR is a calculation based on serum creatinine test.
 - Creatinine is mainly derived from the metabolism of creatine in muscle, and its generation is proportional to the total muscle mass. As a result, mean creatinine generation is higher in men than in women, in younger than in older individuals, and in blacks than in whites.
 - Creatinine is filtered from the blood by the kidneys and excreted into urine at a relatively steady rate.
 - When kidney function is compromised, excretion of creatinine decreases with a consequent increase in blood creatinine levels. With the creatinine test, a reasonable estimate of the actual GFR can be determined.
 - This equation takes into account several factors that impact creatinine production, including age, gender, and race.
 - CKD-EPI (Chronic kidney disease epidemiology collaboration) equation performed better than MDRD equation especially when GFR is high (>60 ml/min per 1.73m²). This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

References:

- National Kidney Foundation (NKF) and the American Society of Nephrology (ASN).
 Estimated GFR Calculated Using the CKD-EPI equation-<https://pubs.nkff.org/doi/10.1053/j.ajkd.2009.09.017>
 Ghuman JL, et al. Impact of Removing Race Variable on CKD Classification Using the Creatinine-Based 2021 CKD-EPI Equation. *Kidney Med* 2022; 4:100471. 35756125
 Harrison's Principles of Internal Medicine, 21st ed., pg 62 and 334
 UPSC ACTS, **SERUM-Causes of Increased levels-Dietary**(high Protein Intake, Prolonged Fasting, Rapid weight loss), **Genit.**Leash nyhan syndrome, **Type 2 DM, Metabolic Syndrome**
Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis
TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.
Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenström disease.
Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic Syndrome, Protein-losing enteropathy etc.
ALBUMIN, SERUM-human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. **Low blood albumin levels (hypoalbuminemia) can be caused by:** liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodialysis, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.


Dr. Akshay Dhotre
 Consultant Pathologist

Page 10 Of 16



View Details



View Report

PERFORMED AT :

 Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-30199222, 022-45723322,
 CIN - U74809MH1995PLC045956
 Email : -


Patient Ref. No. 2100000871328

PATIENT NAME : MR.NIRANJAN KUMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022WI002061

AGE/SEX : 41 Years Male

FORTIS VASHI-CHC -SPLZD

PATIENT ID : FH.12698593

DRAWN : 09/09/2023 10:01:00

FORTIS HOSPITAL # VASHI,

CLIENT PATIENT ID: UID:12698593

RECEIVED : 09/09/2023 10:01:02

MUMBAI 440001

ABHA NO :

REPORTED : 09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074

CORP-OPD

BILLNO-1501230PCR051934

BILLNO-1501230PCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY - LIPID

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL	166	< 200 Desirable 200 - 239 Borderline High >= 240 High	mg/dL
--------------------	-----	---	-------

METHOD : ENZYMATIC/COLORIMETRIC, CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE

TRIGLYCERIDES	238 High	< 150 Normal 150 - 199 Borderline High 200 - 499 High >= 500 Very High	mg/dL
---------------	----------	---	-------

METHOD : ENZYMATIC ASSAY

HDL CHOLESTEROL	28 Low	< 40 Low >= 60 High	mg/dL
-----------------	--------	------------------------	-------

METHOD : DIRECT MEASURE - PEG

LDL CHOLESTEROL, DIRECT	108	< 100 Optimal 100 - 129 Near or above optimal 130 - 159 Borderline High 160 - 189 High >= 190 Very High	mg/dL
-------------------------	-----	---	-------

METHOD : DIRECT MEASURE WITHOUT SAMPLE PRETREATMENT

NON HDL CHOLESTEROL	138 High	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL
---------------------	----------	--	-------

METHOD : CALCULATED PARAMETER

VERY LOW DENSITY LIPOPROTEIN	47.6 High	<= 30.0	mg/dL
------------------------------	-----------	---------	-------

METHOD : CALCULATED PARAMETER

CHOL/HDL RATIO	5.9 High	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk	
----------------	----------	--	--

METHOD : CALCULATED PARAMETER



Dr. Akshay Dhotre
Consultant Pathologist

Page 11 Of 16



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-25199222, 022-49723322,
CIN - U74899MH1995PLC045956
Email : -



Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507
 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

ACCESSION NO : 0022WI002061
 PATIENT ID : FH.12698593
 CLIENT PATIENT ID: UID:12698593
 ABHA NO : 1

AGE/SEX : 41 Years Male
 DRAWN : 09/09/2023 10:01:00
 RECEIVED : 09/09/2023 10:01:02
 REPORTED : 09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074
 CORP-OPD
 BILLNO-150123OPCR051934
 BILLNO-150123OPCR051934

Test Report Status	Results	Biological Reference Interval	Units
Final	3.9 High	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk	

LDL/HDL RATIO

3.9 High

0.5 - 3.0 Desirable/Low Risk
 3.1 - 6.0 Borderline/Moderate Risk
 >6.0 High Risk

METHOD : CALCULATED PARAMETER

Interpretation(s)



Dr. Akshay Dhotre
 Consultant Pathologist

Page 12 Of 16



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322,
 CIN - U74809PB1955PLC045956
 Email : -



Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR		REF. DOCTOR :	
CODE/NAME & ADDRESS : C000045507	ACCESSION NO : 0022WI002061	AGE/SEX : 41 Years Male	
FORTIS VASHI-CHC -SPLZD	PATIENT ID : FH.12698593	DRAWN : 09/09/2023 10:01:00	
FORTIS HOSPITAL # VASHI,	CLIENT PATIENT ID: UID:12698593	RECEIVED : 09/09/2023 10:01:02	
MUMBAI 440001	ASHA NO : 1	REPORTED : 09/09/2023 18:02:43	

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074
CORP-OPD
BILLNO-150123OPCR051934
BILLNO-150123OPCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - URINALYSIS

URINALYSIS

PHYSICAL EXAMINATION, URINE


COLOR	PALE YELLOW
METHOD : PHYSICAL	
APPEARANCE	CLEAR
METHOD : VISUAL	

CHEMICAL EXAMINATION, URINE

PH	6.0	4.7 - 7.5
METHOD : REFLECTANCE SPECTROPHOTOMETRY - DOUBLE INDICATOR METHOD		
SPECIFIC GRAVITY	<=1.005	1.003 - 1.035
METHOD : REFLECTANCE SPECTROPHOTOMETRY (APPARENT PKA CHANGE OF PRETREATED POLYELECTROLYTES IN RELATION TO IONIC CONCENTRATION)		
PROTEIN	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY - PROTEIN-ERROR-OF-INDICATOR PRINCIPLE		
GLUCOSE	DETECTED (++++)	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, DOUBLE SEQUENTIAL ENZYME REACTION-GOD/POD		
KETONES	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, BOTHERA'S PRINCIPLE		
BLOOD	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, PEROXIDASE LIKE ACTIVITY OF HAEMOGLOBIN		
BILIRUBIN	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, DIAZOTIZATION- COUPLING OF BILIRUBIN WITH DIAZOTIZED SALT		
UROBILINOGEN	NORMAL	NORMAL
METHOD : REFLECTANCE SPECTROPHOTOMETRY (MODIFIED EHRlich REACTION)		
NITRITE	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRITE		
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, ESTERASE HYDROLYSIS ACTIVITY		



Dr. Akta Dubey
Counsultant Pathologist



Dr. Rekha Nair, MD
Microbiologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CIN - U74899PB1995PLC045956
Email : -



Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR		REF. DOCTOR :	
CODE/NAME & ADDRESS : C000045507		ACCESSION NO : 0022WI002061	AGE/SEX : 41 Years Male
FORTIS VASHI-CHC -SPLZD		PATIENT ID : FH.12698593	DRAWN : 09/09/2023 10:01:00
FORTIS HOSPITAL # VASHI,		CLIENT PATIENT ID: UID:12698593	RECEIVED : 09/09/2023 10:01:02
MUMBAI 440001		ABHA NO :	REPORTED : 09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1580074
CORP-OPD
BILLNO-1501230PCR051934
BILLNO-1501230PCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
MICROSCOPIC EXAMINATION, URINE				
RED BLOOD CELLS		NOT DETECTED	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION				
PUS CELL (WBC'S)		2-3	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION				
EPITHELIAL CELLS		0-1	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION				
CASTS		NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION				
CRYSTALS		NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION				
BACTERIA		NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION				
YEAST		NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION				
REMARKS		URINARY MICROSCOPIC EXAMINATION DONE ON URINARY CENTRIFUGED SEDIMENT.		

Interpretation(s)

Akta Dubey

Dr. Akta Dubey
Consultant Pathologist

Rekha N

Dr. Rekha Nair, MD
Microbiologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CIN - U74899PB1995PLC045956
Email : *



Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR		REF. DOCTOR :	
CODE/NAME & ADDRESS : C000045507		ACCESSION NO : 0022WI002061	AGE/SEX : 41 Years Male
FORTIS VASHI-CHC -SPLZD		PATIENT ID : FH.12698593	DRAWN : 09/09/2023 10:01:00
FORTIS HOSPITAL # VASHI,		CLIENT PATIENT ID: UID:12698593	RECEIVED : 09/09/2023 10:01:02
MUMBAI 440001		ABHA NO :	REPORTED : 09/09/2023 18:02:43

CLINICAL INFORMATION :

UID:12698593 REQNO-1590074
CORP-OPD
BILLNO-1501230PCR051934
BILLNO-1501230PCR051934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

SPECIALISED CHEMISTRY - HORMONE

THYROID PANEL, SERUM

Test Name	Result	Biological Reference Interval	Units
T3 METHOD : ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE	120.3	80.0 - 200.0	ng/dL
T4 METHOD : ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE	7.95	5.10 - 14.10	µg/dL
TSH (ULTRASENSITIVE) METHOD : ELECTROCHEMILUMINESCENCE, SANDWICH IMMUNOASSAY	2.430	0.270 - 4.200	µIU/mL

Interpretation(s)

Akta Dubey

Dr. Akta Dubey
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-35199222, 022-49723322,
CIN - U74809PB1995PLC045956
Email : -



Patient Ref. No. 22000000871328

PATIENT NAME : MR.NIRANJAN KUMAR CODE/NAME & ADDRESS : C000045507 FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001	REF. DOCTOR : AGE/SEX : 41 Years Male DRAWN : 09/09/2023 10:01:00 RECEIVED : 09/09/2023 10:01:02 REPORTED : 09/09/2023 18:02:43
	ACCESSION NO : 0022W1002061 PATIENT ID : FH.12698593 CLIENT PATIENT ID: UID:12698593 ABHA NO :

CLINICAL INFORMATION :
 UID:12698593 REQNO-1580074
 CORP-OPD
 BILLNO-150123OPCR051934
 BILLNO-150123OPCR051934

Test Report Status	Results	Biological Reference Interval	Units
Final			

SPECIALISED CHEMISTRY - TUMOR MARKER

PROSTATE SPECIFIC ANTIGEN, SERUM	0.524	0.0 - 2.0	ng/mL
PROSTATE SPECIFIC ANTIGEN			
METHOD : ELECTROCHEMILUMINESCENCE,SANDWICH IMMUNOASSAY			

Interpretation(s)

- PROSTATE SPECIFIC ANTIGEN, SERUM**— PSA is elevated in the male patients with normal, benign hyperplastic and malignant prostate tissue and in patients with prostatitis.
- PSA is not detected (or detected at very low levels) in the patients without prostate tissue (because of radical prostatectomy or cystoprostatectomy) and also in the female patients.
 - It is a suitable marker for monitoring of patients with Prostate Cancer and it is better to be used in conjunction with other diagnostic procedures.
 - Serial PSA levels can help determine the success of prostatectomy and the need for further treatment, such as radiation, endocrine or chemotherapy and useful in detecting residual disease and early recurrence of tumor.
 - Elevated levels of PSA can be also observed in the patients with non-malignant diseases like Prostatitis and Benign Prostatic Hyperplasia.
 - Specimens for total PSA assay should be obtained before biopsy, prostatectomy or prostatic massage, since manipulation of the prostate gland may lead to elevated PSA (false positive) levels persisting up to 3 weeks.
 - As per American urological guidelines, PSA screening is recommended for early detection of Prostate cancer above the age of 40 years. Following Age specific reference range can be used as a guide lines.
 - Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-10 ng/mL.
 - Total PSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretation. Recommended follow up on same platform as patient result can vary due to differences in assay method and reagent specificity.

- References-
1. Burts CA, Ashwood ER, Bruns DE, Toltz - textbook of clinical chemistry and Molecular Diagnostics, 4th edition.
 2. Wittman MA, Snyder LM, Wallace's interpretation of diagnostic tests, 9th edition.

****End Of Report****

Please visit www.agilusdiagnostics.com for related Test Information for this accession

Dr. Akshay Dhotre
 Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd,
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322,
 CIN - U74309PB1995PLC045956
 Email : -





PATIENT NAME : MR.NIRANJAN KUMAR		REF. DOCTOR :	
CODE/NAME & ADDRESS : CD00045507 FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001	ACCESSION NO : 0022WI002136 PATIENT ID : FH.12698593 CLIENT PATIENT ID: UID:12698593 ABHA NO :	AGE/SEX : 41 Years Male DRAWN : 09/09/2023 13:02:00 RECEIVED : 09/09/2023 13:02:03 REPORTED : 09/09/2023 15:24:41	

CLINICAL INFORMATION :
UID:12698593 REQNO-1580074
CORP-OPD
BILLNO-1501230PCRO51934
BILLNO-1501230PCRO51934

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY

GLUCOSE, POST-PRANDIAL, PLASMA PPBS (POST PRANDIAL BLOOD SUGAR) METHOD : HEXOKINASE	245 High	70 - 140	mg/dL
--	----------	----------	-------

Interpretation(s)
GLUCOSE, POST-PRANDIAL, PLASMA-high fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycaemia, increased insulin response & sensitivity etc. Additional test HbA1c

End Of Report
Please visit www.agilusdiagnostics.com for related Test Information for this accession

Dr. Akshay Dhotre
Consultant Pathologist



View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CIN - U74899PB1995PLC045956
Email : -




NIRANJAN KUMAR
Male

12698593
41 Years

Normal
J

Rate 66 . Sinus rhythm.....normal P axis, V-rate 50- 99
PR 145 . PQR' in V1 or V2, right VCD or RVH.....QRS area positive & R' V1/V2
QRS 93 . Baseline wander in lead(s) V1, V2
QT 342
QTc 359

--AXIS--
P 55
QRS 1
T 28
12 Lead; Standard Placement
- - OTHERWISE NORMAL ECG - -
Unconfirmed Diagnosis



F 50~ 0.50-100 Hz W 100B CL P?

Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV
Device:

Hiranandani Healthcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220

Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823

GST IN : 27AA8CH5894D1ZG

PAN NO : AABCH5894D



Hiranandani
HOSPITAL
A Fortis Healthcare Hospital

DEPARTMENT OF RADIOLOGY

Date: 09/Sep/2023

Name: Mr. Niranjn Kumar
Age | Sex: 41 YEAR(S) | Male
Order Station : FO-OPD
Bed Name :

UHID | Episode No : 12698593 | 52569/23/1501
Order No | Order Date: 1501/PN/OP/2309/109674 | 09-Sep-2023
Admitted On | Reporting Date : 09-Sep-2023 12:13:17
Order Doctor Name : Dr.SELF .

X-RAY-CHEST- PA

Findings:

Both lung fields are clear.

The cardiac shadow appears within normal limits.

Trachea and major bronchi appears normal.

Both costophrenic angles are well maintained.

Bony thorax is unremarkable.

DR. YOGINI SHAH
DMRD., DNB. (Radiologist)



(For Billing/Reports & Discharge Summary only)

Patient Name	: Niranjan Kumar	Patient ID	: 12698593
Sex / Age	: M / 41Y 8M 14D	Accession No.	: PHC.6556102
Modality	: US	Scan DateTime	: 09-09-2023 11:10:27
IPID No	: 52569/23/1501	ReportDatetime	: 09-09-2023 11:19:50

USG - WHOLE ABDOMEN

LIVER is normal in size and shows moderately raised echogenicity. No IHBR dilatation. No focal lesion is seen in liver. Portal vein appears normal in caliber.

GALL BLADDER is partially distended, however visualised lumen appears clear.
CBD appears normal in caliber.

SPLEEN is normal in size and echogenicity.

BOTH KIDNEYS are normal in size and echogenicity. The central sinus complex is normal. No evidence of calculi/hydronephrosis.

Right kidney measures 11.0 x 4.7 cm.

Left kidney measures 10.3 x 5.3 cm.

PANCREAS is normal in size and morphology. No evidence of peripancreatic collection.

URINARY BLADDER is normal in capacity and contour. Bladder wall is normal in thickness. No evidence of intravesical calculi.

PROSTATE is normal in size & echogenicity. It measures ~ 24.2 cc in volume.

No evidence of ascites.

Impression:

- Grade II fatty infiltration of liver.


DR. CHETAN KHADKE
M.D. (Radiologist)