

प्रति.

समन्वयक.

Mediwheel (Arcofemi Healthcare Limited)

हेल्पलाइन नंबर: 011-41195959

महोदय/ महोदया,

विषय: बैंक ऑफ़ बड़ौदा के कर्मचारियों के लिए वार्षिक स्वास्थ्य जांच।

हम आपको सूचित करना चाहते हैं कि हमारे कर्मचारी जिनका विवरण निम्नानुसार हैं हमारे करार के अनुसार आपके द्वारा उपलब्ध कराई गई कैशलेस वार्षिक स्वास्थ्य जांच सुविधा का लाभ लेना चाहते हैं।

	कर्मचारी विवरण
नाम	MR. MAHTO NIRANJAN KUMAR
क.कूसंख्या	160471
पदनाम	BRANCH HEAD
कार्य का स्थान	SARAI AKIL
जन्म की तारीख	31-07-1979
स्वास्थ्य जांच की प्रस्तावित तारीख	31-12-2023
बुकिंग संदर्भ सं.	23D160471100080858E

यह अनुमोदन/ संस्तुति पत्र तभी वैध माना जाएगा जब इसे बैंक ऑफ़ बड़ौदा के कर्मचारी आईडी कार्ड की प्रति के साथ प्रस्तुत किया जाएगा। यह अनुमोदन पत्र दिनांक 26-12-2023 से 31-03-2024 तक मान्य है। इस पत्र के साथ किए जाने वाले चिकित्सा जांच की सूची अनुलग्नक के रूप में दी गई है। कृपया नोट करें कि उक्त स्वास्थ्य जांच हमारी टाई-अप व्यवस्था के अनुसार कैशलेस सुविधा है। हम अनुरोध करते हैं कि आप हमारे कर्मचारी के स्वास्थ्य जांच संबंधी आवश्यकताओं पर उचित कार्रवाई करें तथा इस संबंध में अपनी सर्वोच्च प्राथमिकता तथा सर्वोत्तम संसाधन उपलब्ध कराएं। उपर्युक्त सारणी में दी गई कर्मचारी कूट संख्या एवं बुकिंग संदर्भ संख्या का उल्लेख अनिवार्य रूप से इनवाँइस में किया जाना चाहिए।

हम इस संबंध में आपके सहयोग की अपेक्षा करते हैं।

भवदीय,

हस्ता**/-**(मुख्य महाप्रबंधक) मानव संसाधन प्रबंधन विभाग बैंक ऑफ़ बड़ौदा

(नोट: यह कंप्यूटर द्वारा जनरेट किया गया पत्र है। हस्ताक्षर की आवश्यकता नहीं है। कृपया किसी भी स्पष्टीकरण के लिए Mediwheel (Arcofemi Healthcare Limited) से संपर्क करें।)





Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.NIRANJAN KUMAR MAHTO - 160471 Registered On : 04/Feb/2024 08:14:57 Age/Gender Collected : 04/Feb/2024 08:37:16 : 44 Y 6 M 5 D /M UHID/MR NO : 04/Feb/2024 10:07:02 : ALDP.0000134410 Received Visit ID : ALDP0351152324 Reported : 04/Feb/2024 12:23:15

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Discrib One on (ADO 6 Distriction) *				
Blood Group (ABO & Rh typing) * , Blo	od			
Blood Group	0			ERYTHROCYTE MAGNETIZED
				TECHNOLOGY / TUBE
Rh (Anti-D)	POSITIVE	v		AGGLUTINA ERYTHROCYTE
Kii (Aliti-b)	FOSITIVE			MAGNETIZED
				TECHNOLOGY / TUBE
				AGGLUTINA
0 1 5 10 10 100 1				
Complete Blood Count (CBC) * , Whole	Blood			
Haemoglobin	13.40	g/dl	1 Day- 14.5-22.5 g/dl	
			1 Wk- 13.5-19.5 g/dl	
		1 3	1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
TIC (MDC)	F 400 00	/Cu mm	Female- 12.0-15.5 g/dl 4000-10000	
TLC (WBC) <u>DLC</u>	5,400.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
	60.00	0/	FF 70	ELECTRONIC INARER ANCE
Polymorphs (Neutrophils)	68.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	25.00 5.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes Eosinophils	2.00	% %	3-5 1-6	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Basophils	0.00	% %	<1	ELECTRONIC IMPEDANCE
ESR	0.00	/0	\1	LLLCTROINIC IIVIFLDANCL
Observed	4.00	Mm for 1st hr.		
Corrected	4.00	Mm for 1st hr.	~ 0	
	40.00	% %	40-54	
PCV (HCT) Platelet count	40.00	70	40-34	
	4.50	1.4.00 /	15.40	FLECTRONIC
Platelet Count	1.58	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE
i Len (i lacelet Large Cell Matio)		/0	33 00	LLEGINOINIC IIVII LDANCE









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.NIRANJAN KUMAR MAHTO - 160471 Registered On : 04/Feb/2024 08:14:57 Age/Gender : 44 Y 6 M 5 D /M Collected : 04/Feb/2024 08:37:16 UHID/MR NO : ALDP.0000134410 Received : 04/Feb/2024 10:07:02 Visit ID : ALDP0351152324 Reported : 04/Feb/2024 12:23:15

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.21	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.30	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.51	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	89.70	fl	80-100	CALCULATED PARAMETER
MCH	29.70	pg	28-35	CALCULATED PARAMETER
MCHC	33.10	%	30-38	CALCULATED PARAMETER
RDW-CV	14.50	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	49.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,672.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	108.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)









Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



 Patient Name
 : Mr.NIRANJAN KUMAR MAHTO - 160471
 Registered On
 : 04/Feb/2024 08:15:00

 Age/Gender
 : 44 Y 6 M 5 D /M
 Collected
 : 04/Feb/2024 08:37:16

 UHID/MR NO
 : ALDP.0000134410
 Received
 : 04/Feb/2024 10:07:03

Visit ID : ALDP0351152324 Reported : 04/Feb/2024 11:57:24

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

GLUCOSE FASTING *, Plasma

Glucose Fasting 124.10 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP * 227.70 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.80	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	29.20	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	92	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



Home Sample Collection 1800-419-0002





Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : 04/Feb/2024 08:15:00 : Mr.NIRANJAN KUMAR MAHTO - 160471 Registered On Collected Age/Gender : 44 Y 6 M 5 D /M : 04/Feb/2024 08:37:16 UHID/MR NO : ALDP.0000134410 Received : 04/Feb/2024 10:07:03 Visit ID : ALDP0351152324 Reported : 04/Feb/2024 11:57:24 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	10.83	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.00	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	7.14	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) *, Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.NIRANJAN KUMAR MAHTO - 160471 Registered On : 04/Feb/2024 08:15:00 Age/Gender : 44 Y 6 M 5 D /M Collected : 04/Feb/2024 08:37:16 UHID/MR NO : ALDP.0000134410 Received : 04/Feb/2024 10:07:03 Visit ID : ALDP0351152324 Reported : 04/Feb/2024 11:57:24

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	Init Bio. Ref. Inte	rval Method
SGOT / Aspartate Aminotransferase (AST)	26.50	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	37.50	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	31.60	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.40	gm/dl	6.2-8.0	BIURET
Albumin	4.20	gm/dl	3.4-5.4	B.C.G.
Globulin	3.20	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.31	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	86.10	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.20	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.90	mg/dl	< 0.8	JENDRASSIK & GROF

Dr.Akanksha Singh (MD Pathology)











Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Method

Patient Name : Mr.NIRANJAN KUMAR MAHTO - 160471

Registered On

Unit

: 04/Feb/2024 08:14:58

Age/Gender UHID/MR NO : 44 Y 6 M 5 D /M

Collected

: 04/Feb/2024 13:41:10 : 04/Feb/2024 13:48:17

Visit ID

: ALDP.0000134410 : ALDP0351152324

Received Reported

: 04/Feb/2024 15:05:19

Ref Doctor

Test Name

Specific Gravity

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Status

: Final Report

Bio. Ref. Interval

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

		. 1000	•	2.01.1.01.1.1.01.1.0.	
ı	URINE EXAMINATION, ROUTINE*, Urine				
	Color	LIGHT YELLOW			

Reaction PH	Acidic (6.0)		DIPSTICK
Appearance	CLEAR		
Protein	ABSENT	mg % < 10 Absent	DIPSTICK
		10-40 (+)	

Result

1.010

40-200 (++) 200-500 (+++) > 500 (++++)

ABSENT gms% < 0.5 (+) DIPSTICK Sugar

> 0.5-1.0(++)1-2 (+++) > 2 (++++)

BIOCHEMISTRY Ketone **ABSENT** mg/dl 0.1-3.0

Bile Salts ABSENT Bile Pigments **ABSENT**

Bilirubin **ABSENT DIPSTICK** Leucocyte Esterase **ABSENT DIPSTICK**

Urobilinogen(1:20 dilution) **ABSENT**

Nitrite **DIPSTICK ABSENT** Blood **ABSENT DIPSTICK**

Microscopic Examination:

Epithelial cells 1-2/h.p.f **MICROSCOPIC EXAMINATION**

Pus cells 1-2/h.p.f

RBCs ABSENT MICROSCOPIC **EXAMINATION**

Cast **ABSENT**

Crystals **MICROSCOPIC ABSENT EXAMINATION**

Others **ABSENT**

Urine Microscopy is done on centrifuged urine sediment.

SUGAR, FASTING STAGE*, Urine

Sugar, Fasting stage **ABSENT** gms%







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.NIRANJAN KUMAR MAHTO - 160471

Registered On Collected

: 04/Feb/2024 08:14:58 : 04/Feb/2024 13:41:10

Age/Gender UHID/MR NO : 44 Y 6 M 5 D /M

Received

: 04/Feb/2024 13:48:17

Visit ID

: ALDP.0000134410 : ALDP0351152324

Reported

: 04/Feb/2024 15:05:19

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+)< 0.5

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE*, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++)0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Akanksha Singh (MD Pathology)

Page 7 of 10







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.NIRANJAN KUMAR MAHTO - 160471 Registered On : 04/Feb/2024 08:14:59 Age/Gender Collected : 44 Y 6 M 5 D /M : 04/Feb/2024 08:37:16 UHID/MR NO : ALDP.0000134410 Received : 04/Feb/2024 10:07:02 Visit ID : 04/Feb/2024 13:58:10 : ALDP0351152324 Reported : Dr. MEDIWHEEL-ARCOFEMI HEALTH : Final Report

Ref Doctor Status

CARE LTD -

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL*, Serum				
T3, Total (tri-iodothyronine)	105.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	4.20	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.400	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 μIU/r	nL First Trimes	ter
		0.5-4.6 μIU/r	nL Second Trin	nester
		0.8-5.2 μIU/r	nL Third Trime	ster
		0.5-8.9 μIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/r	nL Cord Blood	> 37Week
		0.7-64 μIU/r	nL Child(21 wk	- 20 Yrs.)
		1-39 μIU	/mL Child	0-4 Days
		1.7-9.1 μIU/r		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 8 of 10







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.NIRANJAN KUMAR MAHTO - 160471 Registered On : 04/Feb/2024 08:15:01

 Age/Gender
 : 44 Y 6 M 5 D /M
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000134410
 Received
 : N/A

Visit ID : ALDP0351152324 Reported : 04/Feb/2024 12:55:48

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS,DMRE)











Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.NIRANJAN KUMAR MAHTO - 160471 Registered On : 04/Feb/2024 08:15:01

 Age/Gender
 : 44 Y 6 M 5 D /M
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000134410
 Received
 : N/A

Visit ID : ALDP0351152324 Reported : 04/Feb/2024 09:41:02

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (13.9 cm), shape and shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I fatty changes. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size , shape and echogenicity.

RIGHT KIDNEY: - Normal in size (9.5 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (9.5 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE: Normal in size (2.9 x 2.9 x 2.7 cm vol - 12.3 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION: Grade I fatty liver.

Please correlate clinically

Result/s to Follow:

EXAMINATION, LIPID PROFILE (MINI), ECG / EKG, PSA (Prostate Specific Antigen), Total, Tread Mill Test (TMT)

OR K N SINGH (MBBS.DMRE)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

Facilities Available at Select Location





