CLUMAX DIAGNOSTICS


MEDALL HEALTHCARE PVT LTD CUSTOMER CHECKLIST Print Date :03/02/2024 09:53 AM



Customer Name : MR.K BABU Ref Dr Name MediWheel Customer Id MED112060544 Visit ID 424006340 Age 55Y/MALE Phone No 9880678108 000 10 Jul 1968 Visit Date 03/02/2024


ackag	ge Name : I	dediwheel Full Body Health Checkup	Male Above 40		
S.No	Modality	Study	AccessionNo	Time	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)			- gratar
2	LAB	CREATININE			
3	LAB	GLUCOSE - FASTING	1000000		
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)			
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)			7 %
6	LAB	URIC ACID		100	
7	LAB	LIPID PROFILE			_
8	LAB	LIVER FUNCTION TEST (LFT)	200		
9	LAB	TOTAL PROSTATE SPECIFIC ANTIGEN - PSA		5.100	-
10	LAB	THYROID PROFILE/ TFT(T3, T4, TSH)			_
11	LAB	URINE GLUCOSE - FASTING			_
12	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)			
13	LAB	COMPLETE BLOOD COUNT WITH ESR			_
14	LAB	STOOL ANALYSIS - ROUTINE			_
15	LAB	URINE ROUTINE			
16	LAB	BUN/CREATININE RATIO			_
17	LAB	BLOOD GROUP & RH TYPE (Forward Reverse)		973	
18	ECG	ECG	IND14467941138	-	1
	OTHERS	Freadmill / 2D Echo	IND144679414690		
20	OTHERS	physical examination	IND144679415279		
	US	ULTRASOUND ABDOMEN	IND144679415292	_	d
22	OTHERS	Dental Consultation	IND144679416289		-
	OTHERS	EYE CHECKUP	IND144679417756		
	X-RAY	X RAY CHEST	IND144679418659		_
25	OTHERS	Consultation Physician	IND144679418736		_

Registerd By (HARLO)



03.02.2024 10.01:40 CLUMAX DIVIGNOSTICS THEPPASANDRA BANGALORE

72 bpm



SRI PARVATHI OPTICS

Multi Branded Opticals Store

Computerized Eye Testing & Spectacles Clinic

333.8th Main 5th Cross Near Combridge & Miranda School HAL 3rd Stage Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075, Email: parvathiopticals@armail.com

SPECTACLE PRESCRIPTION

Name: K. Babu No. 4552

Mobil No:

Date: 3/2/2024.

Age / Gender 559/H. Ref. No. 11 20 (0544)

	RIGHT EYE				LEFT EYE			
	SPH	CAF	AXIS	VISION	SPE	CAIT	AXIS	VISION
nerect	2.0	-	_	6/6	20	-		6/6
NEVA	ALL	+/12	SR	G.				

10 GANP

. . .

Advice to use glasses for:

DISTANCE TEAR A NEAR DEADING COMPUTED PURPOSE

We Care Your Eves


SRI PARVATHI OPTICS
NEW THIPPASANDRA



Hearing Wellness Clinic

#2989, 12th A Main Rd, 1st Block, HAL 2nd Stage, Indiranager, Bengaluru, Karnataka 56000

Phone: 080 - 42054295 / 42054296/ 8088940404



RIGHT 61.6 drun LEFT 21. 6 de 120 Impedance : /-

TYPE SC PICHT LEFT

Impression -

PROVISIONAL DIAGNOSIS

moderately serve nixed Heaving loss - 'es +9

Heavy loss. (t Sai! Hearing Wellness Clinic RECOMMENDATION : AUDIOLOGIST

Ent leine

 PID No.
 : MED112060544
 Register On
 : 03/02/2024 9:53 AM

 SID No.
 : 424006340
 Collection On
 : 03/02/2024 10:39 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 04/02/2024 8:02 AM

 Type
 : OP
 Printed On
 : 04/02/2024 1:03 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)	'A' 'Positive'		
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	18.7	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	56.8	%	42 - 52
RBC Count (EDTA Blood)	6.57	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	86.5	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.9	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.6	%	11.5 - 16.0
RDW-SD (EDTA Blood)	41.6	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	8100	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	58.5	%	40 - 75
Lymphocytes (EDTA Blood)	27.7	%	20 - 45
Eosinophils (EDTA Blood)	4.0	%	01 - 06







The results pertain to sample tested.

Page 1 of 11

 PID No.
 : MED112060544
 Register On
 : 03/02/2024 9:53 AM

 SID No.
 : 424006340
 Collection On
 : 03/02/2024 10:39 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 04/02/2024 8:02 AM

 Type
 : 0P
 Printed On
 : 04/02/2024 1:03 PM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (EDTA Blood)	9.2	%	01 - 10
Basophils (Blood)	0.6	%	00 - 02
INTERPRETATION: Tests done on Automated	Five Part cell count	er. All abnormal results	are reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.8	10^3 / μ1	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.3	10^3 / μΙ	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.3	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.7	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.1	10^3 / μl	< 0.2
Platelet Count (EDTA Blood)	229	10^3 / μl	150 - 450
MPV (EDTA Blood)	8.6	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.197	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	10	mm/hr	< 20
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	125.21	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Postprandial (PPBS) 257.02 mg/dL 70 - 140 (Plasma - PP/GOD-PAP)







The results pertain to sample tested.

Page 2 of 11

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

 PID No.
 : MED112060544
 Register On
 : 03/02/2024 9:53 AM

 SID No.
 : 424006340
 Collection On
 : 03/02/2024 10:39 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 04/02/2024 8:02 AM

 Type
 : OP
 Printed On
 : 04/02/2024 1:03 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
			<u> </u>

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	7.9	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.62	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

etc.			
Uric Acid	3.90	mg/dL	3.5 - 7.2
(Serum/Enzymatic)			
Liver Function Test			
Bilirubin(Total)	1.16	mg/dL	0.1 - 1.2
(Serum/DCA with ATCS)			
Bilirubin(Direct)	0.54	mg/dL	0.0 - 0.3
(Serum/Diazotized Sulfanilic Acid)			
Bilirubin(Indirect)	0.62	mg/dL	0.1 - 1.0
(Serum/Derived)			
SGOT/AST (Aspartate	19.12	U/L	5 - 40
Aminotransferase)			
(Serum/Modified IFCC)			
SGPT/ALT (Alanine Aminotransferase)	28.54	U/L	5 - 41
(Serum/Modified IFCC)			
GGT(Gamma Glutamyl Transpeptidase)	21.98	U/L	< 55
(Serum/IFCC / Kinetic)			
Alkaline Phosphatase (SAP)	67.7	U/L	56 - 119
(Serum/Modified IFCC)			







The results pertain to sample tested.

Page 3 of 11

PID No. : MED112060544 Register On : 03/02/2024 9:53 AM : 424006340 SID No. Collection On : 03/02/2024 10:39 AM Age / Sex : 55 Year(s) / Male Report On 04/02/2024 8:02 AM **Type** : OP **Printed On** : 04/02/2024 1:03 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Total Protein (Serum/Biuret)	6.96	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.73	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.23	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	2.12		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	167.11	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	115.36	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the 'usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	39.97	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	104	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190







APPROVED BY

The results pertain to sample tested.

Page 4 of 11

 PID No.
 : MED112060544
 Register On
 : 03/02/2024 9:53 AM

 SID No.
 : 424006340
 Collection On
 : 03/02/2024 10:39 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 04/02/2024 8:02 AM

 Type
 : OP
 Printed On
 : 04/02/2024 1:03 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
VLDL Cholesterol (Serum/Calculated)	23.1	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	127.1	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.2	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	2.9	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.6	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)

HbA1C 7.9 % Normal: 4.5 - 5.6 (Whole Blood/HPLC) Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 180.03 mg/dL

(Whole Blood)







The results pertain to sample tested.

Page 5 of 11

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

PID No. : MED112060544 **Register On** : 03/02/2024 9:53 AM : 424006340 SID No. Collection On : 03/02/2024 10:39 AM Age / Sex : 55 Year(s) / Male Report On : 04/02/2024 8:02 AM Type : OP

Ref. Dr : MediWheel

Unit **Investigation** <u>Observed</u> <u>Biological</u> Value Reference Interval

: 04/02/2024 1:03 PM

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

Printed On

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

Prostate specific antigen - Total(PSA)

(Serum/Manometric method)

Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH).

Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.

PSA levels tend to increase in all men as they age.

Clinical Utility of PSA:

dn the early detection of Prostate cancer.

As an aid in discriminating between Prostate cancer and Benign Prostatic disease.

ðΓo detect cancer recurrence or disease progression.

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 0.4 - 1.811.27 ng/ml

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

9.21 4.2 - 12.0T4 (Tyroxine) - Total µg/dl

(Serum/ECLIA)







The results pertain to sample tested.

Page 6 of 11

 PID No.
 : MED112060544
 Register On
 : 03/02/2024 9:53 AM

 SID No.
 : 424006340
 Collection On
 : 03/02/2024 10:39 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 04/02/2024 8:02 AM

 Type
 : OP
 Printed On
 : 04/02/2024 1:03 PM

Ref. Dr : MediWheel

InvestigationObserved
ValueUnit
ValueBiological
Reference Interval

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.28 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour (Urine)	Pale yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	20	
<u>CHEMICAL EXAMINATION (URI</u> <u>COMPLETE)</u>	<u>'NE</u>	

pH 6 4.5 - 8.0

Specific Gravity 1.005 1.002 - 1.035

(Urine)

(Urine)







The results pertain to sample tested.

Page 7 of 11

 PID No.
 : MED112060544
 Register On
 : 03/02/2024 9:53 AM

 SID No.
 : 424006340
 Collection On
 : 03/02/2024 10:39 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 04/02/2024 8:02 AM

 Type
 : OP
 Printed On
 : 04/02/2024 1:03 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
MICROSCOPIC EXAMINATION (URINE COMPLETE)			
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

reviewed and confirmed microscopically.

Casts NIL /hpf NIL

(Urine)







The results pertain to sample tested.

Page 8 of 11

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

PID No. : MED112060544 Register On : 03/02/2024 9:53 AM : 424006340 Collection On : 03/02/2024 10:39 AM SID No. Age / Sex : 55 Year(s) / Male Report On : 04/02/2024 8:02 AM **Printed On**

Type : OP

Ref. Dr : MediWheel

<u>Unit</u> Investigation <u>Observed</u> **Biological** Reference Interval <u>Value</u> NIL /hpf NIL Crystals (Urine)





: 04/02/2024 1:03 PM



 PID No.
 : MED112060544
 Register On
 : 03/02/2024 9:53 AM

 SID No.
 : 424006340
 Collection On
 : 03/02/2024 10:39 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 04/02/2024 8:02 AM

Type : OP

<u>Investigation</u>

Ref. Dr : MediWheel

Printed On : 04/02/2024 1:03 PM

Observed Unit Value

BUN / Creatinine Ratio 12.7

Biological Reference Interval

6.0 - 22.0





 PID No.
 : MED112060544
 Register On
 : 03/02/2024 9:53 AM

 SID No.
 : 424006340
 Collection On
 : 03/02/2024 10:39 AM

 Age / Sex
 : 55 Year(s) / Male
 Report On
 : 04/02/2024 8:02 AM

 Type
 : 0P
 Printed On
 : 04/02/2024 1:03 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u>

Value

URINE ROUTINE





Reference Interval

-- End of Report --

Name	MR.K BABU	ID	MED112060544
Age & Gender	55Y/MALE	Visit Date	03 Feb 2024
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 3.6cms

LEFT ATRIUM : 3.3cms

AVS :----

LEFT VENTRICLE (DIASTOLE) : 4.6cms

(SYSTOLE) : 3.0cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.9cms

(SYSTOLE) : 1.3cms

POSTERIOR WALL (DIASTOLE) : 1.1cms

(SYSTOLE) : 1.5cms

EDV : 95ml

ESV : 34ml

FRACTIONAL SHORTENING : 35%

EJECTION FRACTION : 64% EPSS : ---

RVID : 1.9cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' 0.81 m/s A' 0.72 m/s NO MR

AORTIC VALVE : 1.11 m/s NO AR

TRICUSPID VALVE : E' - m/s A' - m/s NO TR

PULMONARY VALVE : 0.96 m/s NO PR

Name	MR.K BABU	ID	MED112060544
Age & Gender	55Y/MALE	Visit Date	03 Feb 2024
Ref Doctor Name	MediWheel	-	

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 64 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST SRI JAYADEVA INSTITUTE OF CARDIOLOGY, BANGALORE Kss/da

Note:

- * Report to be interpreted by qualified medical professional.
- * To be correlated with other clinical findings.
- * Parameters may be subjected to inter and intra observer variations.
- * Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MR.K BABU	ID	MED112060544
Age & Gender	55Y/MALE	Visit Date	03 Feb 2024
Ref Doctor Name	MediWheel		

Name	MR.K BABU	ID	MED112060544
Age & Gender	55Y/MALE	Visit Date	03 Feb 2024
Ref Doctor Name	MediWheel	-	

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in size and shows diffuse fatty changes. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.9	1.6
Left Kidney	12.6	1.9

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

Prevoid: 208 cc Postvoid: 28cc

PROSTATE is mildly enlarged in size. It measures 4.1 x 4.4 x 4.0cms (Vol:38cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

- > FATTY LIVER.
- > MILD PROSTATOMEGALY WITH INSIGNIFICANT POSTVOID RESIDUE. .

DR. APARNA CONSULTANT RADIOLOGIST A/vp

Name	MR.K BABU	ID	MED112060544
Age & Gender	55Y/MALE	Visit Date	03 Feb 2024
Ref Doctor Name	MediWheel		

Name	Mr. K BABU	Customer ID	MED112060544
Age & Gender	55Y/M	Visit Date	Feb 3 2024 9:53AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression:

NO SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA

CONSULTANT RADIOLOGIST