



**Patient Name :** MR. KUMAR BALMUKUND

**Age / Gender :** 35 years / Male

**Mobile No. :** 9939266269

**Patient ID :** 112314

**Bill ID :** 116043

**Referral :** DR SELF

**Source :** ALLIANCE & PROJECT

**Optional ID :** -

**Collection Time :** 06/08/2024, 10:52 AM

**Receiving Time :** 06/08/2024, 01:59 PM

**Reporting Time :** 06/08/2024, 03:11 PM

**Sample ID :** 1924055088

**Sample Type :** Serum

Test Description	Value(s)	Unit(s)	Reference Range
<b><u>Liver Function Test</u></b>			
TOTAL BILIRUBIN Method : DPD	0.57	mg/dL	<1.2
CONJUGATED BILIRUBIN Method : DPD	0.20	mg/dl	< 0.2
UNCONJUGATED BILIRUBIN Method : Calculation	0.37	mg/dL	
SGPT Method : IFCC (without pyridoxal phosphate activation)	<b>68</b>	U/L	< 50
SGOT Method : IFCC (without pyridoxal phosphate activation)	35	U/L	< 50
ALKALINE PHOSPHATASE Method : IFCC AMP Buffer	61	U/L	30 - 120
TOTAL PROTEIN Method : Biuret	6.97	g/dL	6.6 - 8.3
ALBUMIN Method : Bromocresol Green	4.29	g/dL	Adults: 3.5 - 5.2 Newborn (1-4 days): 2.8 - 4.4
GLOBULIN Method : Calculation	2.68	g/dL	1.80 - 3.60
A/G RATIO Method : Calculation	1.60		1.2 - 2
GAMMA-GLUTAMYL TRANSFERASE Method : IFCC	37	U/L	< 55
<b><u>Lipid Profile</u></b>			
TRIGLYCERIDES Method : Enzymatic Colorimetric Assay using GPO-POD	<b>215</b>	mg/dL	Normal : < 150 Borderline High : 150 - 199 High : 200 - 499 Very High : >= 500
CHOLESTEROL Method : Enzymatic Colorimetric Assay using CHOD-POD	166	mg/dl	Desirable : < 200 Borderline High : 200 - 240 High Risk : > 240
HDL CHOLESTEROL Method : Enzymatic Immunoinhibition	<b>31</b>	mg/dl	Low HDL : <40 High HDL : >= 60



Reported By : -

Registered By : SUDIPA BANIK





**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:52 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 06/08/2024, 03:11 PM  
**Sample ID :** 1924055088  
**Sample Type :** Serum

Test Description	Value(s)	Unit(s)	Reference Range
LDL CHOLESTEROL Method : Enzymatic Selective Protection	107	mg/dl	Optimal : < 100 Above Optimal : 100 - 129 Borderline High : 130 - 159 High : 160 - 189 Very High : > 190
VLDL / CHOLESTEROL REMNANTS Method : Calculation	28	mg/dl	< 30
NON HDL CHOLESTEROL Method : Calculation	135	mg/dl	<130
TOTAL CHOLESTEROL / HDL CHOLESTEROL RATIO	<b>5.35</b>	Ratio	
LDL CHOLESTEROL / HDL CHOLESTEROL RATIO	<b>3.45</b>	Ratio	

Remark :

\* National Cholesterol Education Programme Adult Treatment Panel III Guidelines (US)

**\*\*END OF REPORT\*\***

Checked by  
Renimol P V

Dr. Nabanita Banerjee  
 MBBS (Cal), DNB (I), MIAPM  
 Pathologist



Reported By : -

Registered By : SUDIPA BANIK





**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:51 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 06/08/2024, 03:21 PM  
**Sample ID :** 1924055088F  
**Sample Type :** Fluoride - F

Test Description	Value(s)	Unit(s)	Reference Range
<b>Glucose Fasting Plasma</b>			
GLUCOSE FASTING PLASMA Method : Hexokinase	78	mg/dL	74 - 109

**\*\*END OF REPORT\*\***

Checked by  
Pintu Manna

Dr. Nabanita Banerjee  
 MBBS (Cal), DNB (I), MIAPM  
 Pathologist



Reported By : -

Registered By : SUDIPA BANIK



MC-2167  
Page 3 of 20



**Patient Name :** MR. KUMAR BALMUKUND

**Age / Gender :** 35 years / Male

**Mobile No. :** 9939266269

**Patient ID :** 112314

**Bill ID :** 116043

**Referral :** DR SELF

**Source :** ALLIANCE & PROJECT

**Optional ID :** -

**Collection Time :** 06/08/2024, 10:51 AM

**Receiving Time :** 06/08/2024, 01:59 PM

**Reporting Time :** 06/08/2024, 04:50 PM

**Sample ID :** 1924055088

**Sample Type :** Edta Blood

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

**Blood Group & RH Typing**

BLOOD GROUP	"A"		
RH TYPING	POSITIVE		

FORWARD & REVERSE BLOOD GROUPING,  
GEL CARD BY BIO-RAD



**\*\*END OF REPORT\*\***

Checked by  
Rakibul Sk

*Meenakshi*  
Dr. Meenakshi Mohan  
MD (Pathology)  
Consultant Pathologist  
Regn. No. : WBMC 54631



Reported By : -

Registered By : SUDIPA BANIK





**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:51 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 06/08/2024, 04:22 PM  
**Sample ID :** 1924055088  
**Sample Type :** Edta Blood

Test Description	Value(s)	Unit(s)	Reference Range
<b>Complete Blood Count</b>			
HAEMOGLOBIN	12.1	gm/dl	13 - 17
TOTAL LEUCOCYTE COUNT	7600	/cumm	4000 - 10000
HCT	39.5	Vol%	40 - 50
R B C	3.91	millions/cumm	4.5 - 5.5
M C V	101.0	Femtolitre(fl)	80 - 100
M C H	30.9	Picograms(pg)	27 - 31
M C H C	30.6	gm/dl	32 - 36
PLATELET COUNT	1,75,000	/cumm	150000 - 410000
<b>DIFFERENTIAL COUNT</b>			
Neutrophils	52	%	40 - 80
Lymphocytes	40	%	20 - 40
Monocytes	01	%	2 - 10
Eosinophils	07	%	1 - 6
Basophils	00	%	0 - 1
ESR	24	mm	< 50 years : <=10 51 - 60 years : <=12 61 - 70 years : <=14 > 70 years : <=30

Remarks Normocytic Normochromic.  
Platelets adequate.

Note  
 XN 1000, SYSMEX  
 METHOD : FLOWCYTOMETRY  
 ESR : AUTOMATED VESCUBE - 30 TOUCH

\*Biological Reference Values Updated as per Dacie & Lewis 12th Edition

\*\*END OF REPORT\*\*



Reported By : -

Registered By : SUDIPA BANIK





**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:51 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 06/08/2024, 04:22 PM  
**Sample ID :** 1924055088  
**Sample Type :** Edta Blood

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Checked by  
Anwesh Maji

*Meenakshi*  
 Dr. Meenakshi Mohan  
 MD (Pathology)  
 Consultant Pathologist  
 Regn. No. : WBMC 54631



Reported By : -

Registered By : SUDIPA BANIK





**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:53 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 07/08/2024, 11:04 AM  
**Sample ID :** 1924055088  
**Sample Type :** Urine

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

**Urine Fasting Sugar**

URINE FOR SUGAR  
 Result

**Absent**

**\*\*END OF REPORT\*\***

Checked by  
 Sudipta Halder

*Meenakshi*  
 Dr. Meenakshi Mohan  
 MD (Pathology)  
 Consultant Pathologist  
 Regn. No. : WBMC 54631



Reported By : -

Registered By : SUDIPA BANIK



**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:52 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 06/08/2024, 03:05 PM  
**Sample ID :** 1924055088  
**Sample Type :** Serum

Test Description	Value(s)	Unit(s)	Reference Range
<b><u>Glucose Post Prandial Plasma</u></b>			
GLUCOSE POST PRANDIAL PLASMA Method : Hexokinase	148	mg/dL	70 - 140
<b><u>Prostate Specific Antigen (PSA), Serum</u></b>			
PSA (PROSTATE SPECIFIC ANTIGEN) Method : Electrochemiluminescence Immunoassay (ECLIA)	0.7	ng/mL	< 1.4
Remark			

**\*\*END OF REPORT\*\***

Checked by  
Barun Jana

*Supratik Biswas*  
**Dr. Supratik Biswas**  
**MBBS, MD**  
**Consultant Biochemist**  
**Regn. No.: 64600 (WBMC)**



Reported By : -

Registered By : SUDIPA BANIK







**Patient Name :** MR. KUMAR BALMUKUND

**Age / Gender :** 35 years / Male

**Mobile No. :** 9939266269

**Patient ID :** 112314

**Bill ID :** 116043

**Referral :** DR SELF

**Source :** ALLIANCE & PROJECT

**Optional ID :** -

**Collection Time :** 06/08/2024, 10:52 AM

**Receiving Time :** 06/08/2024, 01:59 PM

**Reporting Time :** 06/08/2024, 04:20 PM

**Sample ID :** 1924055088

**Sample Type :** Serum

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

**T3,T4 & TSH**

T3 Method : Chemiluminescent Microparticle Immunoassay (CMIA)	1.03	ng/mL	1 - 30 days: 1 - 7.4 1m - 11m: 1.05 - 2.45 1yr - 5yrs: 1.05 - 2.69 6yrs - 10yrs: 0.94 - 2.41 11yrs - 15yrs: 0.82 - 2.13 16yrs- 20yrs: 0.8 - 2.1 Adult: 0.58 - 1.59
T4 Method : Chemiluminescent Microparticle Immunoassay (CMIA)	5.05	µg/dL	1d - 6d : 11.8 - 22.6 7d - 14d : 9.9 - 16.6 15d - 4m : 7.2 - 14.4 4m - 12m : 7.8 - 16.5 1yr - 5yr : 7.2 - 15.0 5yr - 10yr : 6.4 - 13.6 > 10yr : 4.87 - 11.72 Adult : 4.87 - 11.72
TSH Method : Chemiluminescent Microparticle Immunoassay (CMIA)	<b>29.80</b>	µIU/ml	0.35 - 4.94

**Interpretation :**

**T3**  
Triiodothyronine (3,5,3' triiodothyronine or T3) is the thyroid hormone principally responsible for the regulation of metabolism of the various target organs. T3 is mainly formed extrathyroidally, particularly in the liver, by enzymatic 5' deiodination of T4 (thyroxine). A reduction in the conversion of T4 to T3 results in a decrease in the T3 concentration. It occurs under the influence of medicaments such as propranolol, glucocorticoids or amiodarone and in severe non thyroidal illness (NTI), and is referred to as "low T3 syndrome". The determination of T3 is utilized in the diagnosis of T3 hyperthyroidism, the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

**T4**  
The hormone thyroxine (T4) is the main product secreted by the thyroid gland and is an integral component of the hypothalamus anterior pituitary thyroid regulating system. The major part (> 99 %) of total thyroxine in serum is present in proteinbound form. As the concentrations of the transport proteins in serum are subject to exogenous and endogenous effects, the status of the binding proteins must also be taken into account in the assessment of the thyroid hormone concentration in serum. If this is ignored, changes in the binding proteins (e.g. due to estrogen containing preparations, during pregnancy or in the presence of a nephrotic syndrome etc.) can lead to erroneous assessments of the thyroid metabolic state. The determination of T4 can be utilized for the following indications: the detection of hyperthyroidism, the



Reported By : -

Registered By : SUDIPA BANIK





**Patient Name :** MR. KUMAR BALMUKUND

**Age / Gender :** 35 years / Male

**Mobile No. :** 9939266269

**Patient ID :** 112314

**Bill ID :** 116043

**Referral :** DR SELF

**Source :** ALLIANCE & PROJECT

**Optional ID :** -

**Collection Time :** 06/08/2024, 10:52 AM

**Receiving Time :** 06/08/2024, 01:59 PM

**Reporting Time :** 06/08/2024, 04:20 PM

**Sample ID :** 1924055088

**Sample Type :** Serum

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

detection of primary and secondary hypothyroidism, and the monitoring of TSH suppression therapy.

**TSH**

TSH is formed in specific basophil cells of the anterior pituitary and is subject to a circadian secretion sequence. The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones. The determination of TSH serves as the initial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH level. Accordingly, TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid.

**\*\*END OF REPORT\*\***

**Checked by  
Priya Manna**

Dr. Nabanita Banerjee  
MBBS (Cal), DNB (I), MIAPM  
Pathologist



Reported By : -

Registered By : SUDIPA BANIK





**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:51 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 06/08/2024, 05:40 PM  
**Sample ID :** 1924055088  
**Sample Type :** Edta Blood

Test Description	Value(s)	Unit(s)	Reference Range
<b>HbA1c HPLC</b>			
HbA1c HPLC Method : High Performance Liquid Chromatography (HPLC)	5.0	%	Normal : < 5.7 Pre Diabetes : 5.7 - 6.4 Diabetes : >= 6.5
Estimated Average Glucose	97	mg/dL	70 - 116

**NOTE :**

1. Glucose combines with haemoglobin(Hb) continuously and nearly irreversibly during life span of RBC(120 days); thus glycosylated Hb is proportional to mean plasma glucose level during the previous 2-3 months. Therefore A1c assay is a useful mean of evaluation of success of long term diabetic control by monitoring diabetic patient~s compliance with therapeutic regimen used and long-term blood glucose level control. Added advantage is its ability to predict progression of diabetic complications.
2. Presence of Hb variant may interfere with accurate estimation of HbA1c. Please do Hb HPLC test to identify Haemoglobinopathy if any and also do Glycated albumin or Fructosamine tests to assess glycemic status if required.
3. Inappropriately low value may be seen in anemia due to iron deficiency or due to other causes, acute blood loss, recent blood transfusion, hemoglobinopathies, CLD, Hypertriglyceridemia, intake of Vitamin E & C, Aspirin, Co-trimoxazole etc.



Reported By : -

Registered By : SUDIPA BANIK



**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:51 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 06/08/2024, 05:40 PM  
**Sample ID :** 1924055088  
**Sample Type :** Edta Blood


Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

TOSOH G8 VAR V05.29 490206 2024-08-06 17:29:51  
 ID 1924055088  
 Sample No. 08060003 SL 0001 - 03  
 Patient ID  
 Name  
 Comment

CALIB	Y = 1.1318X + 0.6771		
Name	%	Time	Area
A1A	0.5	0.24	6.86
A1B	0.5	0.31	7.22
F	0.5	0.37	7.91
LA1C+	1.4	0.47	21.39
SA1C	5.0	0.59	55.61
A0	93.9	0.88	1400.91
H-V0			
H-V1			
H-V2			

Total Area 1499.90

**HbA1c 5.0 %** **IFCC 31 mmol/mol**  
 HbA1 5.9 % HbF 0.5 %



**\*\*END OF REPORT\*\***

Checked by  
 Nisha Malakar

*N Banerjee*  
 Dr. Nabanita Banerjee  
 MBBS (Cal), DNB (I), MIAPM  
 Pathologist



Reported By : -

Registered By : SUDIPA BANIK



**Patient Name :** MR. KUMAR BALMUKUND

**Age / Gender :** 35 years / Male

**Mobile No. :** 9939266269

**Patient ID :** 112314

**Bill ID :** 116043

**Referral :** DR SELF

**Source :** ALLIANCE & PROJECT

**Optional ID :** -

**Collection Time :** 06/08/2024, 10:32 AM

**Receiving Time :** 06/08/2024, 12:09 PM

**Reporting Time :** 06/08/2024, 12:12 PM

**Sample ID :** 1924055088

**Sample Type :** 2D Echo

**Echocardiography/TMT**

Mode Data : Parameter	Test Value	Normal Range (Adults)	Unit
Aortic Root Diameter	2.5	2.0 – 4.0	cm
Left atrial diameter	3.6	2.0 – 4.0	cm
RV internal diameter	2.3	0.6 – 2.3	cm
IV septal thickness (diastole)	1.0	0.60 – 1.10	cm
LV Internal diameter (diastole)	4.2	3.50 – 5.6	cm
Post. Wall thickness (diastole)	1.0	0.60 – 1.10	cm
Internal diameter (systole)	2.7	2.4 – 4.20	cm
LV Ejection fraction	65	55 – 75	%

**LV shows :**

Normal-size cardiac chamber.

No RWMA.

Normal diastolic flow pattern. E/E' -7.

Good LV systolic function with LVEF - 65 %.

Normal RVSF.

All valve morphology normal.

IAS & IVS intact.

No PDA /COA.

Trivial TR (15 mmHg).

No PE/ PAH.

IVC normal in size, collapsing well.

**IMPRESSION :**

**Normal size cardiac chamber.**



Reported By : Minakashmi Patra Sarkar

Registered By : SUDIPA BANIK



**Patient Name :** MR. KUMAR BALMUKUND

**Age / Gender :** 35 years / Male

**Mobile No. :** 9939266269

**Patient ID :** 112314

**Bill ID :** 116043

**Referral :** DR SELF

**Source :** ALLIANCE & PROJECT

**Optional ID :** -

**Collection Time :** 06/08/2024, 10:32 AM

**Receiving Time :** 06/08/2024, 12:09 PM

**Reporting Time :** 06/08/2024, 12:12 PM

**Sample ID :** 1924055088

**Sample Type :** 2D Echo

**Good bi-ventricular systolic function.**

**Normal diastolic flow pattern.**

**Trivial TR.**

**No PAH.**

**\*\*END OF REPORT\*\***

Dr. Abhinay Tibdewal  
MD, DM (Cardiologist)  
Regn. No.: WBMC 85811

Checked by  
Jharna Halder



Reported By : Minakashmi Patra Sarkar

Registered By : SUDIPA BANIK



**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:53 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 06/08/2024, 06:19 PM  
**Sample ID :** 1924055088  
**Sample Type :** Urine

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

**Urine Routine**

**PHYSICAL EXAMINATION**

Volume	45 ml	--	
Colour	Pale Straw		Pale to dark yellow
Appearance	Slightly hazy		Clear
Deposit	Present		Absent
Specific Gravity	1.015		1.010 - 1.030

**CHEMICAL EXAMINATION**

Reaction / PH	Acidic (PH: 6.0)		5.0 - 8.0
Protein	Absent		Absent
Sugar	Absent		Absent
Ketones Bodies	Absent		Absent
Urobilinogen	Normal		Normal
Bilirubin	Absent		Absent
Blood	Absent		Absent
Nitrite	Negative		Negative

**MICROSCOPIC EXAMINATION**

Pus Cells	1 - 2 /hpf		<5 /hpf
R.B.C	Not found		Absent
Epithelial Cells	1 - 2 /hpf		A few
Casts	Not found		Absent
Crystals	Not found		--

**METHOD : SEDIMENTATION AND MICROSCOPE**

**Terms and conditions:**

Test results released pertain to the specimen/sample submitted.  
 The tests results are dependent on the quality of the sample received by the Laboratory.  
 The test results are released with the presumption that the specimen/sample belongs to the patient as mentioned on the bill/ vials/TRF/booking ID  
 Laboratory investigations test results are only a tool to facilitate in arriving at a diagnosis and should always be clinically correlated by the Referring Physician.  
 Repeat samples/specimens are accepted on request of Referring Physician within 7 days of reporting.  
 Due to some unforeseen circumstances reports may be delayed. Inconvenience is regretted.



Reported By : -

Registered By : SUDIPA BANIK



**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:53 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 06/08/2024, 06:19 PM  
**Sample ID :** 1924055088  
**Sample Type :** Urine

Test Description	Value(s)	Unit(s)	Reference Range
------------------	----------	---------	-----------------

Test result may show inter laboratory variations.  
 The test results are not valid for medico legal purposes.

**\*\*END OF REPORT\*\***

**Checked by**  
**Gouranga Bera**

*Shaheena Perween*  
 Dr. Shaheena Perween  
 MBBS, MD (Path)  
 Pathologist  
 Regn. No. : WBMC 71326



Reported By : -

Registered By : SUDIPA BANIK





**Patient Name :** MR. KUMAR BALMUKUND

**Age / Gender :** 35 years / Male

**Mobile No. :** 9939266269

**Patient ID :** 112314

**Bill ID :** 116043

**Referral :** DR SELF

**Optional ID :** -

**Collection Time :** 06/08/2024, 10:32 a.m.

**Receiving Time :** 06/08/2024, 01:04 p.m.

**Reporting Time :** 06/08/2024, 04:36 p.m.

**Sample ID :** 1924055088

**Sample Type :** USG

**USG Whole Abdomen**

**USG OF WHOLE ABDOMEN**

**LIVER**

Is marginally enlarged in size (162 mm), normal in outline and increased in parenchymal echotexture. No focal lesion is seen. Intrahepatic biliary radicles are not seen dilated. Hepatic & Portal venous systems appear normal. Portal vein 7 mm.in calibre.

**GALL BLADDER**

Is seen normal in size, shape, outline, position & wall thickness. No intraluminal calculus or any mass lesion is seen. No pericholecystic fluid collection is seen.

**CBD**

Is not seen dilated and measures 3 mm.

**PANCREAS**

Is normal in size, shape, outline and echotexture. No definite focal lesion is evident. Pancreatic duct is not seen dilated. No tenderness is seen over the region.

**SPLEEN**

Is normal in shape, size, position and echotexture. No focal lesion is seen. No abnormal vessels are seen at the splenic hilum. Spleen measures 87 mm. in length.

**KIDNEYS**

Are normal in size, position, outline and echogenicity with maintained cortico-medullary differentiation. No focal lesion is seen involving either kidney. Central echocomplexes of both kidneys appear normal. There is no evidence of hydronephrosis or calculus.

Right kidney measures 97 mm.

Left kidney measures 90 mm.

**URETERS**

Ureters are not seen dilated.





**Patient Name :** MR. KUMAR BALMUKUND

**Age / Gender :** 35 years / Male

**Mobile No. :** 9939266269

**Patient ID :** 112314

**Bill ID :** 116043

**Referral :** DR SELF

**Optional ID :** -

**Collection Time :** 06/08/2024, 10:32 a.m.

**Receiving Time :** 06/08/2024, 01:04 p.m.

**Reporting Time :** 06/08/2024, 04:36 p.m.

**Sample ID :** 1924055088

**Sample Type :** USG

### **URINARY BLADDER**

Urinary bladder appears optimally distended. It appears smooth in outline. No mass lesion or any calculus is seen within the urinary bladder.

### **PROSTATE**

Prostate is seen normal in size, outline and echotexture. No definite focal parenchymal lesion is seen. Prostatic capsule is intact. Prostate measures 32 mm x 26 mm x 24 mm and weighs 20 gm.

No evidence of ascites, pleural effusion or abdominal lymphadenopathy.

### **IMPRESSION**

- **Marginal hepatomegaly with grade II fatty infiltration of liver.**

**\*\*END OF REPORT\*\***

Dr. Anirban Mondal  
MBBS (Hons.)(Cal),  
MD (Radiology)



Reported By : Ankita Mullick

Registered By : SUDIPA BANIK



**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:52 a.m.  
**Receiving Time :** 06/08/2024, 01:59 p.m.  
**Reporting Time :** 06/08/2024, 04:36 p.m.  
**Sample ID :** 1924055088  
**Sample Type :** Serum

Test Description	Value(s)	Unit(s)	Reference Range
<b><u>Bun / Creatrine Ratio</u></b>			
BUN/Creatinine ratio	14.95		12 - 20
Method : Calculation			

**\*\*END OF REPORT\*\***

Checked by  
Pritam Nandy

*Nabanita Banerjee*  
 Dr. Nabanita Banerjee  
 MBBS (Cal), DNB (I), MIAPM  
 Pathologist



Reported By : -

Registered By : SUDIPA BANIK



**Patient Name :** MR. KUMAR BALMUKUND  
**Age / Gender :** 35 years / Male  
**Mobile No. :** 9939266269  
**Patient ID :** 112314  
**Bill ID :** 116043  
**Referral :** DR SELF  
**Source :** ALLIANCE & PROJECT

**Optional ID :** -  
**Collection Time :** 06/08/2024, 10:52 AM  
**Receiving Time :** 06/08/2024, 01:59 PM  
**Reporting Time :** 06/08/2024, 03:10 PM  
**Sample ID :** 1924055088  
**Sample Type :** Serum

Test Description	Value(s)	Unit(s)	Reference Range
<b><u>Uric Acid, Serum</u></b>			
URIC ACID Method : Uricase PAP	7.73	mg/dL	3.5 - 7.2
<b><u>Total Proteins, Serum</u></b>			
TOTAL PROTEIN Method : Biuret	6.97	g/dl	6.6 - 8.3
ALBUMIN Method : Bromocresol green	4.29	g/dl	Adults: 3.5 - 5.2 Newborn(0-4days): 2.8 - 4.4
GLOBULIN Method : Calculation	2.68	g/dl	1.8 - 3.6
A/G RATIO Method : Calculation	1.60		1.2 - 2.0

**\*\*END OF REPORT\*\***

**Checked By**  
**Debolina Bhadra**



*Nabanita Banerjee*  
 Dr. Nabanita Banerjee  
 MBBS (Cal), DNB (I), MIAPM  
 Pathologist



Reported By : -

Registered By : SUDIPA BANIK





GE Healthcare

Sinus bradycardia  
 Otherwise normal ECG

*Abhinav*  
8/10/24

**Dr. Abhinav Tibdewal**  
Consultant Cardiologist  
MBBS, MD, DM (Cardio)


MAC600 1.02 12SL™ v239

Patient Name :	MR. KUMAR BALMUKUND	Patient ID :	D-116043
Modality :	DX	Sex :	M
Age :	035Y	Study :	CHEST PA
Reff. Dr. :	DR. SELF	Study Date :	06-08-2024

### X-RAY CHEST PA VIEW

Bilateral lung fields appear normal.  
Bilateral costophrenic angles are unremarkable.  
Bilateral hila and vascular markings are unremarkable.  
Domes of diaphragm are normal in morphology and contour.  
Cardiac size is within normal limits.  
Bony thoracic cage appears normal.

'Recommended clinical correlation.'



**Dr. Manish Kumar Jha**  
MBBS, MD (Radio-diagnosis)  
Registration No. 77237 (WBMC)