



CHANDAN DIAGNOSTIC CENTRE

Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 QN: U85110UP2003PLC193493

Patient Name : Mrs. VERMA NOOPUR : 30/Oct/2024 09:22:24 Registered On Collected Age/Gender : 37 Y 0 M 0 D / F : 30/Oct/2024 09:26:04 UHID/MR NO : CALI.0000036294 Received : 30/Oct/2024 11:28:44 Visit ID Reported : 30/Oct/2024 14:10:24 : CALI0162492425

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF HABMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) **	, Blood			
Blood Group	Ο			ERYTHROCYTE MAGNETIZED TECHNOLOGY/TUBE AGGLUTINA
Ph (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY/TUBE AGGLUTINA
Complete Blood Count (CBC) **, W	Vhole Blood			
Haemoglobin	8.90	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) DLC	5,300.00	/Qu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	55.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	35.00	%	20-40	FLOW CYTOMETRY
Monocytes	5.00	%	2-10	FLOW CYTOMETRY
Eosinophils	5.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	<1-2	FLOW CYTOMETRY
Observed	38.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	









Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 QN: U85110UP2003PLC193493

Patient Name : Mrs. VERMA NOOPUR : 30/Oct/2024 09:22:24 Registered On Age/Gender Collected : 37 Y 0 M 0 D / F : 30/Oct/2024 09:26:04 UHID/MR NO : CALI.0000036294 Received : 30/Oct/2024 11:28:44 Visit ID Reported : 30/Oct/2024 14:10:24 : CALI0162492425

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	12.00	Mm for 1st hr.	<20	
PCV (HCT)	29.00	%	40-54	
Platelet count				
Platelet Count	1.86	LACS cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.30	fL	9-17	ELECTRONIC IMPEDANCE
P-LOR (Platelet Large Cell Patio)	33.80	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBCCount				
RBC Count	3.30	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	88.60	fl	80-100	CALCULATED PARAMETER
MOH	27.10	pg	27-32	CALCULATED PARAMETER
MOHC	30.60	%	30-38	CALCULATED PARAMETER
RDW-CV	18.60	%	11-16	ELECTRONIC IMPEDANCE
PDW-SD	59.30	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,915.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	265.00	/cu mm	40-440	

fishi

DR.KIRITI KANAUJIA MBBS MD(PATH)











Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 CIN: U85110UP2003PLC193493

: 30/Oct/2024 09:22:24 Patient Name : Mrs. VERMA NOOPUR Registered On Collected Age/Gender : 37 Y 0 M 0 D / F : 30/Oct/2024 09:26:04 UHID/MR NO : CALI.0000036294 Received : 30/Oct/2024 11:36:47 Visit ID : CALI0162492425 Reported : 30/Oct/2024 12:47:42

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING ** , Plasma

Glucose Fasting 98.00 mg/dl <100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP**

121.60 mg/dl <140 Normal GOD POD

Sample: Plasma After Meal

140-199 Pre-diabetes
>200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEM OGLOBIN (HBA1C) ** , EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.40	%NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	36.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	108	mg/dl	

Interpretation:

NOTE:-

• eAG is directly related to A1c.













Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 CIN: U85110UP2003PLC193493

Patient Name : Mrs. VERMA NOOPUR Registered On : 30/Oct/2024 09:22:24 Age/Gender : 37 Y 0 M 0 D / F Collected : 30/Oct/2024 09:26:04 UHID/MR NO : CALI.0000036294 Received : 30/Oct/2024 11:36:47 Visit ID : CALI0162492425 Reported : 30/Oct/2024 12:47:42

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) **

12.30

mg/dL

7.0-23.0

CALCULATED

Sample:Serum









^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 QN: U85110UP2003PLC193493

Patient Name : Mrs. VERMA NOOPUR : 30/Oct/2024 09:22:24 Registered On Age/Gender : 37 Y 0 M 0 D / F Collected : 30/Oct/2024 09:26:04 UHID/MR NO : CALI.0000036294 Received : 30/Oct/2024 11:36:47 Visit ID : CALI0162492425 Reported : 30/Oct/2024 12:47:42

: Dr.Mediwheel - Arcofemi Health Care Ltd. Ref Doctor Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.

Creatinine ** 0.77 mg/dl 0.5-1.20 MODIFIED JAFFES

Sample:Serum

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid ** 4.28 mg/dl 2.5-6.0 URICASE

Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT) **, Serum

SGOT / Aspartate Aminotransferase (AST)	25.70	U/L	<35	IFCCWITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	15.00	U/L	<40	IFCCWITHOUT P5P
Gamma GT (GGT)	15.10	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.12	gm/dl	6.2-8.0	BIURET
Albumin	3.63	gm/dl	3.4-5.4	B.C.G.
Globulin	2.49	gm/dl	1.8-3.6	CALCULATED
A:G Patio	1.46		1.1-2.0	CALCULATED



Page 5 of 12





Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 CIN: U85110UP2003PLC193493

Patient Name : Mrs. VERMA NOOPUR Registered On : 30/Oct/2024 09:22:24 Collected Age/Gender : 37 Y 0 M 0 D / F : 30/Oct/2024 09:26:04 UHID/MR NO : CALI.0000036294 Received : 30/Oct/2024 11:36:47 Visit ID : CALI0162492425 Reported : 30/Oct/2024 12:47:42

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Un	it Bio. Ref. Interv	al Method
Alkaline Phosphatase (Total)	79.47	U/L	42.0-165.0	PNP/ AMP KINETIC
Bilirubin (Total)	0.64	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.34	mg/dl	<0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) **, Serum				
Cholesterol (Total)	149.00	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	43.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	94	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	12.02	mg/dl	10-33	CALCULATED
Triglycerides	60.10	mg/dl	<150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP h

Being

Dr. Anupam Singh (MBBS MD Pathology)





View Reports on Chandan 24x7 App





Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 GN: U85110UP2003PLC193493

Patient Name : Mrs. VERMA NOOPUR Registered On : 30/Oct/2024 09:22:24 Age/Gender Collected : 37 Y 0 M 0 D / F : 30/Oct/2024 12:16:35 UHID/MR NO : CALI.0000036294 Received : 30/Oct/2024 12:44:32 Visit ID : CALI0162492425 Reported : 30/Oct/2024 14:57:40

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE*	** . Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	QLEAR			
Protein	ABSENT	mg%	<10 Absent	DIPSTICK
		Ū	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
0	ADOD IT	2/	>500 (++++)	DIPOTEO (
Sugar	ABSENT	gms%	<0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			>2 (++++)	
Ketone	ABSENT	mg/dl	Serum-0.1-3.0	BIOCHEMISTRY
		Ū	Urine-0.0-14.0	
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pusœlls	ABSENT			
RBCs	ABSENT			MICROSCOPIC
Cont	ADOTAIT			EXAMINATION
Cast	ABSENT			MICOCCODIC
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
C	, 12021 41			
SUGAR, FASTING STAGE**, Urine				
Sugar, Fasting stage	ABSENT	gms%		
g , · g g -	- 	g, o		











Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 CIN: U85110UP2003PLC193493

Patient Name : Mrs. VERMA NOOPUR Registered On : 30/Oct/2024 09:22:24 Age/Gender Collected : 37 Y 0 M 0 D / F : 30/Oct/2024 12:16:35 UHID/MR NO : CALI.0000036294 Received : 30/Oct/2024 12:44:32 Visit ID Reported : 30/Oct/2024 14:57:40 : CALI0162492425

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2















Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 CIN: U85110UP2003PLC193493

Patient Name : Mrs. VERMA NOOPUR Registered On : 30/Oct/2024 09:22:24 Age/Gender : 37 Y 0 M 0 D / F Collected : 30/Oct/2024 09:26:04 UHID/MR NO : CALI.0000036294 Received : 30/Oct/2024 10:45:01 Visit ID : CALI0162492425 Reported : 30/Oct/2024 13:29:48

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL ** , Serum				
T3, Total (tri-iodothyronine)	114.58	ng/dl 8	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.40	ug/dl :	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.500	μIU/mL (0.27 - 5.5	CLIA
Interpretation:				
-		0.3-4.5 μIU/mL	First Trimes	ter
		0.5-4.6 μIU/mL	Second Trim	nester
		0.8-5.2 μIU/mL	Third Trimes	ster
		0.5-8.9 μIU/mL	Adults	55-87 Years
		0.7-27 µIU/mL	Premature	28-36 Week
		2.3-13.2 μIU/mL	Cord Blood	> 37Week
		0.7-64 μIU/mL	Child(21 wk	- 20 Yrs.)
		1-39 μIU/m	nL Child	0-4 Days
		1.7-9.1 μIU/mL	Child	2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

/XC.

Dr. Anupam Singh (MBBS MD Pathology)















Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Poad, ALIGANJ Ph: 9235432681 CIN: U85110UP2003PLC193493

Patient Name : Mrs. VERMA NOOPUR : 30/Oct/2024 09:22:25 Registered On Age/Gender : 37 Y 0 M 0 D / F Collected : 2024-10-30 12:48:22 UHID/MR NO : CALI.0000036294 Received : 2024-10-30 12:48:22 Visit ID : CALI0162492425 Reported : 30/Oct/2024 12:56:01

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Small fibrotic streaks in right mid lung zone.
- · Rest of bilateral lung fields are unremarkable.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.

IMPRESSION:

- SMALL FIBROTIC STREAKS IN RIGHT MID LUNG ZONE.
- NO OTHER PULMONARY ABNORMALITY SEEN.

Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)









Page 10 of 12





Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 CIN: U85110UP2003PLC193493

Patient Name : 30/Oct/2024 09:22:25 : Mrs. VERMA NOOPUR Registered On Age/Gender : 37 Y 0 M 0 D / F Collected : 2024-10-30 10:49:58 UHID/MR NO : CALI.0000036294 Received : 2024-10-30 10:49:58 Visit ID : CALI0162492425 Reported : 30/Oct/2024 10:55:16

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER

 The liver is normal in size ~11.6 cm in longitudinal span and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- · Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Right kidney is normal in size ~9.5 x 4.2 cm position and cortical echotexture.
 Cortico-medullary demarcation is maintained.
- Left kidney is normal in size ~9.8 x 4.6 cm position and cortical echotexture. Cortico-medullary demarcation is maintained.
- The collecting system of both the kidneys are not dilated.

SPLEEN

• The spleen is normal in size ~10.9 cm and has a normal homogenous echo-texture.

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- No free fluid is noted in peritoneal cavity.
- Visualized bowel loops are gaseous and grossly appear normal in caliber, peristalsis and wall thickness.

URINARY BLADDER













Add: B 1/2, Sector J, Near Sangam Chauraha, LDA Stadium Road, ALIGANJ Ph: 9235432681 GN: U85110UP2003PLC193493

Patient Name : 30/Oct/2024 09:22:25 : Mrs. VERMA NOOPUR Registered On : 2024-10-30 10:49:58 Age/Gender : 37 Y 0 M 0 D / F Collected UHID/MR NO : CALI.0000036294 Received : 2024-10-30 10:49:58 Visit ID : CALI0162492425 Reported : 30/Oct/2024 10:55:16

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

The urinary bladder is normal. Bladder wall is normal in thickness and is regular. No calculus seen.

UTERUS

- The uterus is anteverted and normal in size ~5.9 x 4.7 x 3.6 cm.
- It has a homogenous myometrial echotexture.
- The endometrium is seen in midline. ET measures ~5.6 mm.
- Cervix is normal.
- Mild free fluid is seen in pouch of douglas.

ADNEXA & OVARIES

- Both ovaries are normal in size volume and echotexture.
- Right ovary measures ~2.9 x 2.1 x 1.4 cm (volume~5.3 cc).
- Left ovary measures ~3.4 x 2.7 x 1.8 cm (volume~5.9 cc).
- Adnexa are normal.

FINAL IMPRESSION:-

- MILD FREE FLUID IS SEEN IN POUCH OF DOUGLAS.
- NO OTHER SIGNIFICANT ABNORMALITY SEEN.

Adv: Clinico-pathological correlation and follow-up.

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT)



This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups 365 Days Open

*Facilities Available at Select Location













Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681.

GN: U85110DL2003PLC308206

Patient Name : Mrs. VERMA NOOPUR Registered On : 30/Oct/2024 09:22AM Age/Gender : 37 Y 0 M 0 D / F Collected : 30/Oct/2024 11:54AM UHID/MR NO : CALI.0000036294 Received : 30/Oct/2024 01:42PM Visit ID : CALI0162492425 Reported : 30/Oct/2024 06:52PM

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

Contract By : MEDIWHEEL - ARCOFEMI HEALTH CARE

LTD.[52610]CREDIT

DEPARTMENT OF CYTOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

SPECIMEN: PAP SMEAR

CYTOLOGY NO: 2962/24-25

GROSS: One unstained smear received & stained by papanicolau's technique.

MICROSOPIC: Smear is cellular showing plenty of superficial & intermediate squamous epithelial cells showing unremarkable morphology on a background of plenty of polymorphs. No

endocervical cells seen. No atypical cells seen.

IMPRESSION: | SMEAR IS SUGGESTIVE OF INFLAMMATORY PATHOLOGY

SMEAR IS NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY

*** End Of Report ***

(*) Test not done under NABLaccredited Scope, (**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT)

Dr. Surbhi Lahoti (M.D. Pathology)

Dr. Nirupma Lal MD(Pathology)

This report is not for medico legal purpose. If clinical correlation is not established kindly repeate the test at no additional cost within seven days.

Pacilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups *

*Facilities Available at Selected Location





