

Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : -

**Reg. Location** : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

Application To Scan the Code

:14-Sep-2024 / 11:06 :14-Sep-2024 / 16:26

### VITAMIN B12

PARAMETERRESULTSBIOLOGICAL REF RANGEMETHODVITAMIN B12, Serum181211-911 pg/mlCLIA

### Intended Use:

- Vitamin B12 is also referred to as cyanocobalamin/cobalmin.
- It is essential in DNA synthesis, haematopoiesis & CNS integrity.
- · It cannot be synthesized in the human body & is seldom found in products of plant origin.
- The absorption of Vit B12 depends on the presence of Intrinsic factor (IF) & may be due to lack of IF secretion by the gastric mucosa (e.g. gastrectomy, gastric atrophy) or intestinal malabsorption (e.g. ileal resection, small intestinal diseases).
- Dietary Sources of vitamin B12 are meat, fish, eggs & dairy products.

### Clinical Significance:

- Vitamin B12 or folate are both of diagnostic importance for the recognition of vitamin B12 or folate deficiency, especially in the context of the differential diagnosis of megaloblastic anemia.
- Untreated deficiencies will lead to megaloblastic anemia, irreversible central nervous system degeneration, peripheral neuropathies, dementia, poor cognitive performance & depression.

### Interpretation:

Increased In- Vit B12 supplements, chronic granulocytic leukemia, COPD, Chronic renal failure, diabetes, leucocytosis, hepatitis, cirrhosis, obesity, polycythemia vera, protein malnutrition, severe CHF, uremia, Vit A intake, estrogens, drugs such as chloral hydrate.

Decreased In- Inflammatory bowel disease, pernicious anaemia, strict vegetarians, malabsorption due to gastrectomy, smoking, pregnancy, multiple myeloma & haemodialysis. Alcohol & drugs like aminosalicylic acid, anticonvulsants, cholestyramine, cimetidine, colchicine, metformin, neomycin, oral contraceptives, ranitidine & triamterine also cause a decrease in Vit B12 levels.

Reflex Tests: Active B12 (holotranscobalamin), Folate, Homocysteine, Methylmalonic acid (MMA) and Intrinsic factor antibody & parietal cell antibody.

Limitations: Preservatives, such as fluoride and ascorbic acid may cause interference

Reference: Vitamin B12 Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
\*\*\* End Of Report \*\*\*





Dr.NAMRATA RAUL M.D (Biochem) Biochemist

Page 1 of 2



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 14-Sep-2024 / 11:06

**Reported** :14-Sep-2024 / 16:26

# <u>VITAMIN D TOTAL (25-OH VITAMIN D)</u>

## <u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

25-hydroxy Vitamin D, Serum 7.5 Deficiency: < 20 ng/ml CLIA

Insufficiency: 20 - < 30 ng/ml Sufficiency: 30 - 100 ng/ml Toxicity: > 100 ng/ml

Collected

### Intended Use:

Diagnosis of vitamin D deficiency

- · Differential diagnosis of causes of rickets and osteomalacia
- Monitoring vitamin D replacement therapy
- Diagnosis of hypervitaminosis D

Clinical Significance: Vitamin D is a steroid hormone known for its important role in regulating body levels of calcium and phosphorus and in the mineralization of bone. Measured 25-OH vitamin D includes D3 (Cholecalciferol) and D2 (Ergocalciferol) where D2 is absorbed from food and D3 is produced by the skin on exposure to sunlight. The major storage form of vitamin D is 25-OH vitamin D and is present in the blood at up to 1,000 fold higher concentration compared to the active 1,25-OH vitamin D; and has a longer half life making it an analyte of choice for determination of the vitamin D status.

### Interpretation:

Increased In- D intoxication & Excessive exposure to sunlight

Decreased In: Lack of sunlight, Steatorrhea, Biliary and Portal cirrhosis, Pancreatic insufficiency, Inflammatory bowel disease, Alzheimer's disease, Malabsorption, Thyrotoxicosis, Dietary osteomalacia, Anticonvulsant osteomalacia, Celiac disease and Rickets

Reflex Tests: Serum Calcium, PTH and BMD

### Limitation:

- For diagnostic purposes, results should be used in cunjunction with other data; e.g. symptoms, results of other tests, clinical impressions, etc.
- Heterophilic antibodies in human serum can react with reagent immunoglobulins, interfering with in vitro immunoassays. Patients
  routinely exposed to animals or to animal serum products can be prone to this interference and anomalous values may be observed.
- Patients routinely exposed to animals or to animal serum products can be prone to this interference and anomalous values may be
  observed.
- Various methods for measuring vitamin D are available but correlate with significant differences.

### Reference:

- · Wallach's interpretation of diagnostic tests
- Vitamin D kit insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
\*\*\* End Of Report \*\*\*







Page 2 of 2



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

:14-Sep-2024 / 11:07

Reported :14-Sep-2024 / 13:57

Collected

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (	(Com	plete	Blood	Count)	<u>, Blood</u>

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	16.8	13.0-17.0 g/dL	Spectrophotometric
RBC	5.77	4.5-5.5 mil/cmm	Elect. Impedance
PCV	49.5	40-50 %	Measured
MCV	86	80-100 fl	Calculated
MCH	29.1	27-32 pg	Calculated
MCHC	34.0	31.5-34.5 g/dL	Calculated
RDW	13.7	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5700	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS		
Lymphocytes	26.7	20-40 %	
Absolute Lymphocytes	1521.9	1000-3000 /cmm	Calculated
Monocytes	3.6	2-10 %	
Absolute Monocytes	205.2	200-1000 /cmm	Calculated
Neutrophils	64.6	40-80 %	
Absolute Neutrophils	3682.2	2000-7000 /cmm	Calculated
Eosinophils	4.4	1-6 %	
Absolute Eosinophils	250.8	20-500 /cmm	Calculated
Basophils	0.7	0.1-2 %	
Absolute Basophils	39.9	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

### **PLATELET PARAMETERS**

Platelet Count	295000	150000-400000 /cmm	Elect. Impedance
MPV	8.8	6-11 fl	Calculated
PDW	14.0	11-18 %	Calculated

### **RBC MORPHOLOGY**

Hypochromia -Microcytosis -

Page 1 of 13



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : - Collected : 14-Sep-2024 / 11:07
Reg. Location : Kandivali East (Main Centre) Reported : 14-Sep-2024 / 14:16

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 20 2-15 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

### Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

### Limitations:

- It is a non-specific measure of inflammation.
- · The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

### Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
\*\*\* End Of Report \*\*\*





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

Use a QR Code Scanner

Application To Scan the Code

Page 2 of 13



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr.

**PARAMETER** 

Reg. Location

Serum

BUN, Serum

eGFR, Serum

ALKALINE PHOSPHATASE,

BLOOD UREA, Serum

CREATININE, Serum

: Kandivali East (Main Centre)

**RESULTS** 

124.4

20.4

9.5

1.04

92

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Modified IFCC

Calculated

Enzymatic

Calculated

Urease with GLDH

Collected :14-Sep-2024 / 11:07 Reported :14-Sep-2024 / 17:00

**BIOLOGICAL REF RANGE METHOD** 

GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	90.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.66	0.3-1.2 mg/dl	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.19	0-0.3 mg/dl	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.47	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	8.0	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.9	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	3.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
SGOT (AST), Serum	26.1	<34 U/L	Modified IFCC
SGPT (ALT), Serum	30.6	10-49 U/L	Modified IFCC
GAMMA GT, Serum	34.1	<73 U/L	Modified IFCC

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

Normal or High: Above 90 Mild decrease: 60-89

Mild to moderate decrease: 45-

46-116 U/L

19.29-49.28 mg/dl

9.0-23.0 mg/dl

0.73-1.18 mg/dl

(ml/min/1.73sqm)

Moderate to severe decrease:30

Severe decrease: 15-29 Kidney failure:<15

Page 3 of 13



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : -

Reg. Location

: Kandivali East (Main Centre)

Collected

Reported : 14

:14-Sep-2024 / 16:56

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

: 14-Sep-2024 / 11:07

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

URIC ACID, Serum

5.3

3.7-9.2 mg/dl

Uricase/ Peroxidase

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
\*\*\* End Of Report \*\*\*









Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : 
Rog Location : Kandiyali Fact (Main Contro)

**Reg. Location**: Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 14-Sep-2024 / 11:07 : 14-Sep-2024 / 14:14

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin 5.0 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Collected

Reported

Estimated Average Glucose 96.8 mg/dl Calculated

(eAG), EDTA WB - CC

### Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- · In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

### Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
\*\*\* End Of Report \*\*\*





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 5 of 13



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 14-Sep-2024 / 11:07 :14-Sep-2024 / 18:12


AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
EXAMINATION OF FAECES

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
<b>CHEMICAL EXAMINATION</b>			
Reaction (pH)	Acidic (5.5)	-	pH Indicator
Occult Blood	Absent	Absent	Guaiac
MICROSCOPIC EXAMINATION			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Absent	Absent	-
Undigested Particles	Present +	-	-
Concentration Method (for ova)	No ova detected	Absent	-
Reducing Substances	-	Absent	Benedicts

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
\*\*\* End Of Report \*\*\*









Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:14-Sep-2024 / 11:07 :14-Sep-2024 / 18:27 R

E

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Transparency	Slight hazy	Clear	-
CHEMICAL EXAMINATION			
Specific Gravity	1.025	1.002-1.035	Chemical Indicator
Reaction (pH)	5.0	5-8	pH Indicator
Proteins	1+(25mg/dl)	Absent	Protein error principle
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	1+	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
(WBC)Pus cells / hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	1-2	0-2/hpf	
Epithelial Cells / hpf	2-3	0-5/hpf	
Hyaline Casts	Absent	Absent	
Pathological cast	Absent	Absent	
Calcium oxalate monohydrate crystals	Absent	Absent	
Calcium oxalate dihydrate crystals	Absent	Absent	
Triple phosphate crystals	Absent	Absent	
Uric acid crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	++	0-20/hpf	
Yeast	Absent	Absent	
Others	-		



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr.

Reg. Location

: Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected :14-Sep-2024 / 11:07 Reported

:14-Sep-2024 / 18:27

Result rechecked Kindly correlate clinically


### Note:

- Microscopic examination performed by Automated Cuvette based technology.
- All the Abnormal results are confirmed by reagent strips and Manual method.
- The Microscopic examination findings are mentioned in decimal numbers as the arithmetic mean of the multiple fields scanned using microscopy.

Reference: Pack Insert.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*





Page 8 of 13



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : -

**Reg. Location**: Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:14-Sep-2024 / 11:07

:14-Sep-2024 / 19:13

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u> <u>RESULTS</u>

ABO GROUP AB

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

### Limitations:

- · ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
\*\*\* End Of Report \*\*\*





Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 9 of 13



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr.

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:14-Sep-2024 / 11:07 :14-Sep-2024 / 17:00

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	217.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	166	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	35.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	181.2	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	148.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	33.2	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	6.0	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	4.1	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab  $^{***}$  End Of Report  $^{***}$ 



Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 10 of 13



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

Reported

Collected :14-Sep-2024 / 11:07 :14-Sep-2024 / 17:04

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.5	3.5-6.5 pmol/L	CLIA
Free T4, Serum	15.7	11.5-22.7 pmol/L	CLIA
sensitiveTSH, Serum	2.748	0.55-4.78 microU/ml	CLIA



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr. : - Collected : 14-Sep-2024 / 11:07

Reg. Location : Kandivali East (Main Centre) Reported :14-Sep-2024 / 17:04

### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

### Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

### Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

### Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
\*\*\* End Of Report \*\*\*





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Page 12 of 13



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr.

: Kandivali East (Main Centre) Reg. Location



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:14-Sep-2024 / 15:37 :14-Sep-2024 / 19:18

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

**PARAMETER RESULTS** BIOLOGICAL REF RANGE METHOD

Urine Sugar (Fasting) Absent **Absent** Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) **Absent Absent** 

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*





m Dr.JAGESHWAR MANDAL **CHOUPAL** MBBS, DNB PATH **Pathologist** 

Page 13 of 13



Name : MR.RAJIV CHATURVEDI

Age / Gender : 42 Years / Male

Consulting Dr.

Reg. Location

: Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code

Hexokinase

Authenticity Check

Collected : 15-Sep-2024 / 14:24 :15-Sep-2024 / 17:38 Reported

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **BLOOD SUGAR REPORT**

**BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD** 

GLUCOSE (SUGAR) PP, Fluoride 87.0

Plasma PP

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*





# SUBURBAN DIAGNOSTICS - KANDIVALI EAST

SUBURBAN PRECISE TESTING - HEALTHIER LIVING

> Patient ID: Patient Name: RAJIV CHATURVEDI 2425823104

> > Date and Time: 14th Sep 24 3:50 PM

years months days

Z

NA


179 cm

71 kg

110/80 mmHg

X

Z Z



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

423ms

390ms

116ms

64° 90° 74°

84ms

DR AKHIL PARULEKAR
MBBS.MD. MEDICINE, DNB Cardiology
Cardiologist
2012082483



Date: - 14/9/2024

CID: 2425823104 R

R

E

Name: - mr. Resiv chestyrvedi

Sex/Age: 42 m

### EYE CHECK UP

Chief complaints: No

Systemic Diseases: NO

Past history: NO

Unaided Vision:

Aided Vision:

Refraction:

(Right Eye) (Left Eye)

	Sph	Cyl	Axis	1	/n	Sph	Cyl	Axis	,	Vn
Distance	-	-	-	6	6	_		-	6	6
Near	-	-		N	16		-		N	16

Colour Vision: Normal / Abnormal

Remark: Normal

SUBURBAN DIAGNOSTICS (INDIA) PYT. LTD.

Row House No. 3, Aangan,
Thakur Village, Kandivali (east),
Mumbai - 490101.

Tel: 61700000



# SUBURBAN DIAGNOSTICS

Gender : Male

Smoker : No

Eth. Corr: 100



atient: RAJIV CHATURVEDI Refd.By:

Date

Pred.Eqns: RECORDERS

: 14-Sep-2024 11:26 AM

Weight: 74 Kgs ID

Age

: 9833208373

Height: 180 Cms


: 43 Yrs


Temp





R

E









FVC Results								
Parameter		Pred	M.Pre	%Pred	M. Post	%Pred	%Imp	
FVC	(L)	03.91	03.83	098				
FEV1	(L)	03.17	03.28	103				
FEV1/FVC	(%)	81.07	85.64	106				
FEF25-75 (I	(s)	04.00	03.35	084				
PEFR (L	(s)	09.46	09.73	103				
FIVC	(L)		01.58					
FEV.5	(L)		02.50					
FEV3	(L)	03.79	03.83	101			No. 100 (c)	
PIFR (I	(s)		04.43					
FEF75-85 (L	(s)		01.23					
FEF.2-1.2(L	1/5)	07.20	07.58	105				
FEF 25% (L	J/S)	08.17	06.50	080			-	
FEF 50% (L	J/S)	05.79	03.78	065				
FEF 75% (L	/s)	02.74	01.70	062				
FEV.5/FVC	(%)		65.27					
FEV3/FVC	(8)	96.93	100.00	103				
FET (S	Sec)		02.37					
ExplTime (S	Sec)		00.05					
Lung Age (Y	(rs)	043	042	098				
FEV6	(L)	03.91						
	(s)		03.68					
FIF50% (L	1/8)		02.91					
FIF75% (L	/s)		01.94					

Pre Test COPD Severity

Test within normal limits



Dr. Akhil P. Parulekar MBBS, MD, Medicine DNB Cardiology Reg. No. 2012082483

Medication Report Indicates Spirometry within normal limits as (FEV1/FVC) %Pred >95 and FVC%Pred >80



# SUBURBAN DIAGNOSTICS

Gender : Male Smoker : No



R

E

T

Patient: RAJIV CHATURVEDI

Refd.By:

?red.Eqns: RECORDERS

: 14-Sep-2024 11:25 AM

Height : 180 Cms Weight: 74 Kgs ID


Age

: 9833208373

: 43 Yrs

Temp





### MVV Results

Para	meter	Pred	M.Pre	%Pred	M.Post	%Pred	%Imp
MVV	(L/min)	142	0.67	047			
MRf	(1/min)		34.06			-	
MVT	(L)		01.96				

Dr. Akhil P. Parulekar MBBS. MD. Medicine **DNB** Cardiology Reg. No. 2012082483



**Authenticity Check** 



F

CID

: 2425823104

Name

: Mr RAJIV CHATURVEDI

Age / Sex

: 42 Years/Male

Ref. Dr

Reg. Location

: Kandivali East Main Centre

Reg. Date

: 14-Sep-2024

Reported

: 14-Sept-2024 / 12:20

Use a OR Code Scanner Application To Sean the Code

# 2D & M-MODE ECHOCARDIOGRAM REPORT

MITRAL VALVE: has thin leaflets with normal subvalvar motion. No mitral regurgitation.

AORTIC VALVE: has three thin leaflets with normal opening No aortic regurgitation.

LEFT VENTRICLE: is normal, has normal wall thickness, No regional wall motion abnormality . Normal LV systolic contractions. EF - 60%.

LEFT ATRIUM: is normal.

RIGHT ATRIUM & RIGHT VENTRICLE: normal in size.

TRICUSPID VALVE & PULMONARY VALVES: normal. NO TR / PH.

No pericardial effusion.

IMP:

Normal LV systolic function. EF-60%.

Normal other chambers and valves.

No regional wall motion abnormality/ scar.

No clot / vegetation / thrombus / pericardial effusion.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024091411023264



Authenticity Check



E

0

Use a QR Code Scanner

: 14-Sep-2024

Reg. Date

Reported

Application To Scan the Code

: 14-Sept-2024 / 12:20

CID : 2425823104 Name : Mr RAJIV CHATURVEDI

Age / Sex

: 42 Years/Male

Ref. Dr

Reg. Location : Kandivali East Main Centre

M- MODE:

LA (mm)	24
AORTA (mm)	20
LVDD (mm)	46
LVSD (mm)	30
IVSD (mm)	11
PWD (mm)	11
EF	60%
E/A	1.8

-----End of Report-----

Dr. Akhil Parulekar **DNB CARDIOLOGIST** Reg. No- 2012082483



Authenticity Check <<QRCode>>

E

R

CID

: 2425823104

Name

: Mr RAJIV CHATURVEDI

Age / Sex

Reg. Location

: 42 Years/Male

Ref. Dr

: Kandivali East Main Centre

Reg. Date Reported

Use a QR Code Scanner Application To Scan the Code

: 14-Sep-2024

:

# USG WHOLE ABDOMEN

### LIVER:

The liver is normal in size (14.4 cm) shape and smooth margins. It shows bright parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein (10 mm) and CBD appears normal.

# GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen

# PANCREAS:

The pancreas is well visualized and appears normal. No evidence of solid or cystic mass lesion.

### KIDNEYS:

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

Right kidney measures 8.7 x 3.4 cm. Left kidney measures 9.9 x 4.6 cm.

### SPLEEN:

The spleen is normal in size (9 cm) and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

# URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

### PROSTATE:

The prostate is normal in size and measures 2.2 x 4.2 x 2.6 cm and volume is 13 cc.

### IMPRESSION:

Grade I fatty liver.

-----End of Report-----

<<Signature>>

Click here to view images << ImageLink>>

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995-LC065388



Nanie SE TESTING - MR. RAJIV CHATURVEDI

Age / Gender : 42 Years/Male

Consulting Dr.

Reg.Location : Kandivali East (Main Centre)

Collected

: 14-Sep-2024 / 11:01

R

E

P

0

R

Reported

: 15-Sep-2024 / 08:31

# PHYSICAL EXAMINATION REPORT

History and Complaints:

No

**FXAMINATION FINDINGS:** 

Height (cms):

179 cms

Weight (kg):

71 kgs

Temp (0c):

Afebrile

Skin:

Normal

Blood Pressure (mm/hg): 110/80

Nails:

Normal

Pulse:

72/min

Lymph Node:

Not palpable

Systems

Cardiovascular: Normal

Respiratory:

Normal

Genitourinary:

Normal

GI System:

Normal

CNS:

Normal

IMPRESSION:

- USG - Gr I fally lines

ADVICE:

- Correct of N+ O12 403 deficieny Repeat were @ - 7 degs



Name TESTING TIME RAJIV CHATURVEDI

Age / Gender : 42 Years/Male

Consulting Dr. : Collected : 14-Sep-2024 / 11:01

Reg.Location : Kandivali East (Main Centre) Reported : 15-Sep-2024 / 08:31

### CHIEF COMPLAINTS:

1)	Hypertension:	No
2)	IHD	No
3)	Arrhythmia	No
4)	Diabetes Mellitus	No
5)	Tuberculosis	No
6)	Asthama	No
7)	Pulmonary Disease	No
8)	Thyroid/ Endocrine disorders	No
9)	Nervous disorders	No
10)	GI system	No
11)	Genital urinary disorder	No
12)	Rheumatic joint diseases or symptoms	No
13)	Blood disease or disorder	No
14)	Cancer/lump growth/cyst	No
15)	Congenital disease	No
16)	Surgeries	No
17)	Musculoskeletal System	No

### PERSONAL HISTORY:

1)	Alcohol	Occasional
2)	Smoking	Occasional
3)	Diet	Veg
4)	Medication	No

\*\*\* End Of Report \*\*\*

Dr. Jagruti Dhale
MBBS
MBBS
Consultant Physician
Reg. No. 69548

R

E

R

Thakur Village, Kandivali (east), Dr.JAGRUTI DHALE
Mumbai - 400101.
Tel: 61700000