DICID#N 0 ST : 2422741225

PHENIME STING HEALT MR. RAHUL SHARMA

Age / Gender : 43 Years/Male

Consulting Dr. :

Reg.Location : Andheri West (Main Centre)

Collected

: 14-Aug-2024 / 10:47

Reported

: 16-Aug-2024 / 10:06

Т

PHYSICAL EXAMINATION REPORT

History and Complaints:

Asymptomatic

EXAMINATION FINDINGS:

Height (cms):

179 cms

Weight (kg):

78 kgs

Temp (0c):

Afebrile

Skin:

Normal

Blood Pressure (mm/hg): 120/80 mm of Hg

Nails:

Normal

Pulse:

72/min

Lymph Node:

Not palpable

Systems

Cardiovascular: S1S2 audible

Respiratory:

ABBE

Genitourinary:

NAD

GI System:

Liver & Spleen not palpable

CNS:

NAD

IMPRESSION:

USG shows left simple renal cyst, 2-D Echo shows Grade II LVDD, Rest reports appears to be in normal limits.

ADVICE:

Kindly consult your family physician with all your reports, Therapeutic life style modification is advised.

CHIEF COMPLAINTS

1) Hypertension:

No

IHD

No

3) Arrhythmia

No

4) Diabetes Mellitus

No

SUBURBAN O S T : 24227 1225

PRENAMESTING HEAL MR. RAHUL SHARMA

Age / Gender : 43 Years/Male

Consulting Dr. :

Reg.Location : Andheri West (Main Centre)

Collected

: 14-Aug-2024 / 10:47

R

Е

P

R

T

Reported

: 16-Aug-2024 / 10:06

5)	Tuberculosis	. Notice of
6)	Asthama	No
7)	Pulmonary Disease	No
8)	Thyroid/ Endodrine disorders	No
9)	Nervous disorders	No
	GI system	No
11)	Consider	No
11)	Genital urinary disorder	No
12)	Rheumatic joint diseases or symptoms	No
13)	blood disease or disorder	No
14)	Cancer/lump growth/cyst	
15)	Congenital disease	No
16)	Surgeries	No
		No
	Musculoskeleta System	No

PERSONAL HISTORY:

1)	Alcohol	192
2)	Smoking	Occasional
3)	Diet	Occasional
4)	Medication	Veg
1	medication	No

*** End Of Report ***

Sangerta Manwani

Dr.Sangeeta Manwani M.B.B.S. Reg.No.71083



Date: 14/08/24

Name: Raliu

Sex / Age:

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

(Right Eye)

		(Left Eye)					
Sph	Cyl	Axis	Vn	Sph	Cul		1
			017		Суі	Axis	Vn
(610			_	016
			N.6				610
	Sph	Sph Cyl	Sph Cyl Axis	616 N.C	Sph Cyl Axis Vn Sph	CIG Sph Cyl	Sph Cyl Axis Vn Sph Cyl Axis

Colour Vision: Normal / Abnormal

Remark: Nomal Visson.

Suburban Diagnorder (*) Pvt. Ltd. Aston, Printer Guerra, Communication Suiding Sunder to the printer of the (West)

Mumbai - 400 053, Tel.: 022-40274527



CID : 2422711225

Name : MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

10000

Reg. Location : Andheri West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54 : 14-Aug-2024 / 19:10

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

	CDC (Comple	te Blood Count), Blood	
PARAMETER RBC PARAMETERS	RESULTS	BIOLOGICAL REF RANGE	METHOD
Haemoglobin RBC PCV MCV MCH MCHC RDW WBC PARAMETERS	14.6 5.06 43.3 85.7 28.8 33.6 13.7	13.0-17.0 g/dL 4.5-5.5 mil/cmm 40-50 % 81-101 fl 27-32 pg 31.5-34.5 g/dL 11.6-14.0 %	Spectrophotometric Elect. Impedance Calculated Measured Calculated Calculated Calculated
WBC Total Count WBC DIFFERENTIAL AND AI Lymphocytes	4110 BSOLUTE COUNTS	4000-10000 /cmm	Elect. Impedance
Absolute Lymphocytes Monocytes Absolute Monocytes Neutrophils	35.9 1475.5 5.9 242.5	20-40 % 1000-3000 /cmm 2-10 % 200-1000 /cmm	Calculated Calculated
Absolute Neutrophils Eosinophils	52.1 2141.3 5.6	40-80 % 2000-7000 /cmm 1-6 %	Calculated
Absolute Eosinophils Basophils Absolute Basophils	230.2 0.5 20.6	20-500 /cmm 0.1-2 %	Calculated
Immature Leukocytes	-	20-100 /cmm	Calculated

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET	PARAMETERS
----------	------------

Microcytosis

Platelet Count MPV PDW RBC MORPHOLOGY	202000	150000-410000 /cmm	Elect. Impedance
	9.7	6-11 fl	Measured
	18.2	11-18 %	Calculated
Hypochromia	(#)		



: 2421711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

Reg. Location

: Andheri West (Main Centre)



Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54 :14-Aug-2024 / 15:20

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

5

2-15 mm at 1 hr.

Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia
Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

It is a non-specific measure of inflammation.

The use of the ESR as a creening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein CRP) is the recommended test in acute inflammatory conditions.

Reference:

Pack Insert

Brigden ML. Clinical utili y of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH)

Consultant Pathologist & Lab Director



: 2422711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

Reg. Location

: Andheri West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 15:29 :14-Aug-2024 / 16:44

Hexokinase

Hexokinase

R

Е

0

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting

85.5

Non-Diabetic: < 100 mg/dl

Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP Fluoride 80.0

Plasma PP

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

*Sample processed at SUBL RBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







: 2422711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

11.000

Reg. Location

: Andheri West (Main Centre)



0

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54 : 14-Aug-2024 / 15:55

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER RESULTS BIOLOGICAL REF RA	MERCON TRANSPORT
DIOLOGICAL REF RE	NGE METHOD
BLOOD UREA, Serum 23.9 12.8-42.8 mg/dl	
BUN, Serum	Kinetic
CREATININE, Serum	Calculated
eGER Sorum 0.67-1.17 mg/dl	Enzymatic
104 (ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease 59 Moderate to severe decre -44 Severe decrease: 15-29 Kidney failure:<15	Calculated se: 45-

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

TOTAL PROTEING	ated using 2021 CKD-E	PI GFR equation	
TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	T. B. C. Colons
ALBUMIN, Serum	4.6		Biuret
GLOBULIN, Serum		3.5-5.2 g/dL	BCG
	2.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	
URIC ACID, Serum	5.0		Calculated
PHOSPHORUS, Serum		3.5-7.2 mg/dl	Enzymatic
	3.0	2.7-4.5 mg/dl	141,102
CALCIUM, Serum	9.1	8.6-10.0 mg/dl	Molybdate UV
SODIUM, Serum	142		N-BAPTA
POTASSIUM, Serum		135-148 mmol/l	ISE
	5.1	3.5-5.3 mmol/l	ICE
CHLORIDE, Serum	105	98-107 mmol/(ISE
*Sample process 4 of success		70-107 mmo(/(ISE

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West





Thakken



: 2422711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

Reg. Location

: And eri West (Main Centre)

Authenticity Check

Use a QR Code Scanne Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54 :14-Aug-2024 / 17:01

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobia (HbA1c), EDTA WB - CO 5.4

Non-Diabetic Level: < 5.7 %

HPLC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

mg/dl

Calculated

Estimated Average Glucose (eAG), EDTA WB - CC

108.3

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose the apy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated Hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemogrobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURSAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







: 2427711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

Reg. Location

: Andheri West (Main Centre)

Authenticity Check

Use a QR Code Scanne Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54 :14-Aug-2024 / 16:06

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

TOTAL PSA, Serum

0.361

<4.0 ng/ml

CLIA

Clinical Significance:

PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.

Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.

Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drus (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, overy) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α-reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USQ Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.

PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.

Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Note: The concentration of PSA in a given specimen, determined with assay from different manufacturers, may not be comparable due to differences in assay methods and reagent specificity.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert



: 2427711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

. .

Reg. Location

: Andheri West (Main Centre)

Authenticity Check

R

Е

P

0

R

Т



Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54 : 14-Aug-2024 / 16:06

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab





Ampa

Dr.ANUPA DIXIT M.D.(PATH)

Consultant Pathologist & Lab Director



: 2422711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

. .

Reg. Location : Andheri West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 14-Aug-2024 / 10:54 : 14-Aug-2024 / 16:04 R

Е

0

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

DIDIUS	URINE EXA	MINATION REPORT	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	I fals
Transparency	Clear	Clear	Light scattering
CHEMICAL EXAMINATION			Light scattering
Specific Gravity	1.003	1.002-1.035	I BOLE COVA LOGIC VOICE
Reaction (pH)	5.5	5-8	Refractive index
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	Protein error principle
Ketones	Absent	Absent	GOD-POD
Blood	Absent		Legals Test
Bilirubin	Absent	Absent Absent	Peroxidase
Urobilinogen	Normal		Diazonium Salt
Nitrite	Negative	Normal	Diazonium Salt
MICROSCOPIC EXAMINATION	· · · · · · · · · · · · · · · · · · ·	Negative	Griess Test
(WBC)Pus cells / hpf	0.0	0.5%	
Red Blood Cells / hpf	0.0	0-5/hpf	
Epithelial Cells / hpf	0.1	0-2/hpf	
Hyaline Casts	0.0	0-5/hpf	
Pathological cast	0.0	0-1/ hpf	
Crystals	0.0	0-0.3/hpf	
Calcium oxalate monohydrate crystals	0.0	0-1.4/hpf 0-1.4/hpf	
Calcium oxalate dihydrate crystals	0.0		
Triple phosphate crystals	0.0	0-1.4/hpf	
Uric acid crystals	0.0	0-1.4/hpf	
Amorphous debris	0.0	0-1.4/hpf	
Bacteria / hpf		0-29.5/hpf	
Yeast	1.7	0-29.5/hpf	
	0.0	0-0.7/hpf	



: 2422711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

Reg. Location

: Andheri West (Main Centre)

Authenticity Check

E

0

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54

:14-Aug-2024 / 16:04

Others

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



: 2422711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

Reg. Location

: Andheri West (Main Centre)



R

Ε

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54 :14-Aug-2024 / 16:09

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

ABO GROUP

0

Rh TYPING

POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional

Note: This sample has been tested for Bombay group/Bombay phenotype/ OH using anti-H lectin.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia 1. 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West





Dr.JYOT THAKKER

M.D. (PATH), DPB Pathologist & AVP(Medical Services)



: 2422711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

• • • •

Reg. Location

: Andheri West (Main Centre)

Authenticity Check

R

E

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54 : 14-Aug-2024 / 15:55

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER	1,2000-2000-2000-200	LIPID PROFILE	ZD ECHO
CHOLESTEROL, Serum	RESULTS	BIOLOGICAL REF RANGE	METHOD
TRIGLYCERIDES, Serum	181.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOR See
)	128.6	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	34.3	Very high:>/=500 mg/dl Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl	Homogeneous
NON HDL CHOLESTEROL, Serum	146.8	Low (High risk): <40 mg/dl	enzymatic colorimetric assay Calculated
LDL CHOLESTEROL, Serum	121.0	Very high: >/=190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum CHOL / HDL CHOL RATIO Serum	25.8 5.3	Very High: >/= 190 mg/dl < /= 30 mg/dl 0-4 5 Patio	Calculated Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.5	0-3 5 Patio	alculated
"Sample processed a surviv			

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***





Thakken



Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

E

0

R

T

CID

: 2422711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

. .

Reg. Location : And

: Andheri West (Main Centre)

Collected Reported : 14-Aug-2024 / 10:54 : 14-Aug-2024 / 17:28

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

PARAMETER	THI KOID FUNCTION TESTS				
ASSES, THE PROPERTY OF THE PARTY OF THE PART	RESULTS	BIOLOGICAL REF RANGE	METHOD		
Free T3, Serum	5.2	THE COURSE OF TH	METHOD		
Free T4, Serum	15.7	3.5-6.5 pmol/L	ECLIA		
et control control de	15.7	11.5-22.7 pmol/L	ECLIA		
sensitiveTSH, Serum	2.59	0.35-5.5 microIU/ml			
		microU/ml	ECLIA		



: 2422711225

Name

: MR. HAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

Reg. Location

: Andheri West (Main Centre)



Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54 :14-Aug-2024 / 17:28

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological can give falsely high TSH.

2)TSH values may be trasient valued because of non thyroidal illness like severe infections, liver disease, renal and heart severe burns,

TSH	FT4/T4	FT3/	12	by to lost limess like severe infections, liver disease, renal and heart severe burns,
High			_	Intermediation
raga	Normal	Norma		Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-
High	Low	Low		Hypothyroidism Autoli
Low	1000		L	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism. Hyperthyroidism, Graves disease, toxic multipodulor getter.
LOW	High	High		Pryperthyroidism Graves diseases to the second disease to the second diseases to the second disease t
ow	Normal	Normal		pregnancy related (hyperemesis gravidarum, hydatiform mole) Subelliai and the subsequence of the subsequenc
	Ivornia	Normal		Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal
ow	Low	Low	Н	Central Humath
ligh	High		Н	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
	150	High		Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti- rnal rhythm and is at maximum between 2 am and 4 am and 4 am

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration,
- Patient samples may contain beterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results.
 sassay is designed to minimize interference from heterophilic antibodies.

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013) 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







: 2422711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr.

. .

Reg. Location : Andheri West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 10:54 : 14-Aug-2024 / 14:42 R

E

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO
LIVER FUNCTION TESTS

	D4D444====	LIVER FUNCTION TESTS					
	PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD			
	BILIRUBIN (TOTAL), Serum	0.69	0.1-1.2 mg/dl	METHOD			
	BILIRUBIN (DIRECT), Serum	0.23	0-0.3 mg/dl	Colorimetric			
	BILIRUBIN (INDIRECT), Serum	0.44	5.000000 MARIE - 1.00000	Diazo			
	(0)	0.46	0.1-1.0 mg/dl	Calculated			
	TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret			
	ALBUMIN, Serum	4.6	3.5-5.2 g/dL	97978			
	GLOBULIN, Serum	2.5	Charles and Control of the Control o	BCG			
	A/G RATIO, Serum		2.3-3.5 g/dL	Calculated			
	SHIPPER ACKNOWN OF SOME SOME SOME S	1.8	1 - 2	Calculated			
	SGOT (AST), Serum	21.8	5-40 U/L	3-36-10196648139651317454			
	SGPT (ALT), Serum	22.0		NADH (w/o P-5-P)			
		23.9	5-45 U/L	NADH (w/o P-5-P)			
	GAMMA GT, Serum	12.2	3.60 11/1	10 SHE			
A 1000 A 100	ALKALINE PHOSPHATASE, Serum	69.8	40.130.11//	Enzymatic			
				Colorimetric			

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***





Thakken



: 2427711225

Name

: MR. RAHUL SHARMA

Age / Gender

: 43 Years / Male

Consulting Dr. Reg. Location

: Andheri West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 14-Aug-2024 / 15:29 :14-Aug-2024 / 17:50

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

Urine Sugar (Fasting) Urine Ketones (Fasting)

Absent

Absent

Absent

Absent

Urine Sugar (PP)

Absent

Absent

Urine Ketones (PP) Absent

Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





R E

2422711225

Name

Mr Rahul Sharma

Age / Sex Ref. Dr

Reg. Location

43 Years/Male

: Andheri West (Main Center)

Reg. Date

Use a QR Code Scanner Application To Scan the Code : 14-Aug-2024

Reported

: 14-Aug-2024 / 12:49

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

--End of Report-----

Dr R K Bhandari MD, DMRE

Ris Inan

MMC REG NO. 34078



Authenticity Check



Use a QR Code Scanner

R

E

Application To Scan the Code

: 14-Aug-2024 / 15:06

Reg. Date : 14-Aug-2024

Reported

Reg. Location : Andheri West (Main Center)

: 2422711225

: 43 Years/Male

: Mr RAHUL SHARMA

USG WHOLE ABDOMEN

LIVER:

CID

Name

Age / Sex

Ref. Dr

The liver is normal in size (13.9cm), shape and smooth margins. It shows normal parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

he gall bladder is physio ogically distended and appears normal. No evidence of gall stones or lesions seen

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis seen.

Right kidney measures 10.9 x 5.3cm. Left kidney measures 9.5 x 4.5cm.

A 2.4 x 1.5cm sized simple cortical cyst is noted in the upper pole of the left kidney.

SPLEEN:

The spleen is normal in size (8.4cm) and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

ROSTATE:

The prostate is normal in size measuring 3.2 x 2.9 x 2.6cm and volume is 13.4cc.

IMPRESSION:

Left simple renal cyst as described above.

----End of Report---

DR. NIKHIL DEV M.B.B.S, MD (Radiology) Reg No - 2014/11/4764 Consultant Radiologist



Patient's Name : RAHUL SHARMA

Age: 43 YRS / MALE

R

E

T

Requesting Doctor: --

DATE: 14.08.2024

CID. No

: 2422711225

2D-ECHO & COLOUR DOPPLER REPORT

Structurally Normal: MV / AV / TV / PV. No significant valvular stenosis.

Trivial Mitral Regurgitation , Trivial Aortic Regurgitation Trivial Pulmonary Regurgitation ,

Trivial Tric spid regurgitation. No Pulmonary arterial hypertension. PASP by TR jet vel.method = 22 mm Hg.

LV / LA / RA / RV - Normal in dimension. IAS / IVS is Intact.

Left Ventricular Diastolic Dysfunction [LVDD] is Grade II/ IV.

(Mitral inflowpattern shows E > A which becomes E < A on valsalva maneuver confirming Psuedo normalization pattern.)

No doppler evidence of raised LVEDP

No regional wall motion abnormality. No thinning / scarring / dyskinesia of LV wall noted. Normal LV systolic function. LVEF = 55-60 % by visual estimation.

No e/o thrombus in LA /LV. No e/o Pericardial effusion.

IVC normal in dimension with good inspiratory collapse.

Normal RV systolic function (by TAPSE)

IMPRESSION:

NORMAL LV SYSTOLIC FUNCTION, LVEF = 55-60 %, NO RWMA, NO PAH, GRADE II LVDD, NO LV HYPERTROPHY.



M-MODE STUDY	Value	Unit	COLOUR DOPPLER STUDY	Value	Unit
IVSd	10	mm	Mitanta		
LVIDd	44		Mitral Valve E velocity	0.9	m/s
LVPWd		mm	Mitral Valve A velocity	0.7	m/s
CONTRACTOR OF THE PROPERTY OF	10	mm	E/A Ratio	- C-2002	1 1 2 2 2
IVSs	15	mm	Mitral Valve Deceleration Time	1.2	-
LVIDs	26	mm		220	ms
VPWs	15	Philipp	E/E'	7	
	- 10	mm	TAPSE		
VRT			Aortic valve	25	
VRI	-	ms	AVmax		
				1.2	m/s
2D STUDY			AV Peak Gradient	6	mmHg
LVOT	-		LVOT Vmax	0.9	m/s
LA	20	mm	LVOT gradient	3	Section 2
RA	38	mm	Pulmonary Valve	3	mmHg
0.00161	30	mm	PVmax		
RV [RVID]	222	mm	PV Peak Gradient	0.9	m/s
VC	11	mm	Tricuspid Valve	3	mmHg
			TR jet vel.	2	m/s
			PASP	22	mmHg

*** End of Report

DR RAVI CHAVAN

R

E

CARDIOLOGIST REG.NO.2004 /06/2468

<u>Disclaimer:</u> 2D echocardiography is an observer dependent investigation. Minor variations in report are possible when done by two different examiners or even by same examiner on two different condition. In the event of previous reports being available, these must be provided to improve

REGD. OFFICE DE LA