Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name

: Mrs.SHAEERA BANO HASBANI -110511

Registered On

: 17/Feb/2024 09:05:25

Age/Gender

: 33 Y 6 M 5 D /F

CARE LTD -

Collected

: N/A

UHID/MR NO

: ALDP.0000135080 : ALDP0364862324

Received Reported

: 18/Feb/2024 11:10:57

Visit ID Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: Final Report

: N/A

# **DEPARTMENT OF CARDIOLOGY-ECG**

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### ECG / EKG \*

1. Machnism, Rhythm

Sinus, Regular

2. Atrial Rate

88

/mt

3. Ventricular Rate

88

/mt

4. P - Wave

Normal

5. P R Interval

Normal

6. Q R S

Axis:

Normal

R/S Ratio: **Configuration:**  Normal Normal

7. Q T c Interval

Normal

8. S - T Segment

Normal

9. T - Wave

Normal

# **FINAL IMPRESSION**

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically

Dr. R K VERMA MBBS, PGDGM











Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHAEERA BANO HASBANI -110511 Registered On : 17/Feb/2024 09:05:18
Age/Gender : 33 Y 6 M 5 D /F Collected : 17/Feb/2024 09:21:32

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

# **DEPARTMENT OF HAEMATOLOGY**

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Bloo	od			
Blood Group	0			ERYTHROCYTE
віооц бі оцр	O			MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE	·		ERYTHROCYTE MAGNETIZED
				TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole	Blood			
Haemoglobin	11.80	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC)	6,400.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC	5,723.52	,		
Polymorphs (Neutrophils )	60.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	33.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	22.00	Mm for 1st hr.		
Corrected	45	Mm for 1st hr.	< 20	
PCV (HCT)	36.00	%	40-54	
Platelet count	<del>-</del>			
Platelet Count	1.89	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE
<del>-</del> ·				











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHAEERA BANO HASBANI -110511 Registered On : 17/Feb/2024 09:05:18 Age/Gender Collected : 17/Feb/2024 09:21:32 : 33 Y 6 M 5 D /F UHID/MR NO : ALDP.0000135080 Received : 17/Feb/2024 09:56:34 Visit ID : ALDP0364862324 Reported : 17/Feb/2024 12:12:02

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

# **DEPARTMENT OF HAEMATOLOGY**

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Result	Unit	Bio. Ref. Interval	Method
0.22	%	0.108-0.282	ELECTRONIC IMPEDANCE
11.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
4.29	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
84.40	fl	80-100	CALCULATED PARAMETER
27.50	pg	28-35	CALCULATED PARAMETER
32.60	%	30-38	CALCULATED PARAMETER
13.70	%	11-16	ELECTRONIC IMPEDANCE
44.30	fL	35-60	ELECTRONIC IMPEDANCE
3,840.00	/cu mm	3000-7000	
128.00	/cu mm	40-440	
	0.22 11.70 4.29 84.40 <b>27.50</b> 32.60 13.70 44.30 3,840.00	0.22 % 11.70 fL  4.29 Mill./cu mm  84.40 fl  27.50 pg 32.60 % 13.70 % 44.30 fL 3,840.00 /cu mm	0.22 % 0.108-0.282 11.70 fL 6.5-12.0 4.29 Mill./cu mm 3.7-5.0 84.40 fl 80-100 27.50 pg 28-35 32.60 % 30-38 13.70 % 11-16 44.30 fL 35-60 3,840.00 /cu mm 3000-7000

Dr. Akanksha Singh (MD Pathology)









Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHAEERA BANO HASBANI -110511 : 17/Feb/2024 09:05:23 Registered On Age/Gender : 33 Y 6 M 5 D /F Collected : 17/Feb/2024 09:21:32

UHID/MR NO : ALDP.0000135080 Received : 17/Feb/2024 09:56:35 Visit ID : ALDP0364862324 Reported : 17/Feb/2024 11:48:33

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

# **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit Bio. Ref. In	terval Method	
GLUCOSE FASTING * , Plasma				
Glucose Fasting	95.00	mg/dl < 100 Normal	GOD POD	

# **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	108.00	mg/dl <140 Normal	GOD POD
Sample:Plasma After Meal		140-199 Pre-diabetes	

>200 Diabetes

100-125 Pre-diabetes ≥ 126 Diabetes

# **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.30	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	34.20	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	105	mg/dl	

#### **Interpretation:**

# NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- · eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



1800-419-0002





Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHAEERA BANO HASBANI -110511 Registered On : 17/Feb/2024 09:05:23 Age/Gender : 33 Y 6 M 5 D /F Collected : 17/Feb/2024 09:21:32 UHID/MR NO : ALDP.0000135080 Received : 17/Feb/2024 09:56:35 Visit ID : ALDP0364862324 Reported : 17/Feb/2024 11:48:33

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

#### DEPARTMENT OF BIOCHEMISTRY

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	10.46	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.80	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid * Sample:Serum	2.74	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT) \*, Serum





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHAEERA BANO HASBANI -110511 Registered On : 17/Feb/2024 09:05:23 Age/Gender Collected : 17/Feb/2024 09:21:32 : 33 Y 6 M 5 D /F UHID/MR NO : ALDP.0000135080 Received : 17/Feb/2024 09:56:35 Visit ID : ALDP0364862324 Reported : 17/Feb/2024 11:48:33

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

# DEPARTMENT OF BIOCHEMISTRY

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	l	Unit Bio. Ref. Interv	al Method
SGOT / Aspartate Aminotransferase (AST)	18.80	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	13.80	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	19.10	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.10	gm/dl	6.2-8.0	BIURET
Albumin	4.30	gm/dl	3.4-5.4	B.C.G.
Globulin	1.80	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.39	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	68.00	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.50	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.30	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	134.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	42.20	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	81	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL .	12.00	mg/dl	10-33	CALCULATED
Triglycerides	60.00	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

Dr. Akanksha Singh (MD Pathology)











Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHAEERA BANO HASBANI -110511

Registered On

Unit

: 17/Feb/2024 09:05:21

Age/Gender UHID/MR NO : 33 Y 6 M 5 D /F

Collected Received

: 17/Feb/2024 14:20:35 : 17/Feb/2024 14:22:45

Visit ID

: ALDP.0000135080 : ALDP0364862324

Reported

: 17/Feb/2024 15:04:37

Method

Ref Doctor

Test Name

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

Rio Ref Interval

# **DEPARTMENT OF CLINICAL PATHOLOGY**

Result

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Specific Gravity Reaction PH Acid Appearance Protein A  Sugar  Ketone Bile Salts Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution)	IT YELLOW 1.000 dic ( 6.0 ) CLEAR BSENT  BSENT  BSENT BSENT BSENT BSENT BSENT BSENT BSENT	mg % gms% mg/dl	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++) < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++) 0.1-3.0	DIPSTICK DIPSTICK BIOCHEMISTRY DIPSTICK
Color Specific Gravity Reaction PH Acid Appearance Protein  Sugar  Ketone Bile Salts Bile Pigments Billirubin Leucocyte Esterase Urobilinogen(1:20 dilution)	1.000 dic ( 6.0 ) CLEAR BSENT BSENT BSENT BSENT BSENT BSENT BSENT	gms%	10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++) < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK  DIPSTICK  BIOCHEMISTRY  DIPSTICK
Specific Gravity Reaction PH Acid Appearance Protein A  Sugar  Ketone Bile Salts Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution)	1.000 dic ( 6.0 ) CLEAR BSENT BSENT BSENT BSENT BSENT BSENT BSENT	gms%	10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++) < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK  DIPSTICK  BIOCHEMISTRY  DIPSTICK
Reaction PH Acid Appearance Protein A  Sugar  Ketone Bile Salts Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution)  Acid Acid Acid Acid Acid Acid Acid Aci	dic ( 6.0 ) CLEAR BSENT  BSENT  BSENT BSENT BSENT BSENT BSENT BSENT	gms%	10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++) < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK  DIPSTICK  BIOCHEMISTRY  DIPSTICK
Appearance Protein  Sugar  Ketone Bile Salts Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution)	BSENT  BSENT  BSENT  BSENT  BSENT  BSENT	gms%	10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++) < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK  BIOCHEMISTRY  DIPSTICK
Sugar  Ketone Bile Salts Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution)	BSENT  BSENT  BSENT  BSENT  BSENT  BSENT	gms%	10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++) < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK  BIOCHEMISTRY  DIPSTICK
Ketone Bile Salts Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution)	BSENT BSENT BSENT BSENT		40-200 (++) 200-500 (+++) > 500 (++++) < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	BIOCHEMISTRY
Ketone Bile Salts Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution)	BSENT BSENT BSENT BSENT		200-500 (+++) > 500 (++++) < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	BIOCHEMISTRY
Ketone Bile Salts Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution)	BSENT BSENT BSENT BSENT		> 500 (++++) < 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	BIOCHEMISTRY
Ketone Bile Salts Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution)	BSENT BSENT BSENT BSENT		< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	BIOCHEMISTRY
Ketone Bile Salts Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution)	BSENT BSENT BSENT BSENT		0.5-1.0 (++) 1-2 (+++) > 2 (++++)	BIOCHEMISTRY
Bile Salts Bile Pigments A Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution) A A A A A A A A A A A A A A A A A A A	BSENT BSENT BSENT	mg/dl	1-2 (+++) > 2 (++++)	DIPSTICK
Bile Salts Bile Pigments A Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution) A A A A A A A A A A A A A A A A A A A	BSENT BSENT BSENT	mg/dl	> 2 (++++)	DIPSTICK
Bile Salts Bile Pigments A Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution) A A A A A A A A A A A A A A A A A A A	BSENT BSENT BSENT	mg/dl		DIPSTICK
Bile Salts Bile Pigments A Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution) A A A A A A A A A A A A A A A A A A A	BSENT BSENT BSENT	Tilg/ di	0.1-3.0	DIPSTICK
Bile Pigments  Bilirubin  Leucocyte Esterase  Urobilinogen(1:20 dilution)	ABSENT ABSENT			
Bilirubin A Leucocyte Esterase A Urobilinogen(1:20 dilution)	BSENT		The second second	
Leucocyte Esterase A Urobilinogen(1:20 dilution) A				
Urobilinogen(1:20 dilution)	DOLLIN			DIPSTICK
	BSENT			Birottok
Nitrite	BSENT			DIPSTICK
	BSENT			DIPSTICK
Microscopic Examination:				
•	-2/h.p.f			MICROSCOPIC
Epithenal della	2/11.ρ.1			EXAMINATION
Pus cells 1-	-2/h.p.f			
	BSENT			MICROSCOPIC
				EXAMINATION
Cast	BSENT			
Crystals	BSENT			MICROSCOPIC
				EXAMINATION
Others	BSENT			
Urine Microscopy is done on centrifuged urine sedim	ent			

Sugar, Fasting stage

**ABSENT** 

gms%







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHAEERA BANO HASBANI -110511

INITS. STIALLINA DANO HASDANI - 1100

Registered On Collected : 17/Feb/2024 09:05:21 : 17/Feb/2024 14:20:35

Age/Gender UHID/MR NO : 33 Y 6 M 5 D /F : ALDP.0000135080

Received

: 17/Feb/2024 14:22:45

Visit ID

: ALDP0364862324

Reported

: 17/Feb/2024 15:04:37

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

# **DEPARTMENT OF CLINICAL PATHOLOGY**

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

# **Interpretation:**

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

# SUGAR, PP STAGE \* , Urine

Sugar, PP Stage

**ABSENT** 

# **Interpretation:**

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

AS\_

Dr. Akanksha Singh (MD Pathology)

Page 8 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHAEERA BANO HASBANI -110511 : 17/Feb/2024 09:05:23 Registered On Age/Gender Collected : 33 Y 6 M 5 D /F : 17/Feb/2024 09:21:32 UHID/MR NO : ALDP.0000135080 Received : 17/Feb/2024 09:56:35 Visit ID : ALDP0364862324 Reported : 17/Feb/2024 14:26:56

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

#### DEPARTMENT OF IMMUNOLOGY

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	197.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	10.80	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.900	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
. •		0.3-4.5 μIU/n	nL First Trimes	ter
		0.5-4.6 μIU/n	nL Second Trin	nester
		0.8-5.2 μIU/n	nL Third Trime	ster
		0.5-8.9 μIU/n	nL Adults	55-87 Years
		0.7-27 μIU/n	nL Premature	28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	- 20 Yrs.)
		1-39 μIU.	/mL Child	0-4 Days
		1.7-9.1 μIU/n		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 9 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHAEERA BANO HASBANI -110511 Registered On : 17/Feb/2024 09:05:26

 Age/Gender
 : 33 Y 6 M 5 D /F
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000135080
 Received
 : N/A

Visit ID : ALDP0364862324 Reported : 17/Feb/2024 15:15:06

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

#### **DEPARTMENT OF X-RAY**

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### X-RAY DIGITAL CHEST PA \*

# X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS,DMRE)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHAEERA BANO HASBANI -110511 : 17/Feb/2024 09:05:28 Registered On

Age/Gender : 33 Y 6 M 5 D /F Collected : N/A UHID/MR NO : ALDP.0000135080 Received : N/A

Visit ID : ALDP0364862324 Reported : 17/Feb/2024 10:43:14

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

#### DEPARTMENT OF ULTRASOUND

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

# **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

LIVER: - Normal in size (10.9 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: - Well distended, walls are normal. No e/o calculus / focal mass lesion/pericholecystic fluid.

**CBD**:- Normal in calibre at porta.

**PORTAL VEIN**: - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

**SPLEEN**: - Normal in size, shape and echogenicity.

**RIGHT KIDNEY**: - Normal in size (9.2 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size (10.2 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER:** Normal in shape, outline and distension. No e/o wall thickening / calculus.

**UTERUS:** Anteverted, and is normal in size (8.8 x 3.6 x 4.2 cm vol - 70.7 cc). No focal myometrial lesion seen. Endometrium is normal in thickness (8.9 mm).

**OVARIES**:- Bilateral ovaries shows multiple small sized follicles arranged peripherally with central echogenic stroma suggestive of polycystic ovarian disease.

**ADNEXA:** No obvious adnexal pathology

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

**IMPRESSION**: Bilateral polycystic ovarian disease.

**t**ate clinically.

**End Of Report** 

**EXAMINATION** 

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open \*Facilities Available at Select Location

Page 11 of 11



