# VIONESO ALIBORADO NO ESPERIM

Address:

SOSOTS - Aleaber A TERLU house, Sumerpur, Hamirpur, Sumerpur, New to small power S/O. Ram Prakash Shirhare, Baruwa

handan Diagnostic Centr 34/22, Karachi Khana Mall Road, Kanpur

Dr. K.C. BHARADWAJ M.B.B.S. D CARD Reg. No. 32749

,रपृर्फड़

उसर यहता - 510205

, रिए मिर्स के पास, सुसेरपुर,

बरबा मुभेरपुर, छोटा पाबर

अस्मियाः शम अक्षांश विविह


TPP

4098 8829 5483

dhaar-Aam Admi Ka

4098 8829 5483





रोहित शिवहरे Rohit Shivhare

भारत संस्कार

Papiri de formour Day







Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.ROHIT SHIVHARE Registered On : 17/Mar/2024 12:35:25 Age/Gender Collected : 17/Mar/2024 13:17:22 : 31 Y 2 M 26 D /M UHID/MR NO : IKNP.0000032770 Received : 18/Mar/2024 10:20:17 Visit ID : IKNP0091262324 Reported : 18/Mar/2024 13:29:12

Ref Doctor : Dr.MediWheel Knp - Status : Final Report

#### **DEPARTMENT OF HAEMATOLOGY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Rh ( Anti-D)  POSITIVE  RETYTHROCYTE MAGNETIZED TECHNOLOGY / T AGGLUTINA  Complete Blood Count (CBC) ** , Whole Blood  Haemoglobin  13.90  g/dl 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-10.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-10.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-10.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-10.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-10.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-10.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female-	Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group					
Rh (Anti-D) POSITIVE  Rh (Anti-D) POSITIVE  Rh (Anti-D) POSITIVE  Rh (Anti-D) POSITIVE  RAGGLUTINA  ERYTHROCYTE MAGNETIZED TECHNOLOGY / TA AGGLUTINA  Complete Blood Count (CBC) ** , Whole Blood  Ramoglobin  13.90  9/dl 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 13.5-17.5	Blood Group (ABO & Rh typing) ** ,	Blood			
Rh (Anti-D)  POSITIVE  MAGNETIZED TECHNOLOGY / T AGGLUTINA  Complete Blood Count (CBC) ** , Whole Blood  Haemoglobin  13.90  9/dl 1 Day-14.5-22.5 g/dl 1 Mk- 13.5-19.5 g/dl 1 Mk- 13.5-19.5 g/dl 0 5-2 Yr- 10.5-13.5 g/dl 1 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 12.0-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl EECTRONIC IMPEDA  DLC  Polymorphs (Neutrophils)  56.00  6 55-70  ELECTRONIC IMPEDA Lymphocytes 34.00  6 25-40  ELECTRONIC IMPEDA Monocytes 7.00  6 3-5  ELECTRONIC IMPEDA Eosinophils 3.00  6 1-6  ELECTRONIC IMPEDA Ess  Observed 16.00  Mm for 1st hr. 9  PCV (HCT) 42.00  Mm for 1st hr. 9  PCV (HCT) 42.00  Mm for 1st hr. 9  Patelet count	Blood Group	А			MAGNETIZED TECHNOLOGY / TUBE
Haemoglobin   13.90   g/dl   1 Day- 14.5-22.5 g/dl   1 Wk- 13.5-19.5 g/dl   1 Wk- 13.5-19.5 g/dl   1 Mo- 10.0-18.0 g/dl   3-6 Mo- 9.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 11.5-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/	Rh ( Anti-D)	POSITIVE			ERYTHROCYTE  MAGNETIZED  TECHNOLOGY / TUBE
Haemoglobin   13.90   g/dl   1 Day- 14.5-22.5 g/dl   1 Wk- 13.5-19.5 g/dl   1 Wk- 13.5-19.5 g/dl   1 Mo- 10.0-18.0 g/dl   3-6 Mo- 9.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 11.5-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/	Complete Blood Count (CBC) ** , Wh	ole Blood			
DLC           Polymorphs (Neutrophils )         56.00         % 55-70         ELECTRONIC IMPEDA           Lymphocytes         34.00         % 25-40         ELECTRONIC IMPEDA           Monocytes         7.00         % 3-5         ELECTRONIC IMPEDA           Eosinophils         3.00         % 1-6         ELECTRONIC IMPEDA           Basophils         0.00         % < 1	Haemoglobin	13.90		1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	ELECTRONIC IMPEDANCE
Lymphocytes         34.00         %         25-40         ELECTRONIC IMPEDA           Monocytes         7.00         %         3-5         ELECTRONIC IMPEDA           Eosinophils         3.00         %         1-6         ELECTRONIC IMPEDA           Basophils         0.00         %         <1		0,100.00	7 GG 111111	1000 10000	ELECTRONIC IVII EDANCE
Corrected         10.00         Mm for 1st hr. < 9           PCV (HCT)         42.00         % 40-54           Platelet count         **         **	Lymphocytes Monocytes Eosinophils Basophils	34.00 <b>7.00</b> 3.00	% % %	25-40 3-5 1-6	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
PCV (HCT) 42.00 % 40-54 <b>Platelet count</b>	Observed	16.00	Mm for 1st hr.		
Platelet count					
		42.00	%	40-54	
	Platelet Count	1.50	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
	PDW (Platelet Distribution width)	16.70	, fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio) 58.00 % 35-60 ELECTRONIC IMPEDA	P-LCR (Platelet Large Cell Ratio)	58.00	%	35-60	ELECTRONIC IMPEDANCE









Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.ROHIT SHIVHARE Registered On : 17/Mar/2024 12:35:25 Age/Gender : 31 Y 2 M 26 D /M Collected : 17/Mar/2024 13:17:22 UHID/MR NO Received : IKNP.0000032770 : 18/Mar/2024 10:20:17 Visit ID : IKNP0091262324 Reported : 18/Mar/2024 13:29:12 Ref Doctor : Dr.MediWheel Knp -Status : Final Report

#### **DEPARTMENT OF HAEMATOLOGY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.15	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.32	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	99.30	fl	80-100	CALCULATED PARAMETER
MCH	32.10	pg	28-35	CALCULATED PARAMETER
MCHC	32.40	%	30-38	CALCULATED PARAMETER
RDW-CV	14.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	53.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,416.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	183.00	/cu mm	40-440	
RDW-CV RDW-SD Absolute Neutrophils Count	14.40 53.70 3,416.00	% fL /cu mm	11-16 35-60 3000-7000	ELECTRONIC IMPEDANCE

Dr. Surbhi Lahoti (M.D. Pathology)









Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.ROHIT SHIVHARE : 17/Mar/2024 12:35:26 Registered On Age/Gender : 31 Y 2 M 26 D /M Collected : 17/Mar/2024 15:57:57 UHID/MR NO : IKNP.0000032770 Received : 17/Mar/2024 15:58:09 Visit ID : IKNP0091262324 Reported : 17/Mar/2024 17:33:49 Ref Doctor Status : Dr.MediWheel Knp -: Final Report

**DEPARTMENT OF BIOCHEMISTRY** 

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING , Plasma				
Glucose Fasting	96.50	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP	122.80	mg/dl	<140 Normal	<b>GOD POD</b>
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Dr. Seema Nagar(MD Path)

Page 3 of 11









Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.ROHIT SHIVHARE : 17/Mar/2024 12:35:27 Registered On Age/Gender : 31 Y 2 M 26 D /M Collected : 17/Mar/2024 13:17:22 UHID/MR NO : IKNP.0000032770 Received : 18/Mar/2024 12:43:25 Visit ID : IKNP0091262324 Reported : 18/Mar/2024 15:15:30 Ref Doctor : Dr.MediWheel Knp -Status : Final Report

#### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
CLYCOON ATER HAFACOLORIN (URAGO) ++					

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*\* , EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.80	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	40.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	119	mg/dl	

#### **Interpretation:**

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy







<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Ph: 9235432757,

CIN: U85110DL2003LC308206



Registered On Patient Name : Mr.ROHIT SHIVHARE : 17/Mar/2024 12:35:27 Age/Gender : 31 Y 2 M 26 D /M Collected : 17/Mar/2024 13:17:22 UHID/MR NO : IKNP.0000032770 Received : 18/Mar/2024 12:43:25 Visit ID : IKNP0091262324 Reported : 18/Mar/2024 15:15:30 Ref Doctor : Dr.MediWheel Knp -

Status : Final Report

#### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Unit **Test Name** Result Bio. Ref. Interval Method

c. Alcohol toxicity d. Lead toxicity



Dr. Anupam Singh (MBBS MD Pathology)







<sup>\*</sup>Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

<sup>\*</sup>Pregnancy d. chronic renal failure. Interfering Factors:

<sup>\*</sup>Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Add: 24/22,Vrindawan Bhawan,Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.ROHIT SHIVHARE Registered On : 17/Mar/2024 12:35:27 Age/Gender Collected : 17/Mar/2024 13:17:21 : 31 Y 2 M 26 D /M UHID/MR NO : IKNP.0000032770 Received : 17/Mar/2024 13:17:35 Visit ID : IKNP0091262324 Reported : 17/Mar/2024 14:58:46 Ref Doctor : Dr.MediWheel Knp -Status : Final Report

#### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) * Sample:Serum	7.30	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.69	mg/dl	0.6-1.30	MODIFIED JAFFES
<b>Uric Acid</b> Sample:Serum	6.21	· mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	24.30	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	30.80	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	70.40	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.90	gm/dl	6.2-8.0	BIURET
Albumin	3.81	gm/dl	3.4-5.4	B.C.G.
Globulin	3.09	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.23		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	108.00	U/L	42.0-165.0.	IFCC METHOD
Bilirubin (Total)	1.29	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.36	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.93	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	248.00	mg/dl	<200 Desirable 200-239 Borderline Higl > 240 High	CHOD-PAP 1
HDL Cholesterol (Good Cholesterol)	80.40	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	88	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima	
			130-159 Borderline Higl 160-189 High > 190 Very High	n
VLDL	79.28	mg/dl <sub>,</sub>	10-33	^ / /
Triglycerides	396.40	mg/dl	< 150 Normal 150-199 Borderline Higl 200-499 High	y
			>500 Very High	Dr. Seema Nagar(MD Path)









Add: 24/22,Vrindawan Bhawan,Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.ROHIT SHIVHARE Registered On : 17/Mar/2024 12:35:26 Age/Gender Collected : 17/Mar/2024 13:17:22 : 31 Y 2 M 26 D /M UHID/MR NO : IKNP.0000032770 Received : 18/Mar/2024 11:33:39 Visit ID : IKNP0091262324 Reported : 18/Mar/2024 15:37:27

Ref Doctor : Dr.MediWheel Knp - Status : Final Report

### DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

RINE EXAMINATION, ROUTINE ** , Color Specific Gravity	<i>Urine</i> PALE YELLOW 1.020			
Color Specific Gravity	PALE YELLOW			
Color Specific Gravity	PALE YELLOW			
Specific Gravity				
•				
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			2 0101.
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
,	ABOLIVI	Tilg 70	10-40 (+)	Birottok
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
		1 1 X	> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT		1.50	
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
	·			<b>EXAMINATION</b>
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
UGAR, FASTING STAGE ** , Urine				
Sugar, Fasting stage	ABSENT	gms%		

#### **Interpretation:**









Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.ROHIT SHIVHARE Registered On : 17/Mar/2024 12:35:26 : 31 Y 2 M 26 D /M Age/Gender Collected : 17/Mar/2024 13:17:22 UHID/MR NO : IKNP.0000032770 Received : 18/Mar/2024 11:33:39 Visit ID : IKNP0091262324 Reported : 18/Mar/2024 15:37:27

Ref Doctor : Dr.MediWheel Knp - Status : Final Report

### DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

(+) < 0.5 (++) 0.5-1.0 (+++) 1-2 (++++) > 2



Bring

Dr. Anupam Singh (MBBS MD Pathology)









Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.ROHIT SHIVHARE : 17/Mar/2024 12:35:27 Registered On Age/Gender : 31 Y 2 M 26 D /M Collected : 17/Mar/2024 13:17:21 UHID/MR NO : IKNP.0000032770 Received : 18/Mar/2024 09:57:33 Visit ID : IKNP0091262324 Reported : 18/Mar/2024 13:21:21 Ref Doctor : Dr.MediWheel Knp -Status : Final Report

#### **DEPARTMENT OF IMMUNOLOGY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.51	ng/mL	<4.1	CLIA	

#### **Interpretation:**

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

#### THYROID PROFILE - TOTAL \*\*, Serum

T3, Total (tri-iodothyronine)	135.62	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.50	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.570	μIU/mL	0.27 - 5.5	CLIA

#### **Interpretation:**

0.3-4.5	μIU/mL	First Trimester				
0.5-4.6	μIU/mL	Second Trimester				
0.8 - 5.2	$\mu IU/mL$	Third Trimester				
0.5 - 8.9	μIU/mL	Adults	55-87 Years			
0.7 - 27	μIU/mL	Premature	28-36 Week			
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week			
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)			
1-39	$\mu IU/mL$	Child	0-4 Days			
1.7-9.1	μIU/mL	Child	2-20 Week			

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.









Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.ROHIT SHIVHARE : 17/Mar/2024 12:35:27 Registered On Age/Gender : 31 Y 2 M 26 D /M Collected : 17/Mar/2024 13:17:21 UHID/MR NO : IKNP.0000032770 Received : 18/Mar/2024 09:57:33 Visit ID : IKNP0091262324 Reported : 18/Mar/2024 13:21:21 Ref Doctor Status : Dr.MediWheel Knp -: Final Report

#### **DEPARTMENT OF IMMUNOLOGY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Bring

Dr. Anupam Singh (MBBS MD Pathology)

Page 10 of 11









Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.ROHIT SHIVHARE Registered On : 17/Mar/2024 12:35:28

 Age/Gender
 : 31 Y 2 M 26 D /M
 Collected
 : N/A

 UHID/MR NO
 : IKNP.0000032770
 Received
 : N/A

Visit ID : IKNP0091262324 Reported : 18/Mar/2024 19:13:47

Ref Doctor : Dr.MediWheel Knp - Status : Final Report

#### **DEPARTMENT OF X-RAY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

#### X-RAY DIGITAL CHEST PA \*

#### X- Ray Digital Chest P.A. View

- Lung fields are clear.
- Pleural spaces are clear.
- Both hilar shadows appear normal.
- Trachea and carina appear normal.
- Heart size within normal limits.
- Both the diaphragms appear normal.
- Soft tissues and Bony cage appear normal.

#### **IMPRESSION**

#### \* NO OBVIOUS DETECTABLE ABNORMALITY SEEN

\*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG, ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER), Tread Mill Test (TMT)



Bont

Dr Raveesh Chandra Roy (MD-Radio)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*Facilities Available at Select Location







#### **Chandan Diagnostic**




Age / Gender: 31/Male

Date and Time: 17th Mar 24 2:53 PM

Patient ID: IKNP0091262324

Patient Name: Mr.ROHIT SHIVHARE



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

AUTHORIZED BY

REPORTED BY




Dr. Charit MD, DM: Cardiology Dr Prashant S


63382

KMC 34384

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.







### DR. A.K. GUPTA

M.B.B.S., D.C.P., I.A.P.M., P.M.H.S. Ex Chief Medical Superintendent Senior Consultant

## **ASHMEE CARE**

ULTRASOUND CARDIO CENTRE

### 2D ECHO \* COLOUR DOPPLER \* ULTRASOUND \* TMT \* ECG

NAME OF PATIENT: MR.ROHIT SHIVHARE

AGE: 42 SEX: M

REF.BY: DR.C.D.C \*\*\*\*\*\*\*\* DATE: 17-03-2024

ULTRASOUND REPORT WHOLE ABDOMEN

LIVER

: LIVER IS ENLARGED IN SIZE 181.2MM WITH FATTY CHANGES GRADE 2ND NO

FOCAL LESION SEEN .THE INTRA-HEPATIC BILLIARY RADICALS ARE

NORMAL. THE HEPATIC VEINS ARE NORMAL.

PORTAL VIEN

NORMAL IN COURSE & CALIBER

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

GALL BLADDER

OPERATED

CBD

NORMAL IN COURSE & CALIBER.

**PANCREAS** 

NORMAL IN SIZE, SHAPE AND ECHO TEXTURE. PANCREATIC DUCT IS NORMAL IN

COURSE & CALIBER. NO FOCAL LESION SEEN.

RT. KIDNEY

NORMAL IN SIZE. POSITION AND AXIS. THE CORTICOMEDULLARY

DIFFERENTIATION IS WELL MAINTAINED. NO CALCULI / HYDRONEPHROSIS

LESION SEEN.

LT. KIDNEY

NORMAL IN SIZE. POSITION AND AXIS. THE CORTICOMEDULLARY

DIFFERENTIATION IS WELL MAINTAINED. NO CALCULUS/HYDRONEPHROSIS

LESION SEEN.

SPLEEN

SPLEEN IS NORMAL IN SIZE 119.0MM .SPLENIC VEIN IS NORMAL IN

DIAMETER.

U. BLADDER

NORMAL IN SIZE SHAPE AND OUTLINE. ITS WALL THICKNESS IS NORMAL NO

INTRALUMINAL MASS LESION/CALCULUS NOTED.RESIDUAL URINE VOLUME 4

ML

PROSTATE

PROSTATE IS NORMAL IN SIZE WEIGHT 24.6GMS

**IMPRESSION** 

HEPATOMEGALY WITH FATTY CHANGES GRADE 2ND

FILM & REPORT NOT VALID FOR MEDICO-LEGAL PURPOSE

DR. RACHIT GUPTA

Attending Cardiologist, MD (Physician) PG Diploma in Clinical Cardiology

PNDT Registration No- PNDT/REG/94/2012

SHOP NO.37/54, CAPITAL TOWER, MESTON ROAD, KANPUR NAGAR - 208001 ★ M.: 9307775184

Note: This report is to help clinician for better patient management. Discrepancies due to technical or typing errors should be reported within three days for correction. No compensation liability stands.