

Name	MR.GUDISE NAGA BABU	ID	MED112135463
Age & Gender	31Y/MALE	Visit Date	01/04/2024
Ref Doctor Name	MediWheel		



ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern.
 No evidence of focal lesion or intrahepatic biliary ductal dilatation.
 Hepatic and portal vein radicals are normal.

GALL BLADDER is partially distended.
PANCREAS has normal shape, size and uniform echopattern.
 No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.
KIDNEYS move well with respiration and have normal shape, size and echopattern.
 Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.9	1.9
Left Kidney	10.2	1.8

URINARY BLADDER show normal shape and wall thickness.
 It has clear contents.

PROSTATE shows normal shape, size and echopattern.
 No evidence of ascites.

IMPRESSION:

➤ **NO SIGNIFICANT ABNORMALITY DETECTED.**

CONSULTANT RADIOLOGISTS

DR. ANITHA ADARSH
 MB/MM

DR. MOHAN B

Name : Mr. GUDISE NAGA BABU

PID No. : MED112135463

Register On : 01/04/2024 10:53 AM

SID No. : 712410328

Collection On : 01/04/2024 11:14 AM

Age / Sex : 31 Year(s) / Male

Report On : 01/04/2024 5:25 PM

Type : OP

Printed On : 01/04/2024 8:08 PM

Ref. Dr : MediWheel



Investigation

Observed
Value

Unit

Biological
Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'A' 'Positive'

Remark: test to be confirmed y gel method



APPROVED BY

Name : Mr. GUDISE NAGA BABU
PID No. : MED112135463
SID No. : 712410328
Age / Sex : 31 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 01/04/2024 10:53 AM
Collection On : 01/04/2024 11:14 AM
Report On : 01/04/2024 5:25 PM
Printed On : 01/04/2024 8:08 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Monocytes (Blood/Impedance Variation & Flow Cytometry)	07	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	00	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.78	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.20	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.08	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.53	10 ³ / μ l	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.00	10 ³ / μ l	< 0.2
Platelet Count (EDTA Blood/Derived from Impedance)	283	10 ³ / μ l	150 - 450
MPV (Blood/Derived)	10.9	fL	7.9 - 13.7
PCT	0.31	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citratd Blood/Automated ESR analyser)	08	mm/hr	< 15



APPROVED BY

Name : Mr. GUDISE NAGA BABU
PID No. : MED112135463
SID No. : 712410328
Age / Sex : 31 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 01/04/2024 10:53 AM
Collection On : 01/04/2024 11:14 AM
Report On : 01/04/2024 5:25 PM
Printed On : 01/04/2024 8:08 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Oxidase / Peroxidase method)	206	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	159	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	43	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	131.2	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	31.8	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	163.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



APPROVED BY

Name : Mr. GUDISE NAGA BABU
PID No. : MED112135463
SID No. : 712410328
Age / Sex : 31 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 01/04/2024 10:53 AM
Collection On : 01/04/2024 11:14 AM
Report On : 01/04/2024 5:25 PM
Printed On : 01/04/2024 8:08 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.8		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--

Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	3.7		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---



APPROVED BY

Name : Mr. GUDISE NAGA BABU
PID No. : MED112135463
SID No. : 712410328
Age / Sex : 31 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 01/04/2024 10:53 AM
Collection On : 01/04/2024 11:14 AM
Report On : 01/04/2024 5:25 PM
Printed On : 01/04/2024 8:08 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.5	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: \geq 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control \geq 8.1 %

Estimated Average Glucose 111.15 mg/dl
(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glyceemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



APPROVED BY

Name : Mr. GUDISE NAGA BABU
 PID No. : MED112135463
 SID No. : 712410328
 Age / Sex : 31 Year(s) / Male
 Type : OP
 Ref. Dr : MediWheel

Register On : 01/04/2024 10:53 AM
 Collection On : 01/04/2024 11:14 AM
 Report On : 01/04/2024 5:25 PM
 Printed On : 01/04/2024 8:08 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

BUN / Creatinine Ratio	16.6		
Glucose Fasting (FBS) (Plasma - F/GOD- POD)	75	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Urine sugar, Fasting (Urine - F)	Nil		Nil
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	70	mg/dL	70 - 140

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Sugar (PP-2 hours) (Urine - PP)	Nil		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	10.6	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	1.1	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcysteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	7.0	mg/dL	3.5 - 7.2
---	-----	-------	-----------



APPROVED BY

Name : Mr. GUDISE NAGA BABU
PID No. : MED112135463
SID No. : 712410328
Age / Sex : 31 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 01/04/2024 10:53 AM
Collection On : 01/04/2024 11:14 AM
Report On : 01/04/2024 5:25 PM
Printed On : 01/04/2024 8:08 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total	1.13	ng/ml	0.7 - 2.04
-------------------------------	------	-------	------------

(Serum/Chemiluminescent Immunometric Assay (CLIA))

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total	10.53	Microg/dl	4.2 - 12.0
------------------------	-------	-----------	------------

(Serum/Chemiluminescent Immunometric Assay (CLIA))

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone)	8.308	μIU/mL	0.35 - 5.50
-----------------------------------	--------------	--------	-------------

(Serum/Chemiluminescent Immunometric Assay (CLIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 μIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



APPROVED BY

Name : Mr. GUDISE NAGA BABU
PID No. : MED112135463
SID No. : 712410328
Age / Sex : 31 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 01/04/2024 10:53 AM
Collection On : 01/04/2024 11:14 AM
Report On : 01/04/2024 5:25 PM
Printed On : 01/04/2024 8:08 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour (Urine/Physical examination)	Pale Yellow		Yellow to Amber
Volume (Urine/Physical examination)	15		ml
Appearance (Urine)	Clear		

CHEMICAL EXAMINATION

pH (Urine)	6.0		4.5 - 8.0
Specific Gravity (Urine/Dip Stick ó'Reagent strip method)	1.025		1.002 - 1.035
Protein (Urine/Dip Stick ó'Reagent strip method)	Negative		Negative
Glucose (Urine)	Nil		Nil
Ketone (Urine/Dip Stick ó'Reagent strip method)	Nil		Nil
Leukocytes (Urine)	Negative	leuco/uL	Negative
Nitrite (Urine/Dip Stick ó'Reagent strip method)	Nil		Nil
Bilirubin (Urine)	Negative	mg/dL	Negative
Blood (Urine)	Nil		Nil



APPROVED BY

Name : Mr. GUDISE NAGA BABU
PID No. : MED112135463
SID No. : 712410328
Age / Sex : 31 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 01/04/2024 10:53 AM
Collection On : 01/04/2024 11:14 AM
Report On : 01/04/2024 5:25 PM
Printed On : 01/04/2024 8:08 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Urobilinogen (Urine/Dip Stick ó"Reagent strip method)	Normal		Within normal limits
<u>Urine Microscopy Pictures</u>			
RBCs (Urine/Microscopy)	Nil	/hpf	NIL
Pus Cells (Urine/Microscopy)	1-3	/hpf	< 5
Epithelial Cells (Urine/Microscopy)	2-3	/hpf	No ranges
Others (Urine)	Nil		Nil



APPROVED BY

-- End of Report --

Name	MR.GUDISE NAGA BABU	ID	MED112135463
Age & Gender	31Y/MALE	Visit Date	01/04/2024
Ref Doctor Name	MediWheel		



2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	2.7cms
LEFT ATRIUM	:	2.7cms
LEFT VENTRICLE (DIASTOLE)	:	4.5cms
(SYSTOLE)	:	2.6cms
VENTRICULAR SEPTUM (DIASTOLE)	:	0.8cms
(SYSTOLE)	:	1.0cms
POSTERIOR WALL (DIASTOLE)	:	0.8cms
(SYSTOLE)	:	1.0cms
EDV	:	75ml
ESV	:	29ml
FRACTIONAL SHORTENING	:	36%
EJECTION FRACTION	:	64%
RVID	:	1.6cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' - 0.81m/s	A' - 0.35 m/s	NO MR
AORTIC VALVE	:	0.97m/s		NO AR
TRICUSPID VALVE	:	E' - 0.69m/s	A' - 0.30m/s	NO TR
PULMONARY VALVE	:	0.70m/s		NO PR

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.

Name	MR.GUDISE NAGA BABU	ID	MED112135463
Age & Gender	31Y/MALE	Visit Date	01/04/2024
Ref Doctor Name	MediWheel		



No regional wall motion abnormalities.

- Left Atrium : Normal.
- Right Ventricle : Normal.
- Right Atrium : Normal.
- Mitral valve : Normal, No mitral valve prolapse.
- Aortic valve : Normal, Trileaflet.
- Tricuspid valve : Normal.
- Pulmonary valve : Normal.
- IAS : Intact.
- IVS : Intact.
- Pericardium : No pericardial effusion.

IMPRESSION:

- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 64%.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS/ PERICARDIAL EFFUSION VEGETATION.**

DR. NIKHIL B
INTERVENTIONAL CARDIOLOGIST
 NB/mm

Name	Mr. GUDISE NAGA BABU	ID	MED112135463
Age & Gender	31Y/M	Visit Date	Apr 1 2024 10:53AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.



DR. MOHAN. B
(DMRD, DNB, EDIR, FELLOW IN CARDIAC
MRI)
CONSULTANT RADIOLOGIST

Name	Mr. GUDISE NAGA BABU	ID	MED112135463
Age & Gender	31Y/M	Visit Date	Apr 1 2024 10:53AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.



DR. MOHAN. B
(DMRD, DNB, EDIR, FELLOW IN CARDIAC
MRI)
CONSULTANT RADIOLOGIST

Name	Mr. GUDISE NAGA BABU	ID	MED112135463
Age & Gender	31Y/M	Visit Date	Apr 1 2024 10:53AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.



DR. MOHAN. B
(DMRD, DNB, EDIR, FELLOW IN CARDIAC
MRI)
CONSULTANT RADIOLOGIST

Name	Mr. GUDISE NAGA BABU	ID	MED112135463
Age & Gender	31Y/M	Visit Date	Apr 1 2024 10:53AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.



DR. MOHAN. B
(DMRD, DNB, EDIR, FELLOW IN CARDIAC
MRI)
CONSULTANT RADIOLOGIST