
SUBURBAN DIAGNOSTICS - KALINA, SANTACRUZ EAST



Patient Name: GEDELA RAJESH

Date and Time: 24th Feb 24 12:17 PM

2405522559 Patient ID:



31 Age years months days

Gender Male

Heart Rate 66bpm

Patient Vitals

110/80 mmHg

Weight: 68 kg 171 cm

Pulse: NA

Spo2: NA NA

Measurements

QRSD: 84ms QT: 406ms QTcB: 425ms PR: 118ms

P-R-T: 40° -4° 14°

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY



Dr Naveed Sheikh PGDCC 2016/11/4694

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : MR.GEDELA RAJESH

Age / Gender :31 Years / Male

Consulting Dr. Collected :24-Feb-2024 / 10:32 Reported Reg. Location : Kalina, Santacruz East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:24-Feb-2024 / 12:01

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete	Blood Count),	Blood
<u>RESULTS</u>	<u>BIOLOG</u>	ICAL REF

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	15.8	13.0-17.0 g/dL	Spectrophotometric
RBC	5.76	4.5-5.5 mil/cmm	Elect. Impedance
PCV	48.3	40-50 %	Calculated
MCV	83.9	81-101 fl	Measured
MCH	27.4	27-32 pg	Calculated
MCHC	32.7	31.5-34.5 g/dL	Calculated
RDW	14.2	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6780	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS		
Lymphocytes	29.0	20-40 %	
Absolute Lymphocytes	1950	1000-3000 /cmm	Calculated
Monocytes	8.7	2-10 %	
Absolute Monocytes	590	200-1000 /cmm	Calculated
Neutrophils	60.0	40-80 %	
Absolute Neutrophils	4050	2000-7000 /cmm	Calculated
Eosinophils	2.0	1-6 %	
Absolute Eosinophils	140	20-500 /cmm	Calculated
Basophils	0.3	0.1-2 %	
Absolute Basophils	20	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	180000	150000-410000 /cmm	Elect. Impedance
MPV	10.2	6-11 fl	Measured
PDW	19.3	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia Microcytosis



Name : MR.GEDELA RAJESH

Age / Gender : 31 Years / Male

Consulting Dr. : - Collected : 24-Feb-2024 / 10:32

Reg. Location: Kalina, Santacruz East (Main Centre) Reported: 24-Feb-2024 / 12:50

Macrocytosis

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 3 2-15 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- · The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 11



Name : MR.GEDELA RAJESH

Age / Gender : 31 Years / Male

Consulting Dr. :

Reg. Location

: Kalina, Santacruz East (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 24-Feb-2024 / 10:32 : 24-Feb-2024 / 12:34

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	85.0	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	99.8	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.95	0.3-1.2 mg/dl	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.30	0-0.3 mg/dl	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.65	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.6	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.6	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	3.0	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
SGOT (AST), Serum	36.8	<34 U/L	Modified IFCC
SGPT (ALT), Serum	52.5	10-49 U/L	Modified IFCC
GAMMA GT, Serum	42.4	<73 U/L	Modified IFCC
ALKALINE PHOSPHATASE, Serum	65.4	46-116 U/L	Modified IFCC
BLOOD UREA, Serum	19.5	19.29-49.28 mg/dl	Calculated
BUN, Serum	9.1	9.0-23.0 mg/dl	Urease with GLDH
CREATININE, Serum	0.88	0.73-1.18 mg/dl	Enzymatic
	GLUCOSE (SUGAR) FASTING, Fluoride Plasma GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R BILIRUBIN (TOTAL), Serum BILIRUBIN (DIRECT), Serum TOTAL PROTEINS, Serum ALBUMIN, Serum GLOBULIN, Serum A/G RATIO, Serum SGOT (AST), Serum SGOT (AST), Serum ALKALINE PHOSPHATASE, Serum BLOOD UREA, Serum BUN, Serum	GLUCOSE (SUGAR) FASTING, Fluoride Plasma GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R BILIRUBIN (TOTAL), Serum 0.95 BILIRUBIN (DIRECT), Serum 0.30 BILIRUBIN (INDIRECT), Serum 0.65 TOTAL PROTEINS, Serum 7.6 ALBUMIN, Serum 4.6 GLOBULIN, Serum 3.0 A/G RATIO, Serum 1.5 SGOT (AST), Serum 36.8 SGPT (ALT), Serum 42.4 ALKALINE PHOSPHATASE, 65.4 Serum 19.5 BUN, Serum 9.1	GLUCOSE (SUGAR) FASTING, Fluoride Plasma 85.0 Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R 99.8 Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl BILIRUBIN (TOTAL), Serum 0.95 0.3-1.2 mg/dl BILIRUBIN (DIRECT), Serum 0.30 0-0.3 mg/dl BILIRUBIN (INDIRECT), Serum 0.65 <1.2 mg/dl

Note: Kindly note in change in reference range w.e.f. 07-09-2023



Name : MR.GEDELA RAJESH

Age / Gender :31 Years / Male

Consulting Dr.

Reg. Location

: Kalina, Santacruz East (Main Centre)

Collected

:24-Feb-2024 / 15:32

Use a QR Code Scanner Application To Scan the Code

Calculated

Authenticity Check

Reported :24-Feb-2024 / 19:21

eGFR, Serum 118 (ml/min/1.73sqm)

Normal or High: Above 90 Mild decrease: 60-89

Mild to moderate decrease: 45-

Moderate to severe decrease:30

-44

Severe decrease: 15-29 Kidney failure:<15

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

URIC ACID, Serum 7.9 3.7-9.2 mg/dl

Uricase/ Peroxidase

Urine Sugar (Fasting) Absent Urine Ketones (Fasting)

Absent

Absent

Absent

Absent

Urine Sugar (PP) Urine Ketones (PP) Absent Absent

Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Dr.ANUPA DIXIT M.D.(PATH)

Consultant Pathologist & Lab Director

Page 4 of 11



Name : MR.GEDELA RAJESH

Age / Gender : 31 Years / Male

Consulting Dr. : - Collected : 24-Feb-2024 / 10:32

Reg. Location: Kalina, Santacruz East (Main Centre) Reported: 24-Feb-2024 / 12:38

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin 5.8 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 119.8 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- · HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.NAMRATA RAUL M.D (Biochem) Biochemist

Page 5 of 11



Name : MR.GEDELA RAJESH

Age / Gender : 31 Years / Male

Consulting Dr. : - Collected : 24-Feb-2024 / 10:32

Reg. Location : Kalina, Santacruz East (Main Centre) Reported :24-Feb-2024 / 18:55

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE EXAMINATION OF FAECES

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
CHEMICAL EXAMINATION			
Reaction (pH)	Acidic (6.5)	-	pH Indicator
Occult Blood	Absent	Absent	Guaiac
MICROSCOPIC EXAMINATION			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Absent	Absent	-
Undigested Particles	Present ++	-	-
Concentration Method (for ova)	No ova detected	Absent	-
Reducing Substances	-	Absent	Benedicts

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Page 6 of 11



Name : MR.GEDELA RAJESH

Age / Gender : 31 Years / Male

Consulting Dr. : - Collected : 24-Feb-2024 / 10:32
Reg. Location : Kalina, Santacruz East (Main Centre) Reported : 24-Feb-2024 / 18:55



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale Yellow	Pale Yellow	-
Reaction (pH)	6.5	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u>I</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl, 2+ =75 mg/dl, 3+ = 150 mg/dl, 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 7 of 11



Name : MR.GEDELA RAJESH

Age / Gender : 31 Years / Male

Consulting Dr. : - Collected : 24-Feb-2024 / 10:32

Reg. Location: Kalina, Santacruz East (Main Centre) Reported: 24-Feb-2024 / 13:53

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP B

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- · ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 8 of 11



Name : MR.GEDELA RAJESH

Age / Gender : 31 Years / Male

Consulting Dr. : -

Reg. Location : Kalina, Santacruz East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 24-Feb-2024 / 10:32 : 24-Feb-2024 / 14:07

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	149.8	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	143.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	34.3	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	115.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	86.9	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	28.6	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.5	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist



Name : MR.GEDELA RAJESH

Age / Gender : 31 Years / Male

Consulting Dr. :-

Reg. Location : Kalina, Santacruz East (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 24-Feb-2024 / 10:32

:24-Feb-2024 / 12:32

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.9	3.5-6.5 pmol/L	CLIA
Free T4, Serum	16.1	11.5-22.7 pmol/L	CLIA
sensitiveTSH, Serum	2.271	0.55-4.78 microIU/ml	CLIA



Name : MR.GEDELA RAJESH

Age / Gender : 31 Years / Male

Consulting Dr. : - Collected : 24-Feb-2024 / 10:32

Reg. Location : Kalina, Santacruz East (Main Centre) Reported :24-Feb-2024 / 12:32

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid, TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 11 of 11



805 XX 2768

GH.

Dr. D.G. HATALKAR R.No. 61067 M.D. (Ob.Gy) SIALT. OF

Suburban Diagnostics (I) Pvt. Ltd. 1st Floor, Harbhajan, Above HDFC Bank, Opp. Hala Petrol Pump, Kalina, CST Road. Santacruz (East), Tel. No. 022-61700000

Suburban Diagnostics Kalina

Patient Details

Date: 24-Feb-24

Name: MR. GEDELA RAJESH ID: 2405522559

Time: 1:13:23 PM

Aggi 31 y



Height: 171 cmg

Weight 68 Kgs

Clinical History:

Routine Test

Medications:

NONE

Test Details

Protocol: Bruce

Total Exec. Time: 8 m 21 s

Pr.MHR: 18

189 bpm

Max. HR: 161 (85% of Pr.MHR)bpm

THR: 160 (85 % of Pr.MHR) bpm

Max. Mets: 10.20

Max. BP: 160 / 80 mmHg

Max. BP x HR:

25760 mmHg/min

Min. BP x HR:


5040 mmHg/min

Test Termination Criteria:

Target HR attained

Protocol Details

Stage Name	Stage Time	Mets	Speed	Grade	Heart	Max. BP	Max. ST	Max. ST
	(min : sec)		(mph)	(%)	Rate (bpm)	(mm/Hg)	Level (mm)	Slope (mV/s)
Supine	0:21	1.0	0	0	64	110 / 80	-1.49 aVR	2.12 V2
Standing	0:15	1.0	0	0	64	110 / 80	-1.70 aVR	2.48 V2
Hyperventilation	0:22	1.0	0	0	63	110 / 80	-1.27 aVR	2.48 V2
1	3:0	4.6	1.7	10	114	130 / 80	-2.34 aVR	3.54 V2
2	3:0	7.0	2.5	12	135	140 / 80	-1.91 aVR	3.54 II
Peak Ex	2:21	10.2	3.4	14	161	160 / 80	-1.49 aVR	4.95 V2
Recovery(1)	2:0	1.8	1	0	107	140 / 80	-1.91 aVR	5.66 V2
Recovery(2)	2:0	1.0	0	0	94	130 / 80	-1.49 aVR	2.83 II
Recovery(3)	1:27	1.0	0	0	93	110/80	-1.27 aVR	1.77 11



Suburban Diagnostics Kalina

1:13:23 PM

Patient Details Date: 24-Feb-24 Time:

Name: MR. GEDELA RAJESH ID: 2405522559

Age: 31 y Sex: M Height: 171 cms Weight: 68 Kgs

Interpretation

AVERAGE EFFORT TOLEREANCE NORMAL HEART RATE RESPONSE NORMAL BLOOD PRESSURE RESPONSE NO ANGINA/ANGINA EQUIVALENTS NO ARRTHYMIAS

NO SIGNIFICANT ST-T CHANGES NOTED AS COMPARED TO BASELINE

ECG

IMPRESSION: STRESS TEST IS NEGATIVE FOR INDUCIBLE ISCHAEMIA

Disclaimer: Negative stress test does not rule out Coronary Artery Disease Positive stress test is suggestive but not confirmatory of coronary artery

Hence clinical correlation is mandatory

Suburban Diagnostics (I) Pvt. Ltd. 1st Floor, Harbhajan, Above HDFC Bank, Opp. Hala Petrol Pump, Kalina, CST Road, Santacruz (East), Tel. No. 022-61700000

Ref. Doctor:

(Summary Report edited by user)



DR. SHEIKH NAVEED

MBBS/PGDCC

Clinical Cardiologist

Reg. No. 2016/11/4694

Doctor: NAVEED SHEIKH

Suburban Diagnostics Kalina ID: 2405522559 Da MR. GEDELA RAJESH (31 M) Date: 24-Feb-24 B.P: 110 / 80 Protocol: Bruce Stage: Supine Speed: 0 mph Grade: 0 % Exec Time : 0 m 0 s Stage Time | 0 m 15 \$ 1 III V3 aVR aVL aVF V1 V4 ST Level (mm) 0.8 -1.5 -0.2 0.7 -1.1 -0.4 aVL V2 2.1 0.0 2.8 1.1 0.0 2.5 0.4 ш aVF V3 0.8 1.5 2.1 0.4 0.7 1.8 0.0 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms J = R + 60 ms Post J = J + 60 ms Linked Median

Suburban Diagnostics Kalina
ID: 2405522559 Date
Stage: Standing Spec
Stage Time: 0 m 9 s HR:

Date: 24-Feb-24 B.P: 110 / 80 Speed: 0 mph Grade: 0 % HR: 62 bpm (THR: 160 bpm)




Chart Speed: 25 mm/sec Schiller Spandan V 4 51

MR. GEDELA RAJESH (31 M)

Protocol: Bruce

Exec Time : 0 m 0 s

Filter: 35 Hz lso = R - 60 ms J = R + 60 ms Mains Filt: ON Post J = J + 60 ms

Amp: 10 mm Linked Median

Suburban Diagnostics Kalina ID: 2405522559 Da MR. GEDELA RAJESH (31 M) Date: 24-Feb-24 B.P: 110 / 80 Protocol: Bruce Stage: Hyperventilation Speed: 0 mph Grade: 0 % Exec Time : 0 m 0 s Stage Time: 0 m 16 s HR: 65 bpm (THR: 160 bpm) 1 ٧1 Ш aVR aVL aVF ST Level (mm) 0.8 -1.5 -0.2 1.7 0.7 -0.7 -0.7 0.7 # aVL V2 V5 1.7 0.0 3.0 1.3 0.7 0.0 2.1 0.0 m V3 0.6 1.3 2.3 0.8 0.0 0.4 0.4 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Fift ON Amp: 10 mm Schiller Spandam V 4,51 Iso = R - 60 ms J=R + 50 ms Post J = J + 60 ms Linked Median

Suburban Diagnostics Kalina ID: 2405522559 Da MR. GEDELA RAJESH (31 M) Date: 24-Feb-24 B.P: 130 / 80 Protocol: Bruce Stage: 1 Speed: 1.7 mph Grade: 10 % Exec Time : 2 m 54 s Stage Time: 2 m 54 s HR: 114 bpm (THR: 160 bpm) III V3 aVR aVL aVF ST Level (mm) 1.1 -1.3 -0.2 1.4 -0.7 aVL V2 1.7 0.2 3.0 2.1 2.8 H aVF V3 0.6 1.1 2.3 1.3 0.7 1.8 1.1

Chart Speed: 25 mm/sec Schiller Spendar V 4.51

Filter: 35 Hz

J=R+60 ms A

Mains Filt: ON Post J = J + 60 ms Amp: 10 mm Linked Median

Suburban Diagnostics Kalina ID: 2405522559 Da MR. GEDELA RAJESH (31 M) Date: 24-Feb-24 B.P: 140 / 80 Protocol: Bruce Stage: 2 Speed: 2.5 mph Grade: 12 % Exec Time : 5 m 54 s Stage Time: 2 m 54 s HR: 134 bpm (THR: 160 bpm) III aVR aVL ST Level aVL 1.3 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spundam V 4.51 Iso = R - 60 ms J = R + 60 ms Post J = J = 60 mg Linked Median

Suburban Diagnostics Kalina ID: 2405522559 Da MR. GEDELA RAJESH (31 M) Date: 24-Feb-24 B.P: 160 / 80 Protocol: Bruce Stage: Peak Ex Speed: 3.4 mph Grade: 14 % Exec Time : 8 m 15 s Stage Time: 2 m 15 s HR: 161 bpm (THR: 160 bpm) Vt aVR aVL ST Level (mm) 1.5 -1.1 -0.6 0.4 -2.8 -1.4 ST Slope (mV/s) 11 aVL V2 8.0 1.1 3.0 0.2 4.6 V3 -0.8 0.2 1.3 0.4 2.1 2.5 1.8 Chart Speed: 25 mm/sec Filter 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 180 × R - 60 ms J = R + 60 ms Post J = J + 60 ms Linked Median

Suburban Diagnostics Kalina ID: 2405522559 Da MR. GEDELA RAJESH (31 M) Date: 24-Feb-24 B.P: 140 / 80 Protocol: Bruce Stage: Recovery(1) Speed: 1 mph Grade: 0 % Exec Time: 8 m 21 s Stage Time: 1 m 54 s HR: 105 bpm (THR: 160 bpm) V2 ш V3 aVR aVL aVF ST Level (mm) 1.1 -1.5 0.0 -2.1 -0.7 2.1 aVL V2 1.7 0.0 2.5 0.0 1.8 aVF V3 0.4 0.8 0,6 2.1 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms J = R + 60 ms Post J = J + 60 ms Linked Median

Suburban Diagnostics Kalina MR. GEDELA RAJESH (31 M) ID: 2405522559 Date: 24-Feb-24 B.P: 130 / 80 Protocol: Bruce Stage: Recovery(2) Speed: 0 mph Grade: 0 % Exec Time : 8 m 21 s Stage Time: 1 m 54 s HR: 94 bpm (THR: 160 bpm) ı V2 Ш V3 aVR aVL aVF 1 aVR ST Level (mm) 0.8 -0.8 0.0 1.1 -1.4 -0.4 1.1 11 aVL V2 1.3 0.0 1.5 0.0 0.7 m V3 0.2 0.6 0.7 0.7 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spanden V 4.51 Iso = R - 60 ms J=R+60.ma Post J = J + 60 ms Linked Median

Suburban Diagnostics Kalina ID: 2405522559 Da MR. GEDELA RAJESH (31 M) Date: 24-Feb-24 B.P: 110 / 80 Protocol: Bruce Stage: Recovery(3) Speed: 0 mph Grade: 0 % HR: 90 bpm (THR: 160 bpm) 11 V2 Ш V3 aVR aVL aVF ST Level (mm) 0.8 -1.1 0.0 0.7 -1.1 0.7 aVL V2 1.3 0.0 1.7 1.4 0.0 0.7 111 V3 0.2 8.0 0.6 0.4 1.1 0.7 Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 Iso = R - 60 ms J = R + 60 ms Post J = J + 60 ms Linked Median



Name : Mr GEDELA RAJESH

Age / Sex : 31 Years/Male

Ref. Dr Reg. Date : 24-Feb-2024

Reg. Location : Kalina, Santacruz East Main Centre Reported



R

 \mathbf{E}

Use a QR Code Scanner

Application To Scan the Code

: 24-Feb-2024/13:12

USG WHOLE ABDOMEN

LIVER:

The liver measures 15.9 cm, mild enlarge in size, is normal in shape and smooth margins. It shows bright parenchymal echo pattern.

The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis seen.

Right kidney measures: 9.9 x 4.4 cm. Left kidney measures: 10.4 x 4.7 cm.

There is single small 1.8 x 1.6 cm size cystic lesion seen at upper pole of left kidney.

SPLEEN:

The spleen is normal in size and echotexture. No evidence of focal lesion is noted.

There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size 3.3 x 2.6 x 2.4 cm and volume is 11.4 cc.



Name : Mr GEDELA RAJESH

Age / Sex : 31 Years/Male

Ref. Dr : Reg. Date : 24-Feb-2024

Reg. Location : Kalina, Santacruz East Main Centre Reported : 24-Feb-2024/13:12



Use a QR Code Scanner Application To Scan the Code

de Scanner Scan the Code

K T

R E

IMPRESSION:

Mild hepatomegaly with fatty Liver. Single small left renal cyst , probably s/o Bosniak cyst .

SUG -Correlate clinically.

-----End of Report-----

DR.ASHA DHAVAN MBBS; D.M.R.E CONSULTANT RADIOLOGIST



Name : Mr GEDELA RAJESH

Age / Sex : 31 Years/Male

Reg. Date Ref. Dr : 24-Feb-2024

Reg. Location : Kalina, Santacruz East Main Centre Reported : 24-Feb-2024/13:12



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

R

E



Name : Mr GEDELA RAJESH

Age / Sex : 31 Years/Male

Ref. Dr Reg. Date : 24-Feb-2024

: Kalina, Santacruz East Main Centre Reg. Location Reported

Authenticity Check

R \mathbf{E}

Application To Scan the Code

: 24-Feb-2024/15:36

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report------

DR.ASHA DHAVAN MBBS; D.M.R.E CONSULTANT RADIOLOGIST



Name : Mr GEDELA RAJESH

Age / Sex : 31 Years/Male

Ref. Dr

Reg. Location : Kalina, Santacruz East Main Centre

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 24-Feb-2024

Reported

: 24-Feb-2024/15:36