

Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:13-Jan-2024 / 09:13 :13-Jan-2024 / 13:21 E

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC ((Com	plete	Blood	Count)	<u>, Blood</u>

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	12.5	13.0-17.0 g/dL	Spectrophotometric
RBC	4.21	4.5-5.5 mil/cmm	Elect. Impedance
PCV	37.3	40-50 %	Measured
MCV	88	80-100 fl	Calculated
MCH	29.6	27-32 pg	Calculated
MCHC	33.5	31.5-34.5 g/dL	Calculated
RDW	14.0	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6780	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS		
Lymphocytes	41.1	20-40 %	
Absolute Lymphocytes	2786.6	1000-3000 /cmm	Calculated
Monocytes	6.6	2-10 %	
Absolute Monocytes	447.5	200-1000 /cmm	Calculated
Neutrophils	48.6	40-80 %	
Absolute Neutrophils	3295.1	2000-7000 /cmm	Calculated
Eosinophils	3.1	1-6 %	
Absolute Eosinophils	210.2	20-500 /cmm	Calculated
Basophils	0.6	0.1-2 %	
Absolute Basophils	40.7	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	158000	150000-400000 /cmm	Elect. Impedance
MPV	13.0	6-11 fl	Calculated
PDW	33.0	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia -Microcytosis -

Page 1 of 16



CID : 2401321516

Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. Collected : 13-Jan-2024 / 09:13 Reported :13-Jan-2024 / 14:38 Reg. Location : Kandivali East (Main Centre)

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY Megaplatelets seen on smear

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 30 2-15 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 16



Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location

: Kandivali East (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 13-Jan-2024 / 09:13 Reported : 13-Jan-2024 / 15:19

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	171.1	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	292.0	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.68	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.23	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.45	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	97.2	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	154.7	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	180.2	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	93.8	40-130 U/L	Colorimetric
BLOOD UREA, Serum	15.3	12.8-42.8 mg/dl	Kinetic
BUN, Serum	7.1	6-20 mg/dl	Calculated
CREATININE, Serum	0.79	0.67-1.17 mg/dl	Enzymatic



Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. :

eGFR, Serum

Reg. Location

: Kandivali East (Main Centre)

119

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Calculated

Collected : 13-Jan-2024 / 13:53

Reported :13-Jan-2024 / 17:15

(ml/min/1.73sqm)

Normal or High: Above 90 Mild decrease: 60-89

Mild to moderate decrease: 45-

59

Moderate to severe decrease:30

-44

Severe decrease: 15-29 Kidney failure: <15

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023


URIC ACID, Serum 7.0 3.5-7.2 mg/dl Enzymatic

Urine Sugar (Fasting)AbsentAbsentUrine Ketones (Fasting)AbsentAbsent

Urine Sugar (PP) ++ Absent
Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







CID : 2401321516

Name : MR.AKHILESH PANDEY

Age / Gender :35 Years / Male

Consulting Dr. : -

Reg. Location

: Kandivali East (Main Centre)



Use a OR Code Scanner Application To Scan the Code

: 13-Jan-2024 / 09:13 :13-Jan-2024 / 13:53

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

9.0 Non-Diabetic Level: < 5.7 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Collected

Reported

Estimated Average Glucose (eAG), EDTA WB - CC

211.6

mg/dl

Calculated

HPLC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***

> BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

> > Page 5 of 16



PARAMETER

CID : 2401321516

Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr.

: Kandivali East (Main Centre) Reg. Location



Use a QR Code Scanner Application To Scan the Code

:13-Jan-2024 / 09:13 :13-Jan-2024 / 16:46

Collected

Reported

BIOLOGICAL REF RANGE METHOD


AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **EXAMINATION OF FAECES**

TAKAMETEK	KLJOL 13	DIOLOGICAL INLI INAINGL	METHOD
PHYSICAL EXAMINATION			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
CHEMICAL EXAMINATION			
Reaction (pH)	Acidic (6.0)	-	pH Indicator
Occult Blood	Absent	Absent	Guaiac
MICROSCOPIC EXAMINATION			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Absent	Absent	-
Undigested Particles	Present +	-	-
		- 	
Concentration Method (for ova)	No ova detected	Absent	-
Reducing Substances	-	Absent	Benedicts

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **

RESULTS







CID : 2401321516

Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. : Kandivali East (Main Centre) Reg. Location



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:13-Jan-2024 / 09:13 :13-Jan-2024 / 15:43

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	50	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl, 2+ =100 mg/dl, 3+ =300 mg/dl, 4+ =1000 mg/dl)
- Ketone (1+ = 5 mg/dl, 2+ = 15 mg/dl, 3+ = 50 mg/dl, 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 7 of 16



Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location: Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

Application To Scan the Code

:13-Jan-2024 / 09:13 :13-Jan-2024 / 15:13

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP A

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) Pathologist

Page 8 of 16



Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 13-Jan-2024 / 09:13 :13-Jan-2024 / 17:00


AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	234.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	320.3	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	30.6	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	203.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	155.1	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	48.6	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	7.7	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	5.1	0-3.5 Ratio	Calculated

Note: LDL test is performed by direct measurement.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location

: Kandivali East (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 13-Jan-2024 / 09:13

Reported :13-Jan-2024 / 18:56

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.4	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	18.0	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	3.09	0.35-5.5 microIU/ml mIU/ml	ECLIA



Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. : - Collected : 13-Jan-2024 / 09:13

Reg. Location : Kandivali East (Main Centre) Reported : 13-Jan-2024 / 18:56



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist



Name : MR.AKHILESH PANDEY


Age / Gender : 35 Years / Male


Consulting Dr. :


Reg. Location: Kandivali East (Main Centre)





Use a QR Code Scanner Application To Scan the Code
















Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. :


Reg. Location : Kandivali East (Main Centre)




R


Use a QR Code Scanner Application To Scan the Code


HDL CHOLESTEROL







BLOOD UREA





CREATININE





Page 13 of 16



CID : 2401321516

Name : MR.AKHILESH PANDEY

: 35 Years / Male Age / Gender


Consulting Dr.

8

Reg. Location : Kandivali East (Main Centre)




Use a OR Code Scanner Application To Scan the Code







GLOBULIN




SGPT (ALT)




ALBUMIN



SGOT (AST)



ALKALINE PHOSPHATASE





Name : MR.AKHILESH PANDEY


Age / Gender : 35 Years / Male


Consulting Dr. : -

Reg. Location: Kandivali East (Main Centre)




Use a QR Code Scanner Application To Scan the Code






Glycosylated Hemoglobin (HbA1c)









Free T4

Free T3





13-Jan-2024

12-Nov-2022

Page 15 of 16

20

15

10

5

0

26-Feb-2022



Name : MR.AKHILESH PANDEY

Age / Gender : 35 Years / Male

Consulting Dr. :


Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

ode

sensitiveTSH





Date: - 13/1/24

CID: 240/32/576

R

R

E

Name: - Akhilesh Pandey

Sex/Age: 35 M

EYE CHECK UP

Chief complaints: №0

Systemic Diseases:

NO

Past history:

NO

Unaided Vision:

Aided Vision:

Refraction:

(Right Eye) (Left Eye)

			1					
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	-	-	-	616	-	1	7	6/6
Near			- Total	1016		-		NIG

Colour Vision: Normal Abnormal

Remark:

SUBURBAN STATE STATE STATE AND ANGEN, Thattur Visiage, (Candivall (east), Mumbal - 400101. Tel: 61700000

SUBURBAN DIAGNOSTICS - KANDIVALI EAST

PRECISE TESTING - HEALTHIER LIVING

Patient ID: Patient Name: AKHILESH PANDEY 2401321516

Date and Time: 13th Jan 24 10:33 AM

years months

Ε 25.0 mm/s 10.0 mm/mV aVF aVL **√**3 V2 VI 76 V5 V4 P-R-T Resp: PR: QTcB: QT: QRSD: Spo2: Pulse: Height: Weight Measurements Others Patient Vitals Heart Rate 52bpr Gender Male Age 35

X X 173 cm 75 kg 120/70 mml

Complete Heart Block with Nodal Rhythm. Please correlate clinically.

REPORTED BY

431ms 464ms 90ms

590 630 560

DR AKHIL PARULEKAR MBBS.MD. MEDICINE, DNB Cardiology Cardiologist 2012082483



PATIENT NAME: MR. Akhilesh Pandey	• SEX : MALE
• REFERRED BY : Arcofemi Healthcare Limited	AGE : 35 YEARS
• CID NO : 2401321516	• DATE: 13/01/2024

2D & M-MODE ECHOCARDIOGRAM REPORT COLOR FLOW DOPPLER REPORT

ECHO & DOPPLER FINDINGS:

- · No diastolic dysfunction seen at present.
- · Mild increase in the peak pressure gradient measured across the pulmonary valve to 17 mm Hg.
- · No regional wall motion abnormality seen at rest at present
- · No left ventricular hypertrophy seen.
- · All cardiac chambers appear normal in size.
- All cardiac valves show normal structure and physiological function
- · No significant stenosis nor regurgitation seen
- No defect seen in the inter ventricular and inter atrial septums.
- · No evidence of aneurysm / clots / vegetations/ effusion seen.
- TAPSE and MAPSE measured to 18 mm and 16 mm respectively.
- · Pulmonary acceleration time measured to normal range
- Visual estimation of LVEF of 60 %.

MEASUREMENTS:

IVS d (mm)	08	Ao (mm)	32
IVS s (mm)	15	LA (mm)	33
LVIDd (mm)	46	EPSS (mm)	02
LVIDs (mm)	26	EF SLOPE (ml/s)	70
Pwd (mm)	09	MV (mm)	14
Pws (mm)	14		

Conti....2



 PATIENT NAME: MR. Akhilesh Pandey 	SEX : MALE
REFERRED BY : Arcofemi Healthcare Limited	AGE : 35 YEARS
• CID NO : 2401321516	• DATE: 13/01/2024

DOPPLER: Mitral E / A

Mitral (m/s)	1.02	Aortic (m/s)	1.47
Tricuspid (m/s)	0.8	Pulmonary (m/s)	2.11

TDI

Septal e' =0.06 m/s

Lateral e' = 0.08 m/s

Septal a' = 0.06 m/s

Lateral a' = 0.07 m/s

Septal s' = 0.05 m/s

Lateral s' = 0.05 m/s

Dr. P. Bhatjiwale, M.D.

PG cert in Clinical Cardiology,

Fellowship in 2 D Echo & Doppler Studies

Reg. No 68857

NOTE :2D ECHO has a poor sensitivity in cases of angina pectoris and does not rule out CAD Adv: Please correlate clinically. TEE/ CMR/ CAG as indicated for precise valvular evaluation

----End of Report----



Authenticity Check



O

E

Use a OR Code Scanner Application To Scan the Cod€

: 13-Jan-2024 / 9:59

Reg. Date : 13-Jan-2024

Reported

: 35 Years/Male Age / Sex

Ref. Dr

Reg. Location : Kandivali East Main Centre

: 2401321516

: Mr Akhilesh Pandey

USG WHOLE ABDOMEN

LIVER:

CID

Name

The liver is enlarged in size (16.2 cm), normal in shape and smooth margins. It shows bright parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein (12 mm) and CBD (2.9 mm) appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen.

PANCREAS:

The pancreas is well visualized and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Right kidney measures 10.9 x 4.4 cm. Left kidney measures 10.6 x 5.7 cm. Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

SPLEEN:

The spleen is normal in size (10 cm) and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER: The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE: The prostate is normal in size and measures 3.4 x 2.7 x 2.7 cm and volume is 12.8 cc.

IMPRESSION:

HEPATOMEGALY WITH GRADE II FATTY LIVER.

-----End of Report-----

DR. Akash Chhari

MBBS, MD, Radio-Diagnosis Mumbai MMC REG NO - 2011/08/2862

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024011308342239



CID

: 2401321516

Name

: Mr Akhilesh Pandey

Age / Sex

Reg. Location

: 35 Years/Male

Ref. Dr

: Kandivali East Main Centre

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 13-Jan-2024

: 13-Jan-2024 / 12:51

X-RAY CHEST PA VIEW

Reg. Date

Reported

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

DR. Akash Chhari

MBBS. MD. Radio-Diagnosis Mumbai MMC REG NO - 2011/08/2862