
SUBURBAN DIAGNOSTICS - KALINA, SANTACRUZ EAST



Patient Name:ROHIT SINGHPatient ID:2406117046

Date and Time: 1st Mar 24 10:03 AM



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

Dr Naveed Sheikh PGDCC 2016/11/4694

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



CID	: 2406117046
Name	: MR.ROHIT SINGH
Age / Gender	: 34 Years / Male
Consulting Dr. Reg. Location	: - : Kalina, Santacruz East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

R

Е

P

0

R

т

Collected Reported

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	<u>CBC (Complete Blood Count), Blood</u>			
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	13.4	13.0-17.0 g/dL	Spectrophotometric	
RBC	4.94	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	41.1	40-50 %	Calculated	
MCV	83.1	81-101 fl	Measured	
MCH	27.2	27-32 pg	Calculated	
MCHC	32.7	31.5-34.5 g/dL	Calculated	
RDW	14.3	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	7580	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS			
Lymphocytes	16.6	20-40 %		
Absolute Lymphocytes	1250	1000-3000 /cmm	Calculated	
Monocytes	6.4	2-10 %		
Absolute Monocytes	490	200-1000 /cmm	Calculated	
Neutrophils	73.0	40-80 %		
Absolute Neutrophils	5500	2000-7000 /cmm	Calculated	
Eosinophils	3.7	1-6 %		
Absolute Eosinophils	280	20-500 /cmm	Calculated	
Basophils	0.3	0.1-2 %		
Absolute Basophils	20	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	201000	150000-410000 /cmm	Elect. Impedance
MPV	10.1	6-11 fl	Measured
PDW	19.8	11-18 %	Calculated
RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis	-		

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbal - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID

Name

Age / Gender

Consulting Dr.

Reg. Location

		Anthorn Michael Charles	-
		Authenticity Check	R
S S			E
HER LIVING			Р
: 2406117046			0
: MR.ROHIT SINGH			R
: 34 Years / Male		Use a QR Code Scanner Application To Scan the Code	т
: -	Collected	:01-Mar-2024 / 09:07	•
: Kalina, Santacruz East (Main Centre)	Reported	:01-Mar-2024 / 12:30	

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic,Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-
Specimen: EDTA Whole Blood	

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

2-15 mm at 1 hr.

Interpretation:

ESR, EDTA WB-ESR

Factors that increase ESR: Old age, Pregnancy, Anemia Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

3

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



C. Solut

Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) Pathologist

Sedimentation

Page 2 of 10



CID

Authenticity Check

R

E

P

0

R

т

Name : MR.ROHIT SINGH Age / Gender : 34 Years / Male Consulting Dr. : -Reg. Location : Kalina, Santacruz East (Main Centre)

:2406117046

Use a QR Code Scanner Application To Scan the Code Collected Reported

:01-Mar-2024 / 09:07 :01-Mar-2024 / 14:00

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE			
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	85.6	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	88.3	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.98	0.3-1.2 mg/dl	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.30	0-0.3 mg/dl	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.68	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.3	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.4	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
SGOT (AST), Serum	26.7	<34 U/L	Modified IFCC
SGPT (ALT), Serum	7.5	10-49 U/L	Modified IFCC
GAMMA GT, Serum	12.2	<73 U/L	Modified IFCC
ALKALINE PHOSPHATASE, Serum	98.4	46-116 U/L	Modified IFCC
BLOOD UREA, Serum	21.1	19.29-49.28 mg/dl	Calculated
BUN, Serum	9.9	9.0-23.0 mg/dl	Urease with GLDH
CREATININE, Serum	0.91	0.73-1.18 mg/dl	Enzymatic

Note: Kindly note in change in reference range w.e.f. 07-09-2023



CID Name	: 2406117046 : MR.ROHIT SINGH			
Age / Gender Consulting Dr. Reg. Location	: 34 Years / Male : - : Kalina, Santacruz East (Ma	ain Centre) Collected	• • • • • • • • • • • • •	т
eGFR, Serum	113	(ml/min/1.73sqm) Normal or High: Abo Mild decrease: 60-89 Mild to moderate de 59 Moderate to severe de -44 Severe decrease: 15 Kidney failure:<15	9 ecrease: 45- decrease:30	
Note: eGFR estir	nation is calculated using 2021 CKD	0-EPI GFR equation w.e.f 16-08-2023		
URIC ACID, Ser	rum 6.2	3.7-9.2 mg/dl	Uricase/ Peroxidase	
Urine Sugar (Fa Urine Ketones (•,	Absent Absent		
*Sample processe	ed at SUBURBAN DIAGNOSTICS (IND	IA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***		



Anto

Authenticity Check

R

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

Page 4 of 10



CID : 2406117046 Name : MR.ROHIT SINGH Age / Gender : 34 Years / Male Consulting Dr. : -Reg. Location : Kalina, Santacruz East (Main Centre)



Use a QR Code Scanner Application To Scan the Code R

Е

Collected Reported :01-Mar-2024 / 09:07 :01-Mar-2024 / 14:58

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c) **BIOLOGICAL REF RANGE** PARAMETER RESULTS METHOD HPLC Glycosylated Hemoglobin 5.4 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 % Estimated Average Glucose 108.3 mg/dl Calculated (eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Former

Dr.NAMRATA RAUL M.D (Biochem) Biochemist

Page 5 of 10



CID	: 2406117046
Name	: MR.ROHIT SINGH
Age / Gender	: 34 Years / Male
Consulting Dr. Reg. Location	: - : Kalina, Santacruz East (Main Centre)

Authenticity Check

R

Е

P

o

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

URINE EXAMINATION REPORT			
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale Yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	clear	Clear	-
Volume (ml)	20	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Othora			

Others

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ =75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



500 C

Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) Pathologist

Page 6 of 10



CID : 2406117046 Name : MR.ROHIT SINGH Age / Gender : 34 Years / Male Consulting Dr. : -Reg. Location : Kalina, Santacruz East (Main Centre)



AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

Collected

Reported

PARAMETER

<u>RESULTS</u>

ABO GROUP B Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



C. Sala

Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) Pathologist

Page 7 of 10



CID	: 2406117046
Name	: MR.ROHIT SINGH
Age / Gender	: 34 Years / Male
Consulting Dr. Reg. Location	: - : Kalina, Santacruz East (Main Centre)

Authenticity Check



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code


Collected Reported

:01-Mar-2024 / 09:07 :01-Mar-2024 / 14:00

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>RESULTS</u>	BIOLOGICAL REF RANGE METHOD	
179.6	Desirable: <200 mg/dl CHOD-POD Borderline High: 200-239mg/dl High: >/=240 mg/dl	
84.0	Normal: <150 mg/dl Enzymatic Borderline-high: 150 - 199 colorimetric mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	
42.4	Desirable: >60 mg/dl Elimination/ Ca Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	talase
137.2	Desirable: <130 mg/dl Calculated Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	
120.4	Optimal: <100 mg/dl Calculated Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	
16.8	< /= 30 mg/dl Calculated	
4.2	0-4.5 Ratio Calculated	
2.8	0-3.5 Ratio Calculated	
	179.6 84.0 42.4 137.2 120.4	179.6Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dlCHOD-POD84.0Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl Low (High risk): <40 mg/dl

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***




Course

Dr.NAMRATA RAUL M.D (Biochem) Biochemist

Page 8 of 10



CID	: 2406117046
Name	: MR.ROHIT SINGH
Age / Gender	: 34 Years / Male
Consulting Dr.	: -
Reg. Location	: Kalina, Santacruz East (Main Centre)



CLIA

R

E

P

0

R


т

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
THYROID FUNCTION TESTSPARAMETERRESULTSBIOLOGICAL REF RANGEMETHODFree T3, Serum5.03.5-6.5 pmol/LCLIAFree T4, Serum14.011.5-22.7 pmol/LCLIA

0.55-4.78 microIU/ml

Free T4, Serum14.0sensitiveTSH, Serum9.945

Page 9 of 10



Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results.

this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz, Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 10 of 10



Date:- 01-03-702 Name:- Mr. R	ohit Singh	CID: 200611 Sex / Age: /	2046 su jos/Male
	EYE CH	ECK UP	
Chief complaints: }	eil		
Systemic Diseases:	reil		
Past history:	Meil	4	l
Unaided Vision: N	veil ov le Juls	DN h	g 6/6
Aided Vision: 🔎	5√)		~
Refraction: -			

	(Right E	ye)			(Left Eye	e)		
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	<u>a</u>		-	6/6	_			66
Near	<			NS	-			NS

Colour Vision: Normal / Abnormal

(Right Eve)

Remark: WM

Suburban Diagnostics (I) Pvt. Ltd. 1st Floor, Harbhajan, Above HDFC Bank, Opp. Nala Petrol Pump, Kalina, CST Road, Santacruz (East). Tel. No. 022-61700000

Dr. D.G. HATALKAR R.No. 61067 M.D. (Ob.Gy)

R

E

P

0

R

Т

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388



Dr. D.G. HATALKAR R.No. 61067 M.D. (Ob.Gy)

Bohn - 8825252485

16

Suburban Diagnostics (I) Pvt. Ltd. 1st Floor, Harbhajan, Above HDFC Bank, Opp. Neia Petrol Pump, Kalina, CST Road, Santacruz (East). Tel. No. 022-61700000

Suburban Diagnostics Kalina

 Patient Details
 Date: 01-Mar-24
 Time: 10:15:09 AM

 Name: MR. ROHIT SINGH ID: 2406117046
 Age: 34 y
 Sex: M

 Age: 34 y
 Sex: M
 Height: 176 cms

 Clinical History:
 Routine Test

Medications: NONE

Test Details

 Protocol:
 Bruce
 Pr.MHR:
 186 bpm
 THR:
 158 (85 % of Pr.MHR) bpm


 Total Exec.
 Time:
 6 m 40 s
 Max. HR:
 161 (87% of Pr.MHR) bpm
 Max. Mets:
 10.20

 Max. BP:
 160 / 80 mmHg
 Max. BP x HR:
 25760 mmHg/min
 Min. BP x HR:
 7120 mmHg/min

 Test Termination Criteria:
 Target HR attained
 Image: Targ

Protocol Details

Stage Name	Stage Time (min : sec)	Mets	Speed (mph)	Grade (%)	Heart Rate (bpm)	Max. BP (mm/Hg)	Max. ST Level (mm)	Max. ST Slope (mV/s)	
Supine	0:33	1.0	0	0	89	120/80	-1.27 aVR	2,48	
Standing	0:6	1.0	0	0	91	120/80	-1.27 aVR	2.83 V2	
Hyperventilation	0:5	1.0	0	0	91	120/80	-1.27 aVR	2.83 V2	
1	3:0	4.6	1.7	10	124	120/80	-1.70 aVR	3.54 V2	
2	3:0	7.0	2.5	12	149	140/80	-1.27 aVR	3.89 11	
Peak Ex	0:40	10.2	3,4	14	161	160/80	-1.49 III	3.89 V2	
Recovery(1)	2:0	1.8	1	0	102	140/80	-1.49 III	4.95 V2	
Recovery(2)	2:0	1.0	0	0	101	130 / 80	-0.64 V6	1.77 V2	
Recovery(3)	1:2	1.0	0	0	91	120 / 80	-0.64 aVR	1.77 II]



Suburban Diagnostics Kalina

Patient Details Date: 01-Mar-24

Time: 10:15:09 AM

Name: MR. ROHIT SINGH ID: 2406117046

Age: 34 y

Sex: M

Height: 176 cms


Weight: 79 Kgs

Interpretation

AVERAGE EFFORT TOLEREANCE NORMAL HEART RATE RESPONSE NORMAL BLOOD PRESSURE RESPONSE NO ANGINA/ANGINA EQUIVALENTS NO ARRTHYMIAS NO SIGNIFICANT ST-T CHANGES NOTED AS COMPARED TO BASELINE ECG IMPRESSION : STRESS TEST IS NEGATIVE FOR INDUCIBLE ISCHAEMIA Disclaimer: Negative stress test does not rule out Coronary Artery Disease

Positive stress test is suggestive but not confirmatory of coronary artery disease

Hence clinical correlation is mandatory



Suburban Diagnostics (I) Pyt. Ltd. 1st Floor, Harbhajan, Above HDFC Bank, Opp. Nata Petrol Pump, Kalina, CST Road, Santacruz (East), Tel. No. 022-01700000

Ref. Doctor:

(Summary Report edited by user)

DR. SHEIKH NAVEED

MBBS/PGDCC Clinical Cardiologist Reg. No. 2016/11/4694

Doctor: NAVEED SHEIKH




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandar V 4.51
 Isp = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median





 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandan V 4,51
 isp = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median






Chart Speed: 25 mm/sec Schiller Spandan V 4.51

0

Filter: 35 Hz /so = R - 60 ms J = R + 60 ms Mains Filt: ON Post J = J + 60 ms Amp: 10 mm Linked Median




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandan V 4.51
 Ise = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandan V 4.51
 Iso = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandar V 4.51
 Iso = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median





 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller.Spandan V 4.51
 Iso = R + 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median



Schiller Spandan V 4.51

iso = R - 60 ms J = R + 60 ms

Post J = J + 60 ms

Amp: 10 mm Linked Median



:2406117046

: 23 Years/Male

: Mr ROHIT ROHIT

: Kalina, Santacruz East Main Centre

Authenticity Check

R

E

Р

R

Т



Reg. Date : 01-Mar-2 Reported : 01-Mar-2

Use a QR Code Scanner Application To Scan the Code : 01-Mar-2024 : 01-Mar-2024/11:12

USG WHOLE ABDOMEN

LIVER:

CID

Name

Age / Sex

Reg. Location

Ref. Dr

The liver is normal in size, shape and smooth margins. **It shows bright parenchymal echo pattern.** The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal.No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas is well visualised and appears normal.No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen. Right kidney measures: 9.4 x 4.5 cm. Left kidney measures: 9.8 x 5.1 cm.

SPLEEN:

The spleen is normal in size and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:


The prostate is normal in size 2.7 x 2.6 x 2.2 cm and volume is 8.5 cc.

IMPRESSION: Mild fatty Liver.

-----End of Report-----

Annum

DR.ASHA DHAVAN MBBS; D.M.R.E CONSULTANT RADIOLOGIST





:2406117046

: Mr ROHIT ROHIT

Authenticity Check

R E

Р

O

R

Т



Name Age / Sex Ref. Dr Reg. Location

CID

: 23 Years/Male: Kalina, Santacruz East Main Centre

Reg. Date Reported Use a QR Code Scanner Application To Scan the Code : 01-Mar-2024 : 01-Mar-2024/09:43

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

fashwa

DR.ASHA DHAVAN MBBS ; D.M.R.E CONSULTANT RADIOLOGIST

