



Name of Company: Medi Wheel

Name of Executive: Ashcharya 'Kumar'

Date of Birth: 28 / 11 / 1988

Sex: Male / Female

Weight: 80 KGs

BMI (Body Mass Index): 25 . 2

Chest (Expiration / Inspiration) 95 / 98 CMs

Abdomen: 96 CMs

Blood Pressure: 129 / 76 ...mm/Hg

Ident Mark: Mole on Right foreum.

Any Allergies: NO

Vertigo: NO

Any Medications: No

Any Surgical History: Post Cholecystertomy status

Habits of alcoholism/smoking/tebacce:

occasinaly

Chief Complaints if any:

Lab Investigation Reports: Report attach

Eye Check up vision & Color vision: Mormal

Left eye:

Right eye: Normal









Near vision: N16

Far vision: 616

Dental check up : Normal

ENT Check up : Mormal

Eye Checkup: Normal

Final impression

Certified that I examined. Ashcharge Kumar S/o or D/o is presently in good health and free from any cardio-respiratory/communicable ailment, helshe is fit / Unfit to join any organization.

Client Signature :-

Dr. R.C. ROY

MBBS., MD. (Radio Diagnosis) Reg. No. -26918

Signature of Medical Examiner

Name & Qualification - Dr. R. C. Roy (MBBS,MD)

Date 26 1 .. 1. 12024

Place - VARANASI

CHISEDAN DIAGNOSTIC CENTRE 455/6, (H.G. Complex.), KANCHANPUR, CHITAIPUR, VARANASI, UP 221005







€ Sovernment of India





आश्चर्य कुमार Ashcharya Kumar जन्म तिथि / DOB : 28/11/1988 पुरुष / MALE



5048 7373 6058

मेरा आधार, मेरी पहचान



Latitude

25.274097°

LOCAL 09:15:23 GMT 03:45:23 Longitude

82.967362°

SATURDAY 10.26.2024 ALTITUDE 36 METER





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 Registered On : 26/Oct/2024 08:40:30 Age/Gender Collected : 35 Y 10 M 28 D / M : 26/Oct/2024 09:30:27 UHID/MR NO : CVA1.0000002765 Received : 26/Oct/2024 09:32:12 Visit ID : CVA10028332425 Reported : 26/Oct/2024 11:47:33

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	AB			ERYTHROCYTE MAGNETIZED TECHNOLOGY/ TUBE AGGLUTINA
Ph (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY/ TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood				
Haemoglobin	15.20	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) DLC	4,800.00	/Qu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	49.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	42.00	%	20-40	FLOW CYTOMETRY
Monocytes	6.00	%	2-10	FLOW CYTOMETRY
Eosinophils	2.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	<1-2	FLOW CYTOMETRY
Observed	10.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	









Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 Registered On : 26/Oct/2024 08:40:30 Collected Age/Gender : 35 Y 10 M 28 D / M : 26/Oct/2024 09:30:27 UHID/MR NO : CVA1.0000002765 Received : 26/Oct/2024 09:32:12 Visit ID : CVA10028332425 Reported : 26/Oct/2024 11:47:33

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF HABMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	2.00	Mm for 1st hr.	<9	
PCV (HCT)	48.00	%	40-54	
Platelet count				
Platelet Count	1.51	LACS cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.00	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Patio)	47.60	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBCCount				
RBC Count	5.44	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	88.20	fl	80-100	CALCULATED PARAMETER
MOH	28.00	pg	27-32	CALCULATED PARAMETER
MOHC	31.80	%	30-38	CALCULATED PARAMETER
RDW-CV	14.10	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,352.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	96.00	/cu mm	40-440	

S. P. Sinder Dr.S.N. Senter (MD Feet)











Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 GIN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 : 26/Oct/2024 08:40:31 Registered On Collected Age/Gender : 35 Y 10 M 28 D /M : 26/Oct/2024 09:30:27 UHID/MR NO : CVA1.0000002765 Received : 26/Oct/2024 09:32:12 Visit ID : CVA10028332425 Reported : 26/Oct/2024 12:28:10

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING, Plasma

Glucose Fasting 101.90 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP 108.60 mg/dl <140 Normal GOD POD Sample: Plasma After Meal 140-199 Pre-diabetes

>200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEM OGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c) 6.30 % NGSP HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c) 37.00 mmol/ mol/ IFOC
Estimated Average Glucose (eAG) 114 mg/ dl

Interpretation:

NOTE:-

• eAG is directly related to A1c.













Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 GIN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 Registered On : 26/Oct/2024 08:40:31 Age/Gender : 35 Y 10 M 28 D / M Collected : 26/Oct/2024 09:30:27 UHID/MR NO : CVA1.0000002765 Received : 26/Oct/2024 09:32:12 Visit ID : CVA10028332425 Reported : 26/Oct/2024 12:28:10 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen)

10.00

mg/dL

7.0-23.0

CALCULATED

Sample:Serum









^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 : 26/Oct/2024 08:40:31 Registered On Age/Gender : 35 Y 10 M 28 D / M Collected : 26/Oct/2024 09:30:27 UHID/MR NO : CVA1.0000002765 Received : 26/Oct/2024 09:32:12 Visit ID : CVA10028332425 Reported : 26/Oct/2024 12:28:10 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.

Sample:Serum

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid 5.00 mg/dl 3.4-7.0 URICASE

Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

KOUT P5P
OUT P5P
D SZAZING
Ð
Ð







Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 Registered On : 26/Oct/2024 08:40:31 Age/Gender Collected : 35 Y 10 M 28 D / M : 26/Oct/2024 09:30:27 UHID/MR NO : CVA1.0000002765 Received : 26/Oct/2024 09:32:12 Visit ID : CVA10028332425 Reported : 26/Oct/2024 12:28:10 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	ι	Jnit Bio. Ref. Inter	rval Method
Alkaline Phosphatase (Total)	78.40	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	1.00	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.70	mg/dl	<0.8	JENDRASSIK & GROF
JPID PROFILE (MINI), Serum				
Cholesterol (Total)	221.00	mg/dl	<200 Desirable 200-239 Borderline Hi > 240 High	CHOD-PAP igh
HDL Cholesterol (Good Cholesterol)	64.80	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	103	mg/ dl	< 100 Optimal 100-129 Nr. Optimal/ Above Optin 130-159 Borderline Hi 160-189 High > 190 Very High	
VLDL	53.20	mg/dl	10-33	CALCULATED
Triglycerides	266.00	mg/dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP igh

S. P. Sinder Br.S.N. Senter (MD Facts)









Test Name



CHANDAN DIAGNOSTIC CENTRE

Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi - UP 221005 Ph: 05424019523 QN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 Registered On : 26/Oct/2024 08:40:31 Age/Gender Collected : 35 Y 10 M 28 D / M : 26/Oct/2024 09:30:27 UHID/MR NO : CVA1.0000002765 Received : 26/Oct/2024 09:32:12 Visit ID : CVA10028332425 Reported : 26/Oct/2024 13:18:01

Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS Method Result Unit Bio. Ref. Interval

LIRINF FXA	ΜΙΝΔΤΙΟΝ	ROUTINE	I Irine

URINE EXAMINATION, ROUTINE, Urine				
Color	PALEYELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	<10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) >500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	<0.5 (+) 0.5-1.0 (++) 1-2 (+++) >2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Pusœlls	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			

STOOL, ROUTINE EXAMINATION, Sool

Color **BROWNISH**











Test Name



CHANDAN DIAGNOSTIC CENTRE

Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CN: U85110UP2003PLC193493

Unit

Bio. Ref. Interval

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 Registered On : 26/Oct/2024 08:40:31 Age/Gender Collected : 35 Y 10 M 28 D / M : 26/Oct/2024 09:30:27 UHID/MR NO : CVA1.0000002765 Received : 26/Oct/2024 09:32:12 Visit ID : CVA10028332425 Reported : 26/Oct/2024 13:18:01

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Consistency	SEMI SOLID
Reaction (PH)	Basic (8.0)
Mucus	ABSENT
Blood	ABSENT
Worm	ABSENT
Pus cells	1-2/h.p.f
RBCs	ABSENT
Ova	ABSENT
Cysts	ABSENT
Others	ABSENT

Result

SUGAR, FASTING STAGE, Urine

Sugar, Fasting stage ABSENT gms%

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE, Urine

Sugar, PP Stage ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Sp Slabe

Br.S.N. Stone (MD Part)







Method





Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CIN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 : 26/Oct/2024 08:40:31 Registered On Age/Gender : 35 Y 10 M 28 D / M Collected : 26/Oct/2024 09:30:27 UHID/MR NO : CVA1.0000002765 Received : 26/Oct/2024 09:32:12 Visit ID : CVA10028332425 Reported : 26/Oct/2024 14:03:10 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total Sample:Serum	0.41	ng/mL	<4.1	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL, Serum

T3, Total (tri-iodothyronine)	130.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	7.85	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.350	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3 - 4.5	μIU/mL	First Trimester				
0.5-4.6	$\mu IU/mL$	Second Trimester				
0.8 - 5.2	$\mu IU/mL$	Third Trimester				
0.5 - 8.9	μIU/mL	Adults	55-87 Years			
0.7 - 27	μIU/mL	Premature	28-36 Week			
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week			
0.7-64	$\mu IU/mL$	Child(21 wk	- 20 Yrs.)			
1-39	$\mu IU/mL$	Child	0-4 Days			
1.7-9.1	$\mu IU/mL$	Child	2-20 Week			

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or













Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 : 26/Oct/2024 08:40:31 Registered On Age/Gender : 35 Y 10 M 28 D / M Collected : 26/Oct/2024 09:30:27 UHID/MR NO : CVA1.0000002765 Received : 26/Oct/2024 09:32:12 Visit ID : CVA10028332425 Reported : 26/Oct/2024 14:03:10

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

autoimmune disorders.

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

S. P. Sindiff Br.S.N. Sinha (MD Path)











Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 Registered On : 26/Oct/2024 08:40:32 Collected Age/Gender : 35 Y 10 M 28 D / M : 2024-10-26 11:14:42 UHID/MR NO : CVA1.0000002765 Received : 2024-10-26 11:14:42 Visit ID : CVA10028332425 Reported : 26/Oct/2024 11:16:04

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA **

X- Ray Digital Chest P.A. View

- Lung fields are clear.
- Pleural spaces are clear.
- Both hilar shadows appear normal.
- Trachea and carina appear normal.
- Heart size within normal limits.
- Both the diaphragms appear normal.
- Soft tissues and Bony cage appear normal.

IMPRESSION

* NO OBVIOUS DETECTABLE ABNORMALITY SEEN

P Tr Raveesh Chandra Roy (MD-Radio)













Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 CN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 Registered On : 26/Oct/2024 08:40:32 Age/Gender : 35 Y 10 M 28 D / M Collected : 2024-10-26 09:33:55 UHID/MR NO : CVA1.0000002765 Received : 2024-10-26 09:33:55 Visit ID : CVA10028332425 Reported : 26/Oct/2024 09:34:35

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• Normal in size (13.0 cm), shape, & shows diffusely raised echogenicity. Intra & extra hepatic biliary radicals & vascular structures are normal. Margins are smooth and regular

GALL BLADDER

• Gb not visualized .(post cholecystectomy status)

PORTAL SYSTEM

• Normal in course and caliber (7.7 mm).

BILIARY SYSTEM

• Visualized part normal in course & caliber (4.5 mm).

PANCREAS

• Normal in size, shape & echogenicity. Margins are smooth & regular. No diffuse/ focal lesion seen. Pancreatic duct not visualized.

KIDNEYS

- Right kidney:- (9.7 x 4.3 cm), Left kidney:- (9.5 x 4.4 cm).
- Both normal in size, shape echogenicity & position. Cortical-medullary differentiation
- Pelvicalyceal system normal. No evidence of any calculus/mass lesion seen.
- No hydronephrosisis/hydroureter seen. No suprarenal mass lesion

SPLEEN

• Normal in size (11.5 cm), shape & echogenicity. Margins are smooth & regular. No diffuse / focal lesion seen. Splenic vessels at hilum is normal.

URINARY BLADDER

- Normally distended with normal wall thickness. No echogenic foci lumen or diverticula seen.
- Both VUJ appears normal. No evidence of calculus / mass lesion seen.

PROSTATE

• Normal in size 3.0 x 3.9 x 2.4 cm, vol 16 gm, shape & echogenicity.











Add: Plot no - 455/6, H G Complex, Kanchanpur, Varanasi -UP 221005 Ph: 05424019523 QN: U85110UP2003PLC193493

Patient Name : Mr.ASHCHARYA KUMAR -22E36081 : 26/Oct/2024 08:40:32 Registered On Age/Gender : 35 Y 10 M 28 D /M Collected : 2024-10-26 09:33:55 UHID/MR NO : CVA1.0000002765 Received : 2024-10-26 09:33:55 Visit ID : CVA10028332425 Reported : 26/Oct/2024 09:34:35

Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

OTHERS

- No free fluid in peritoneal cavity.
- No free fluid in bilateral pleural cavity.
- No evidence of significantly enlarged retroperitoneal/ mesenteric lymph nodes noted

FINAL IMPRESSION:-

• FATTY LIVER GRADE I.

*** End Of Report ***

(**) Test Performed at CHANDAN DIAGNOSTIC CENTRE, VARANASI, CHITAIPUR

Result/s to Follow: ECG / EKG, Tread Mill Test (TMT)



Dr Priyam Agarwal MBBS MD (Radiology)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups 365 Days Open

*Facilities Available at Select Location Page 13 of 13











CHANDAN DIAGNOSTIC CENTRE-1, CHITAIPUR, VARANASI



Age / Gender: 35/Male Date and Time: 26th Oct 24 9:23 AM

Patient ID: CVA10028332425

Patient Name: Mr.ASHCHARYA KUMAR -22E36081



Sinus Rhythm, Right Axis Deviation. Please correlate clinically.

Dr. Arundhati Muragoji

Dr. Charit MD, DM: Cardiology

63382

AUTHORIZED BY

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.