

CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mrs.KEERTI PORWAL Registered On Age/Gender Collected : 33 Y 8 M 17 D /F UHID/MR NO : ALDP.0000081111 Received

: ALDP0144592425 : Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor

CARE LTD -

: 27/Jul/2024 09:27:50 : 2024-07-27 10:31:00 : 2024-07-27 10:31:00

: 29/Jul/2024 12:29:21

Status : Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Reported

ECG / EKG

Visit ID

1. Machnism, Rhythm Sinus, Regular

2. Atrial Rate **78** /mt

3. Ventricular Rate **78** /mt

4. P - Wave Normal

5. P R Interval Normal

6. Q R S

Axis: Normal R/S Ratio: Normal **Configuration:** Normal

7. Q T c Interval Normal

8. S - T Segment Normal

9. T - Wave Normal

FINAL IMPRESSION

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Dr. R K VERMA MBBS, PGDGM











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mrs.KEERTI PORWAL Registered On : 27/Jul/2024 09:27:48 Age/Gender Collected : 33 Y 8 M 17 D /F : 27/Jul/2024 09:43:02 UHID/MR NO : ALDP.0000081111 Received : 27/Jul/2024 10:24:07 Visit ID : ALDP0144592425 Reported : 27/Jul/2024 12:56:39

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|---|--|------------------|--|--|
| | | | | |
| Blood Group (ABO & Rh typing), Blood | | | | |
| Blood Group | Α | | | ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA |
| Rh (Anti-D) | POSITIVE | | | ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA |
| Complete Blood Count (CBC), Whole Bloo | d | | | |
| Haemoglobin | 13.80 | g/dl | 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl | |
| TLC (WBC) DLC | 7,300.00 | /Cu mm | 4000-10000 | ELECTRONIC IMPEDANCE |
| Polymorphs (Neutrophils) Lymphocytes Monocytes Eosinophils Basophils ESR | 60.00 33.00 4.00 3.00 0.00 | % % % % | 40-80 20-40 2-10 1-6 < 1-2 | ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE |
| Observed | 6.00 | MM/1H | 10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8 Pregnancy | |











CIN: U85110UP2003PLC193493



: Mrs.KEERTI PORWAL Patient Name Registered On : 27/Jul/2024 09:27:48 Age/Gender Collected : 33 Y 8 M 17 D /F : 27/Jul/2024 09:43:02 UHID/MR NO : ALDP.0000081111 Received : 27/Jul/2024 10:24:07 Visit ID : ALDP0144592425 Reported : 27/Jul/2024 12:56:39

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|---|----------|----------------|--|----------------------------------|
| | | | Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic) | |
| Corrected | - | Mm for 1st hr. | < 20 | |
| PCV (HCT) | 41.00 | % | 40-54 | |
| Platelet count | | , | | |
| Platelet Count | 1.73 | LACS/cu mm | 1.5-4.0 | ELECTRONIC IMPEDANCE/MICROSCOPIC |
| PDW (Platelet Distribution width) | 16.60 | fL | 9-17 | ELECTRONIC IMPEDANCE |
| P-LCR (Platelet Large Cell Ratio) | | % | 35-60 | ELECTRONIC IMPEDANCE |
| PCT (Platelet Hematocrit) | 0.23 | % | 0.108-0.282 | ELECTRONIC IMPEDANCE |
| MPV (Mean Platelet Volume) RBC Count | 13.20 | fL | 6.5-12.0 | ELECTRONIC IMPEDANCE |
| RBC Count Blood Indices (MCV, MCH, MCHC) | 4.84 | Mill./cu mm | 3.7-5.0 | ELECTRONIC IMPEDANCE |
| MCV | 85.00 | fl | 80-100 | CALCULATED PARAMETER |
| MCH | 28.50 | pg | 27-32 | CALCULATED PARAMETER |
| MCHC | 33.50 | % | 30-38 | CALCULATED PARAMETER |
| RDW-CV | 14.70 | % | 11-16 | ELECTRONIC IMPEDANCE |
| RDW-SD | 48.10 | fL | 35-60 | ELECTRONIC IMPEDANCE |
| Absolute Neutrophils Count | 4,380.00 | /cu mm | 3000-7000 | |
| Absolute Eosinophils Count (AEC) | 219.00 | /cu mm | 40-440 | |

Dr. Akanksha Singh (MD Pathology)











UHID/MR NO

Ref Doctor

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mrs.KEERTI PORWAL Age/Gender : 33 Y 8 M 17 D /F

CARE LTD -

: ALDP.0000081111

: ALDP0144592425 : Dr. MEDIWHEEL-ARCOFEMI HEALTH Collected Received Reported

Registered On

: 27/Jul/2024 09:43:02 : 27/Jul/2024 10:24:08

: 27/Jul/2024 09:27:50

: 27/Jul/2024 12:42:17

Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method | |
|-----------|--------|------|--------------------|--------|--|
| | | | | | |
| | | | | | |

GLUCOSE FASTING, Plasma

Glucose Fasting

99.30

mg/dl

< 100 Normal

GOD POD

100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

Glucose PP Sample:Plasma After Meal 133.70

mg/dl

<140 Normal

GOD POD

140-199 Pre-diabetes

>200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

| Glycosylated Haemoglobin (HbA1c) | 5.3 | % NGSP | HPLC (NGSP) |
|----------------------------------|------|---------------|-------------|
| Glycosylated Haemoglobin (HbA1c) | 34.0 | 0 mmol/mol/IF | CC |
| Estimated Average Glucose (eAG) | 104 | l mg/dl | |

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy











CIN: U85110UP2003PLC193493



Patient Name : Mrs.KEERTI PORWAL Registered On : 27/Jul/2024 09:27:50 Collected Age/Gender : 33 Y 8 M 17 D /F : 27/Jul/2024 09:43:02 UHID/MR NO : ALDP.0000081111 Received : 27/Jul/2024 10:24:08 Visit ID : ALDP0144592425 Reported : 27/Jul/2024 12:42:17 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name Result Unit Bio. Ref. Interval Method | |
|---|--|
|---|--|

and the age of the patient should also be considered in assessing the degree of blood glucose control.

| Haemoglobin A1C (%)NGSP | mmol/mol / IFCC Unit | eAG (mg/dl) | Degree of Glucose Control Unit |
|-------------------------|----------------------|-------------|---------------------------------------|
| > 8 | >63.9 | >183 | Action Suggested* |
| 7-8 | 53.0 -63.9 | 154-183 | Fair Control |
| < 7 | <63.9 | <154 | Goal** |
| 6-7 | 42.1 -63.9 | 126-154 | Near-normal glycemia |
| < 6% | <42.1 | <126 | Non-diabetic level |

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

BUN (Blood Urea Nitrogen) *Sample:Serum*

7.30

mg/dL

7.0-23.0

CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Page 5 of 13





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





CIN: U85110UP2003PLC193493



Patient Name : Mrs.KEERTI PORWAL Registered On : 27/Jul/2024 09:27:50 Collected Age/Gender : 33 Y 8 M 17 D /F : 27/Jul/2024 09:43:02 UHID/MR NO : ALDP.0000081111 Received : 27/Jul/2024 10:24:08 Visit ID : ALDP0144592425 Reported : 27/Jul/2024 12:42:17

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|-----------|--------|------|--------------------|--------|
| | | | | |

Low-protein diet, overhydration, Liver disease.

Creatinine 0.91 mg/dl 0.5-1.20 **MODIFIED JAFFES**

Sample:Serum

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid 5.59 2.5-6.0 **URICASE** mg/dl Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

| SGOT / Aspartate Aminotransferase (AST) | 37.90 | U/L | < 35 | IFCC WITHOUT P5P |
|---|--------|-------|------------|-------------------|
| SGPT / Alanine Aminotransferase (ALT) | 47.90 | U/L | < 40 | IFCC WITHOUT P5P |
| Gamma GT (GGT) | 47.20 | IU/L | 11-50 | OPTIMIZED SZAZING |
| Protein | 6.63 | gm/dl | 6.2-8.0 | BIURET |
| Albumin | 4.29 | gm/dl | 3.4-5.4 | B.C.G. |
| Globulin | 2.34 | gm/dl | 1.8-3.6 | CALCULATED |
| A:G Ratio | 1.83 | | 1.1-2.0 | CALCULATED |
| Alkaline Phosphatase (Total) | 100.00 | U/L | 42.0-165.0 | PNP/AMP KINETIC |
| Bilirubin (Total) | 0.39 | mg/dl | 0.3-1.2 | JENDRASSIK & GROF |
| Bilirubin (Direct) | 0.22 | mg/dl | < 0.30 | JENDRASSIK & GROF |
| Bilirubin (Indirect) | 0.17 | mg/dl | < 0.8 | JENDRASSIK & GROF |
| | | | | |

LIPID PROFILE (MINI), Serum

CHOD-PAP Cholesterol (Total) 181.00 mg/dl <200 Desirable

200-239 Borderline High

> 240 High









CIN: U85110UP2003PLC193493



Patient Name : Mrs.KEERTI PORWAL Registered On : 27/Jul/2024 09:27:50 Age/Gender : 33 Y 8 M 17 D /F Collected : 27/Jul/2024 09:43:02 UHID/MR NO Received : ALDP.0000081111 : 27/Jul/2024 10:24:08 Visit ID : ALDP0144592425 Reported : 27/Jul/2024 12:42:17

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|---|--------------|---------------------|--|-----------------------------|
| HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol) | 57.10 106 | mg/dl < 1 1 0 | | RECT ENZYMATIC ALCULATED |
| VLDL | 17.72 | mg/dl 1 | 0-33 CA | ALCULATED |
| Triglycerides | 88.60 | 1 2 | 150 Normal Gi 50-199 Borderline High 100-499 High 500 Very High | PO-PAP |

AS

Dr. Akanksha Singh (MD Pathology)









Test Name

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Method

Patient Name : Mrs.KEERTI PORWAL Registered On : 27/Jul/2024 09:27:49 Age/Gender : 33 Y 8 M 17 D /F Collected : 27/Jul/2024 15:09:46 UHID/MR NO : ALDP.0000081111 Received : 27/Jul/2024 15:11:50 Visit ID : ALDP0144592425 Reported : 27/Jul/2024 19:11:36

Result

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Unit

Rio Ref Interval

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|---|---------------------|---------|---------------------------|---------------|
| URINE EXAMINATION, ROUTINE, Uri | ne | | | |
| Color | PALE YELLOW | | | |
| Specific Gravity | 1.010 | | | |
| Reaction PH | Acidic (5.0) | | | DIPSTICK |
| Appearance | CLEAR | | | |
| Protein | ABSENT | mg % | < 10 Absent | DIPSTICK |
| | | | 10-40 (+) | |
| | | | 40-200 (++) | |
| | | | 200-500 (+++) | |
| Sugar | ADCENT | amc0/ | > 500 (++++) | DIDCTICK |
| Sugar | ABSENT | gms% | < 0.5 (+) 0.5-1.0 (++) | DIPSTICK |
| | | | 1-2 (+++) | |
| | | | > 2 (++++) | |
| Ketone | ABSENT | mg/dl | 0.1-3.0 | BIOCHEMISTRY |
| Bile Salts | ABSENT | | | |
| Bile P <mark>igments</mark> | ABSENT | | | |
| Bilirubin | ABSENT | | | DIPSTICK |
| Leucocyte Esterase | ABSENT | | | DIPSTICK |
| Urobilinogen(1:20 dilution) | ABSENT | | | |
| Nitrite | ABSENT | | | DIPSTICK |
| Blood | ABSENT | | | DIPSTICK |
| Microscopic Examination: | | | | |
| Epithelial cells | 1-3/h.p.f | | | MICROSCOPIC |
| Due celle | 0.2/b.s.f | | | EXAMINATION |
| Pus cells RBCs | 0-2/h.p.f ABSENT | | | MICROSCOPIC |
| KDC3 | ADSEINT | | | EXAMINATION |
| Cast | ABSENT | | | 270 110111011 |
| Crystals | ABSENT | | | MICROSCOPIC |
| 3 | | | | EXAMINATION |
| Others | ABSENT | | | |
| Urine Microscopy is done on centrifuged | urine sediment. | | | |
| SUGAR, FASTING STAGE, Urine | | | | |
| Sugar, Fasting stage | ABSENT | gms% | | |
| Jagar, rasting stage | , about | 9111370 | | |

Page 8 of 13





CHANDAN DIAGNOSTIC CENTRE



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name

: Mrs.KEERTI PORWAL

Registered On

: 27/Jul/2024 09:27:49

Age/Gender

: 33 Y 8 M 17 D /F

Collected

: 27/Jul/2024 15:09:46 : 27/Jul/2024 15:11:50

UHID/MR NO Visit ID

: ALDP.0000081111 : ALDP0144592425

Received Reported

: 27/Jul/2024 19:11:36

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor CARE LTD - Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+)< 0.5

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+)< 0.5 gms%

(++)0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Akanksha Singh (MD Pathology)

Page 9 of 13









CIN: U85110UP2003PLC193493



Patient Name : 27/Jul/2024 09:27:49 : Mrs.KEERTI PORWAL Registered On Age/Gender Collected : 33 Y 8 M 17 D /F : 27/Jul/2024 09:43:02 UHID/MR NO : ALDP.0000081111 Received : 27/Jul/2024 10:24:08 Visit ID : ALDP0144592425 Reported : 27/Jul/2024 14:50:59 : Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | l Method |
|-----------------------------------|--------|--------------------|--------------------|-------------|
| THYROID PROFILE - TOTAL , Serum | | | | |
| T3, Total (tri-iodothyronine) | 165.00 | ng/dl | 84.61–201.7 | CLIA |
| T4, Total (Thyroxine) | 7.70 | ug/dl | 3.2-12.6 | CLIA |
| TSH (Thyroid Stimulating Hormone) | 3.600 | μlŪ/mL | 0.27 - 5.5 | CLIA |
| | | ¥ | | |
| Interpretation: | | | | |
| | | 0.3-4.5 $\mu IU/n$ | nL First Trimes | ter |
| | | 0.5-4.6 µIU/n | nL Second Trin | nester |
| | | 0.8-5.2 μIU/n | nL Third Trime | ster |
| | | 0.5-8.9 μIU/n | nL Adults | 55-87 Years |
| | | 0.7-27 μIU/n | nL Premature | 28-36 Week |
| | | 2.3-13.2 μIU/n | | > 37Week |
| | | 0.7-64 μIU/n | | (- 20 Yrs.) |
| | | 1-39 μIU | | 0-4 Days |
| | | 1.7-9.1 μIU/n | | 2-20 Week |
| | | | | |

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 10 of 13









CIN: U85110UP2003PLC193493



Patient Name : Mrs.KEERTI PORWAL Age/Gender : 33 Y 8 M 17 D /F

: ALDP.0000081111

Collected Received

Registered On

: 2024-07-27 09:38:12 : 2024-07-27 09:38:12

: 27/Jul/2024 09:27:51

UHID/MR NO Visit ID : ALDP0144592425

Reported

: 27/Jul/2024 15:44:23

Ref Doctor CARE LTD -

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) **CHEST P-A VIEW**

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS, DMRE)











CIN: U85110UP2003PLC193493



Patient Name : Mrs.KEERTI PORWAL Registered On : 27/Jul/2024 09:27:51 Age/Gender : 33 Y 8 M 17 D /F Collected : 2024-07-27 11:59:08 UHID/MR NO : ALDP.0000081111 Received : 2024-07-27 11:59:08 Visit ID : ALDP0144592425 Reported : 27/Jul/2024 12:03:38

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - Normal in size (14.3 cm), shape and shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I fatty changes. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER: - Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (9.9 cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size (9.3 cm), shape and position. Cortical echogenicity is normal with maintained corticomedulary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (9.6 cm) shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Is adequately distended. No evidence of wall thickening/calculus is seen.

UTERUS:- Is normal in size (8.0 x 4.5 x 5.4 cm). No focal myometrial lesion is seen. Endometrium is normal in thickness.

OVARIES:- Bilateral ovaries are normal in size, shape and echogenicity.

ADNEXA:- No obvious adnexal pathology is seen.

HIGH RESOLUTION:- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION: Grade I fatty liver.

Please correlate clinically.

DR K N SINGH (MBBS, DMRE)







Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name

: Mrs.KEERTI PORWAL

Registered On

: 27/Jul/2024 09:27:51

Age/Gender

: 33 Y 8 M 17 D /F

Collected

: 2024-07-27 12:58:36 : 2024-07-27 12:58:36

UHID/MR NO Visit ID : ALDP.0000081111 : ALDP0144592425

CARE LTD -

Received Reported

: 29/Jul/2024 13:55:51

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: Final Report

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Tread Mill Test (TMT)

NORMAL

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION





Dr. R K VERMA MBBS, PGDGM

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location

Page 13 of 13







CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mrs.KEERTI PORWAL

Registered On

: 27/Jul/2024 09:27AM

Age/Gender

: 33 Y 8 M 17 D /F

Collected : 27/Jul/2024 10:57AM

UHID/MR NO

: ALDP.0000081111 : ALDP0144592425

Received Reported : 27/Jul/2024 11:43AM : 27/Jul/2024 04:06PM

Visit ID Ref Doctor

Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: Final Report

CARE LTD -

: MEDIWHEEL - ARCOFEMI HEALTH CARE LTD. [52610]CREDIT

DEPARTMENT OF CYTOLOGY

Contract By

SPECIMEN:

PAP SMEAR

CYTOLOGY NO:

234/24-25

GROSS:

2 Slides

MICROSCOPIC: Adequate for evaluation.

Moderately cellular smears show superficial and intermediate squamous cells of

unremarkable cytology.

Endocervical cells are not seen.

IMPRESSION:

Negative for intraepithelial lesion or malignancy.

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION

Dr. Akanksha Singh (MD Pathology)

This report is not for medico legal purpose. If clinical correlation is not established kindly repeate the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Online Booking Facilities for Diagnostics Test And Health Check-ups, Online Report Viewing, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2S Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services* 65 Days Open





