



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHREYA JAISWAL Registered On : 25/Nov/2023 10:38:15 Age/Gender Collected : 32 Y 3 M 18 D /F : 25/Nov/2023 11:09:10 UHID/MR NO : ALDP.0000131350 Received : 25/Nov/2023 11:13:38 Visit ID : ALDP0288402324 Reported : 25/Nov/2023 13:22:26

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blo	ood			
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE	- control figure		ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole	e Blood			
Haemoglobin	12.40	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl	
TLC (WBC) DLC	9,900.00	/Cu mm	Female- 12.0-15.5 g/dl 4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	74.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	21.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	3.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed Corrected	16.00	Mm for 1st hr. Mm for 1st hr.	< 20	
PCV (HCT) Platelet count	37.00	%	40-54	
Platelet Count	2.59	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.50	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHREYA JAISWAL Registered On : 25/Nov/2023 10:38:15 Age/Gender : 32 Y 3 M 18 D /F Collected : 25/Nov/2023 11:09:10 UHID/MR NO : ALDP.0000131350 Received : 25/Nov/2023 11:13:38 Visit ID : ALDP0288402324 Reported : 25/Nov/2023 13:22:26

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.26	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	3.95	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	94.10	fl	80-100	CALCULATED PARAMETER
MCH	31.50	pg	28-35	CALCULATED PARAMETER
MCHC	33.40	%	30-38	CALCULATED PARAMETER
RDW-CV	14.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	50.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	7,326.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	198.00	/cu mm	40-440	

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHREYA JAISWAL : 25/Nov/2023 10:38:16 Registered On Age/Gender : 32 Y 3 M 18 D /F Collected : 25/Nov/2023 11:09:09 UHID/MR NO : ALDP.0000131350 Received : 25/Nov/2023 11:13:38 Visit ID : ALDP0288402324 Reported : 25/Nov/2023 13:00:38

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Inter	val Method	
GLUCOSE FASTING * , Plasma					
Glucose Fasting	87.10	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.10	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	32.70	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	101	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHREYA JAISWAL : 25/Nov/2023 10:38:16 Registered On Age/Gender : 32 Y 3 M 18 D /F Collected : 25/Nov/2023 11:09:09 UHID/MR NO : ALDP.0000131350 Received : 25/Nov/2023 11:13:38 Visit ID : ALDP0288402324 Reported : 25/Nov/2023 13:00:38

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	7.80	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.60	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid * Sample:Serum	2.67	mg/dl	2.5-6.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	25.10	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	28.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	18.90	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.30	gm/dl	6.2-8.0	BIURET
Albumin	3.90	gm/dl	3.4-5.4	B.C.G.
Globulin	2.40	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.63		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	113.10	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.30	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.10	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.20	mg/dl	< 0.8	JENDRASSIK & GROF





^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name

: Mrs.SHREYA JAISWAL

Registered On

: 25/Nov/2023 10:38:16

Age/Gender

: 32 Y 3 M 18 D /F

CARE LTD -

Collected

: 25/Nov/2023 11:09:09 : 25/Nov/2023 11:13:38

UHID/MR NO Visit ID

: ALDP.0000131350 : ALDP0288402324 Received Reported

: 25/Nov/2023 13:00:38

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Inte	rval Method
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	276.00	mg/dl	<200 Desirable 200-239 Borderline Hi > 240 High	CHOD-PAP igh
HDL Cholesterol (Good Cholesterol)	85.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	159	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
			Optimal/Above Optir 130-159 Borderline H	
			160-189 High > 190 Very High	
VLDL	31.82	mg/dl	10-33	CALCULATED
Triglycerides	159.10	mg/dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP igh

AS_

Dr. Akanksha Singh (MD Pathology)









Test Name

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHREYA JAISWAL Registered On : 25/Nov/2023 10:38:16 Age/Gender Collected : 32 Y 3 M 18 D /F : 25/Nov/2023 11:18:36 UHID/MR NO : ALDP.0000131350 Received : 25/Nov/2023 12:07:46 Visit ID Reported : 25/Nov/2023 16:27:40 : ALDP0288402324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BA	NK OF BARODA I	MALE & FEM	ALE BELOW 40 YRS		
	Result	Unit	Bio. Ref. Interval	Method	

URINE EXAMINATION,	ROUTINE *	, Urine
--------------------	-----------	---------

URINE EXAMINATION, ROUTINE *	, Urine			
Color	DARK YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (6.5)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	[*] mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
		- W A	> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pi <mark>gments</mark>	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	1-3/h.p.f			MICROSCOPIC
•	'			EXAMINATION
Pus cells	1-3/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
-				EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.

SUGAR, FASTING STAGE *, Urine

Sugar, Fasting stage **ABSENT** gms%









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mrs.SHREYA JAISWAL

Registered On

: 25/Nov/2023 10:38:16

Age/Gender

: 32 Y 3 M 18 D /F

Collected

: 25/Nov/2023 11:18:36 : 25/Nov/2023 12:07:46

UHID/MR NO Visit ID

: ALDP.0000131350 : ALDP0288402324

Received Reported

: 25/Nov/2023 16:27:40

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor

CARE LTD -

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+)< 0.5

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2



Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHREYA JAISWAL : 25/Nov/2023 10:38:16 Registered On Age/Gender Collected : 32 Y 3 M 18 D /F : 25/Nov/2023 11:09:09 UHID/MR NO : ALDP.0000131350 Received : 25/Nov/2023 11:13:38 Visit ID : ALDP0288402324 Reported : 25/Nov/2023 14:08:01 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	l Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	131.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	4.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.300	μIU/mL	0.27 - 5.5	CLIA
Interpretation:		0.2.4.5	I Find Trimes	A
		0.3-4.5 μIU/n 0.5-4.6 μIU/n		
		0.8-5.2 μIU/n		
		0.5-8.9 μIU/n		55-87 Years
		0.7-27 μIU/n		28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	c - 20 Yrs.)
		1-39 μIU	/mL Child	0-4 Days
		1.7-9.1 μIU/r	nL Child	2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHREYA JAISWAL Registered On : 25/Nov/2023 10:38:18

 Age/Gender
 : 32 Y 3 M 18 D /F
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000131350
 Received
 : N/A

Visit ID : ALDP0288402324 Reported : 25/Nov/2023 13:24:37

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Enlarged in size (15.9 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size (9.1 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (9.3 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Normal in shape, outline and distension. No e/o wall thickening / calculus.

UTERUS:- Gravid.

OVARIES: Bilateral ovaries are normal in size, shape and echogenicity.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

- Mild hepatomegaly.
- Gravid uterus.

Please correlate clinically.

Re ST.

*** End Of Report ***

Icoloh

EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, ECG / EKG, X-RAY DIGITAL CHEST P.

DR K N SINGH (MBBS.DMRE)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location

Page 9 of 9



