DEPARTMENT OF RADIO DIAGNOSIS

UHID / IP NO	40021006 (38046)	RISNo./Status:	4054375/
Patient Name:	Mr. NITESH KUMAWAT	Age/Gender:	33 Y/M
Referred By:	Dr. EHS CONSULTANT	Ward/Bed No:	OPD
Bill Date/No :	28/09/2024 9:31AM/ OPSCR24- 25/21442	Scan Date :	
Report Date :	28/09/2024 10:46AM	Company Name:	Mediwheel - Arcofemi Health Care Ltd.

ULTRASOUND STUDY OF WHOLE ABDOMEN

Liver: Normal in size & shows increased parenchymal echotexture. No obvious significant

focal parenchymal mass lesion noted. Intrahepatic biliary radicals are not dilated.

Portal vein is normal.

Gall Bladder: Lumen is clear. Wall thickness is normal. CBD is normal. Pancreas: And retroperitoneum are obscured by bowel gases. **Spleen:** Normal in size & echotexture. No focal lesion seen.

Right Kidney: Normal in shape, size & location. Echotexture is normal. Corticomedullary

differentiation is maintained. No evidence of significant hydronephrosis. Few

concretions seen.

Left Kidney: Normal in shape, size & location. Echotexture is normal. Corticomedullary

differentiation is maintained. No evidence of significant hydronephrosis or

obstructive calculus noted.

Urinary Bladder: Normal in size, shape & volume. No obvious calculus or mass lesion is seen. Wall

thickness is normal.

Prostate: Is normal in size and echotexture.

Others: No significant free fluid is seen in pelvic peritoneal cavity.

IMPRESSION: USG findings are suggestive of

Mild fatty liver.

Right renal concretions.

Correlate clinically & with other related investigations.

DR. APOORVA JETWANI

Incharge & Sr. Consultant Radiology

MBBS, DMRD, DNB

Reg. No. 26466, 16307

DEPARTMENT OF CARDIOLOGY

UHID / IP NO	40021006 (38046)	RISNo./Status:	4054375/
Patient Name:	Mr. NITESH KUMAWAT	Age/Gender:	33 Y/M
Referred By:	Dr. EHS CONSULTANT	Ward/Bed No:	OPD
Bill Date/No :	28/09/2024 9:31AM/ OPSCR24- 25/21442	Scan Date :	
Report Date:	28/09/2024 10:59AM	Company Name:	Final

REFERRAL REASON: HEALTH CHECKUP

2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

M MODE DIMENSIONS: -

IVI IVIODE DIIVIEI	TET TET			-				
Normal Normal							Normal	
IVSD	10.9	6-12mm			LVIDS	23.6	20-40mm	
LVIDD	39.0	32-57mm			LVPWS	15.4	mm	
LVPWD	10.4	6-12mm			AO	26.7	19-37mm	
IVSS	15.9]	mm		LA	33.5	19-40mm
LVEF	60-62		>:	55%		RA	-	mm
	DOPPLEI	R MEA	SUREM	AENTS &	& CALC	ULATIONS	:	
STRUCTURE	MORPHOLOGY	VELOCITY (m/s)			GRADIENT		REGURGITATION	
					(mml	Hg)		
MITRAL	NORMAL	E	0.96	e'	-	-		NIL
VALVE		Α	0.65	E/e'	-	1		
TRICUSPID	NORMAL		\mathbf{E}	0.	57	-		MILD TR
VALVE			<u> </u>	Δ.	12	-		
			A 0.43					
AORTIC	NORMAL	1.07			-		NIL	
VALVE								
PULMONARY	NORMAL	1.07					NIL	
VALVE						_		

COMMENTS & CONCLUSION: -

- ALL CARDIAC CHAMBERS ARE NORMAL
- NO RWMA, LVEF 60-62%
- NORMAL LV SYSTOLIC FUNCTION
- NORMAL LV DIASTOLIC FUNCTION
- MILD TR, NO PAH, OTHER CARDIAC VALVES ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

IMPRESSION: - MILD TR, NO PAH, NORMAL BI VENTRICULAR FUNCTIONS

DR SUPRIY JAIN MBBS, M.D., D.M. (CARDIOLOGY) DIRECTOR & INCHARGE CARDIOLOGY DR MEGHRAJ MEENA MBBS, SONOLOGIST FICC, CONSULTANT PREV. CARDIOLOGY & INCHARGE CCU DR ROOPAM SHARMA MBBS, PGDCC, FIAE CONSULTANT & INCHARGE EMERGENCY, PREV. CARDIOLOGY(NIC) & WELLNESS CENTER

Mr. NITESH KUMAWAT 4054375 **Patient Name** Lab No UHID 40021006 **Collection Date** 28/09/2024 10:13AM 28/09/2024 10:30AM Age/Gender 33 Yrs/Male **Receiving Date Report Date IP/OP Location** O-OPD 28/09/2024 3:04PM **Referred By** Dr. EHS CONSULTANT **Report Status** Final

7597782280

BIOCHEMISTRY

Unit **Biological Ref. Range**

BLOOD GLUCOSE (FASTING) Sample: Fl. Plasma

BLOOD GLUCOSE (FASTING) 71 - 109 88.3 mg/dl

Result

Method: Hexokinase assay.

Mobile No.

Test Name

Interpretation: -Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

BLOOD GLUCOSE (PP) Sample: PLASMA

BLOOD GLUCOSE (PP) 142.1 Non - Diabetic: - < 140 mg/dl mg/dl Pre - Diabetic: - 140-199 mg/dl

Diabetic: - >=200 mg/dl

Method: Hexokinase assay.

Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

THYROID T3 T4 TSH Sample: Serum

Т3	1.34	ng/mL	0.970 - 1.690
T4	8.26	ug/dl	5.53 - 11.00
TSH	2.45	μIU/mL	0.40 - 4.05

RESULT ENTERED BY: SUNIL EHS

Dr. ABHINAY VERMA

Patient Name	Mr. NITESH KUMAWAT	Lab No	4054375
UHID	40021006	Collection Date	28/09/2024 10:13AM
Age/Gender IP/OP Location	33 Yrs/Male	Receiving Date	28/09/2024 10:30AM
	O-OPD	Report Date	28/09/2024 3:04PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	7597782280		

BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in thediagnosis of T3-hyperthyroidism the detection of early stages ofhyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation: - The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH levels.

LFT (LIVER FUNCTION TEST)				Sample: Serum
BILIRUBIN TOTAL	0.66	mg/dl	0.00 - 1.20	
BILIRUBIN INDIRECT	0.43	mg/dl	0.20 - 1.00	
BILIRUBIN DIRECT	0.23	mg/dl	0.00 - 0.30	
SGOT	24.9	U/L	0.0 - 40.0	
SGPT	40.2	U/L	0.0 - 41.0	
TOTAL PROTEIN	7.5	g/dl	6.6 - 8.7	
ALBUMIN	5.0	g/dl	3.5 - 5.2	
GLOBULIN	2.5		1.8 - 3.6	
ALKALINE PHOSPHATASE	109	U/L	40 - 129	
A/G RATIO	2.0	Ratio	1.5 - 2.5	
GGTP	29.0	U/L	10.0 - 60.0	

RESULT ENTERED BY: SUNIL EHS

Dr. ABHINAY VERMA

MBBS | MD | INCHARGE PATHOLOGY

Page: 2 Of 11

 Patient Name
 Mr. NITESH KUMAWAT
 Lab No
 4054375

 UHID
 40021006
 Collection Date
 28/09/2024 1

 UHID
 40021006
 Collection Date
 28/09/2024 10:13AM

 Age/Gender
 33 Yrs/Male
 Receiving Date Report Date
 28/09/2024 10:30AM

 IP/OP Location
 O-OPD
 28/09/2024 3:04PM

Referred By Dr. EHS CONSULTANT Report Status Final

Mobile No. 7597782280

BIOCHEMISTRY

BILIRUBIN TOTAL: - Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT: - Method: Diazo method Interpretation: - Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS: - Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder.

ALBUMIN: - Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.

Cirrhosis, nutritional status.

ALKALINE PHOSPHATASE: - Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE: - Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

LIPID PROFILE

TOTAL CHOLESTEROL	174.8		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	46.0		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	133.3		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	14	mg/dl	10 - 50
TRIGLYCERIDES	69.6		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	4	%	

RESULT ENTERED BY : SUNIL EHS

Dr. ABHINAY VERMA

Mr. NITESH KUMAWAT Lab No **Patient Name** 4054375 **Collection Date** 28/09/2024 10:13AM UHID 40021006 28/09/2024 10:30AM Age/Gender **Receiving Date** 33 Yrs/Male Report Date O-OPD **IP/OP Location** 28/09/2024 3:04PM Referred By Dr. EHS CONSULTANT **Report Status** Final

Mobile No. 7597782280

BIOCHEMISTRY

CHOLESTEROL TOTAL: - Method: CHOD-PAP enzymatic colorimetric assay. Interpretation: - The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. HDL CHOLESTEROL: - Method: -Homogenous enzymetic colorimetric method. Interpretation:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease. LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay. Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are synthesized in the liver. CHOLESTEROL VLDL :- Method: VLDL Calculative

TRIGLYCERIDES :- Method: GPO-PAP enzymatic colorimetric assay. Interpretation:-High triglycerde levels also occur in various diseases of liver, kidneys and pancreas. DM, nephrosis, liver obstruction. CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

Sample: Serum

UREA	19.50	mg/dl	16.60 - 48.50
BUN	9	mg/dl	6 - 20
CREATININE	0.78	mg/dl	0.70 - 1.20
SODIUM	140	mmol/L	136 - 145
POTASSIUM	4.70	mmol/L	3.50 - 5.50
CHLORIDE	103.5	mmol/L	98 - 107
URIC ACID	6.4	mg/dl	3.4 - 7.0
CALCIUM	9.61	mg/dl	8.60 - 10.00

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease. URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume. SODIUM: - Method: ISE electrode. Interpretation: - Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake andkidney reabsorption. POTASSIUM :- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure. CHLORIDE - SERUM :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake, prolonged vomiting and reduced

renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL :- Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usuallyassociated with hypercalcemia. Increased serum calcium levels may also beobserved in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

Sample: WHOLE BLOOD EDTA

RESULT ENTERED BY: SUNIL EHS

Dr. ABHINAY VERMA

Patient Name Mr. NITESH KUMAWAT Lab No 4054375 UHID 40021006 **Collection Date** 28/09/2024 10:13AM 28/09/2024 10:30AM Age/Gender 33 Yrs/Male **Receiving Date Report Date IP/OP Location** O-OPD 28/09/2024 3:04PM **Referred By** Dr. EHS CONSULTANT **Report Status** Final 7597782280 Mobile No.

BIOCHEMISTRY

 HBA1C
 5.7
 %
 < 5.7%</td>
 Nondiabetic

 5.7-6.4%
 Pre-diabetic

5.7-6.4% Pre-diabetic > 6.4% Indicate Diabetes

Known Diabetic Patients
< 7 % Excellent Control
7 - 8 % Good Control
> 8 % Poor Control

Method: - Turbidimetric inhibition immunoassay (TINIA), Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbAlC and mean blood glucose values during the preceding 2 to 3 months.

RESULT ENTERED BY : SUNIL EHS

Dr. ABHINAY VERMA

Patient Name Mr. NITESH KUMAWAT Lab No 4054375 UHID 40021006 **Collection Date** 28/09/2024 10:13AM 28/09/2024 10:30AM Age/Gender **Receiving Date** 33 Yrs/Male **Report Date IP/OP Location** O-OPD 28/09/2024 3:04PM **Referred By** Final

Dr. EHS CONSULTANT **Report Status**

Mobile No. 7597782280

BLOOD BANK INVESTIGATION

Biological Ref. Range Test Name Result Unit

BLOOD GROUPING "A" Rh Positive

1. Both forward and reverse grouping performed.
2. Test conducted on EDTA whole blood.

RESULT ENTERED BY: SUNIL EHS

Dr. ABHINAY VERMA

Patient Name Mr. NITESH KUMAWAT Lab No 4054375 **Collection Date** 28/09/2024 10:13AM UHID 40021006 28/09/2024 10:30AM Age/Gender **Receiving Date** 33 Yrs/Male **Report Date** O-OPD **IP/OP Location** 28/09/2024 3:04PM Dr. EHS CONSULTANT **Referred By Report Status** Final

CLINICAL PATHOLOGY

7597782280

CLINICAL PATHOLOGY						
Test Name	Result	Unit	Biological Ref. Range			
URINE SUGAR (POST PRANDIAL)				Sample: Urine		
URINE SUGAR (POST PRANDIAL)	NEGATIVE		NEGATIVE			
URINE SUGAR (RANDOM)				Sample: Urine		
URINE SUGAR (RANDOM)	NEGATIVE		NEGATIVE			
				Sample: Urine		
PHYSICAL EXAMINATION						
VOLUME	20	ml				
COLOUR	PALE YELLOW		P YELLOW			
APPEARANCE	CLEAR		CLEAR			
CHEMICAL EXAMINATION						
PH	6.5		5.5 - 7.0			
SPECIFIC GRAVITY	1.015		1.016-1.022			
PROTEIN	NEGATIVE		NEGATIVE			
SUGAR	NEGATIVE		NEGATIVE			
BILIRUBIN	NEGATIVE		NEGATIVE			
BLOOD	NEGATIVE					
KETONES	NEGATIVE		NEGATIVE			
NITRITE	NEGATIVE		NEGATIVE			
UROBILINOGEN	NEGATIVE		NEGATIVE			
LEUCOCYTE	NEGATIVE		NEGATIVE			
MICROSCOPIC EXAMINATION						
WBCS/HPF	1-2	/hpf	0 - 3			
RBCS/HPF	0-0	/hpf	0 - 2			
EPITHELIAL CELLS/HPF	1-2	/hpf	0 - 1			
CASTS	NIL		NIL			
CRYSTALS	NIL		NIL			

RESULT ENTERED BY : SUNIL EHS

Dr. ABHINAY VERMA

Mobile No.

Mr. NITESH KUMAWAT **Patient Name** Lab No 4054375 UHID 40021006 **Collection Date** 28/09/2024 10:13AM 28/09/2024 10:30AM Age/Gender 33 Yrs/Male **Receiving Date Report Date IP/OP Location** O-OPD 28/09/2024 3:04PM **Referred By** Dr. EHS CONSULTANT **Report Status** Final 7597782280 Mobile No.

CLINICAL PATHOLOGY

BACTERIA NIL NIL OHTERS NIL NIL

Methodology:-Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific Gravity: Proton release from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue (Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method.. interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

RESULT ENTERED BY : SUNIL EHS

Dr. ABHINAY VERMA

Patient Name Mr. NITESH KUMAWAT Lab No 4054375 UHID 40021006 **Collection Date** 28/09/2024 10:13AM 28/09/2024 10:30AM Age/Gender 33 Yrs/Male **Receiving Date** Report Date **IP/OP Location** O-OPD 28/09/2024 3:04PM **Referred By** Dr. EHS CONSULTANT **Report Status** Final

Mobile No. 7597782280

HEMATOLOGY

Test Name	Result	Unit	Biological Ref. Rang	e
			:	Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	14.0	g/dl	13.0 - 17.0	
PACKED CELL VOLUME(PCV)	42.0	%	40.0 - 50.0	
MCV	102.7 H	fl	82 - 92	
MCH	34.2 H	pg	27 - 32	
MCHC	33.3	g/dl	32 - 36	
RBC COUNT	4.09 L	millions/cu.mm	4.50 - 5.50	
TLC (TOTAL WBC COUNT)	6.40	10^3/ uL	4 - 10	
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHILS	52.2	%	40 - 80	
LYMPHOCYTE	33.6	%	20 - 40	
EOSINOPHILS	8.8 H	%	1 - 6	
BASOPHIL	0.6 L	%	1 - 2	
MONOCYTES	4.8	%	2 - 10	
PLATELET COUNT	2.80	lakh/cumm	1.500 - 4.500	

HAEMOGLOBIN :- Method:-SLS Hemoglobin Methodology by Cell Counter. Interpretation:-Low-Anemia, High-Polycythemia.

MCV :- Method:- Calculation by sysmex. MCH :- Method:- Calculation by sysmex. MCHC :- Method:- Calculation bysysmex.

RBC COUNT :- Method:-Hydrodynamic focusing. Interpretation:-Low-Anemia, High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method: Optical Detector block based on Flowcytometry. Interpretation: High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detector block based on Flowcytometry

LYMPHOCYTS :- Method: Optical detector block based on Flowcytometry EOSINOPHILS :- Method: Optical detector block based on Flowcytometry

MONOCYTES :- Method: Optical detector block based on Flowcytometry

BASOPHIL :- Method: Optical detector block based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamic focusing method. Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE) 20 H mm/1st hr

0 - 15

RESULT ENTERED BY: SUNIL EHS

Dr. ABHINAY VERMA

Patient Name Lab No Mr. NITESH KUMAWAT 4054375 28/09/2024 10:13AM UHID 40021006 **Collection Date** 28/09/2024 10:30AM Age/Gender **Receiving Date** 33 Yrs/Male **Report Date** O-OPD **IP/OP Location** 28/09/2024 3:04PM **Referred By** Dr. EHS CONSULTANT **Report Status** Final Mobile No. 7597782280

Method:-Modified Westergrens. Interpretation:-Increased in infections, sepsis, and malignancy.

RESULT ENTERED BY : SUNIL EHS

Page: 10 Of 11

Mr. NITESH KUMAWAT **Patient Name** Lab No 4054375 UHID 40021006 **Collection Date** 28/09/2024 10:13AM 28/09/2024 10:30AM Age/Gender **Receiving Date** 33 Yrs/Male **Report Date IP/OP Location** O-OPD 28/09/2024 3:04PM **Referred By** Dr. EHS CONSULTANT **Report Status** Final Mobile No. 7597782280

X Ray

Test Name Result Unit Biological Ref. Range

X-RAY CHEST P. A. VIEW

Both lung fields are clear.

Both CP angles are clear.

Both hemi-diaphragms are normal in shape and outlines.

Cardiac shadow is within normal limits.

Visualized bony thorax is unremarkable.

Correlate clinically & with other related investigations.

End Of Report

RESULT ENTERED BY : SUNIL EHS

Advenu

APOORVA JETWANI

Select

Page: 11 Of 11