



BMI CHART

Date: 27/10/22

Name: Amit Singh Tomar Age: 43 yrs Sex: M / F
BP: 120/80 mmHg Height (cms): 160 cm Weight(kgs): 75 kg BMI: _____

WEIGHT lbs	100	105	110	115	120	125	130	135	140	145	150	155	160	165	170	175	180	185	190	195	200	205	210	215	
kg	45.5	47.7	50.0	52.3	54.5	56.8	59.1	61.4	63.6	65.9	68.2	70.5	72.7	75.0	77.3	79.5	81.8	84.1	86.4	88.6	90.9	93.2	95.5	97.7	
HEIGHT in/cm	Underweight					Healthy					Overweight					Obese					Extremely Obese				
5'0" - 152.4	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	
5'1" - 154.9	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	
5'2" - 157.4	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	
5'3" - 160.0	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
5'4" - 162.5	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
5'5" - 165.1	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	
5'6" - 167.6	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	
5'7" - 170.1	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	
5'8" - 172.7	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	
5'9" - 175.2	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	
5'10" - 177.8	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	
5'11" - 180.3	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	
6'0" - 182.8	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	
6'1" - 185.4	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	
6'2" - 187.9	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	
6'3" - 190.5	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	
6'4" - 193.0	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	

Doctors Notes:

Signature

Mini Sea Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703
 Board Line: 022 - 39199222 | Fax: 022 - 39199220
 Emergency: 022 - 39199100 | Ambulance: 1255
 For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300
 www.fortishealthcare.com |
 CIN : U85100MH2005PTC154823
 GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D



Hiranandani
HOSPITAL
 (A Fortis Network Hospital)

UHID	12144051	Date	27/01/2024		
Name	Mr.Amit Singh Tomar	Sex	Male	Age	43
OPD	ENT 04	Health Check Up			

Drug allergy:
 Sys illness:

c/o HEAD

b
 cap tabumac 20mg b
 (As for meal) (—o—o)
 x 3 weeks.

DR. DEVKUMAR KHANNA
 MS (ENT), DNB, MRCS (UK)
 Reg. No. MMC-2013/03/0579



(7387696540)

UHID	121440511	Date	27/01/2024		
Name	Mr. Amit Singh Tomar (9482089187)	Sex	Male	Age	43
OPD	Dental 12	Health Check Up			

Drug allergy:
 Sys illness:

M M → NRM.

OIE → missing 7

grossly carious 6

Stains +, calculus +
 caries 878

Ex → Adv scaling

→ Adv extra 6

→ Adv replacement 6/7
 (Implant)

→ Adv composite 876

Paasha.
 Dr. Vaesha Ullam
 MDS (Perio)
 A-39457

Hiranandani Healthcare Pvt. Ltd.
 Mini Sea Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703
 Board Line: 022 - 39199222 | Fax: 022 - 39199220
 Emergency: 022 - 39199100 | Ambulance: 1255
 For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300
 www.fortishealthcare.com |
 CIN : U85100MH2005PTC154823
 GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D



Hiranandani
HOSPITAL
 (A Fortis Network Hospital)

UHID	121440511	Date	27/01/2024		
Name	Mr.Amit Singh Tomar	Sex	Male	Age	43
OPD	Ophthal 14	Health Check Up			

Chs. No

Drug allergy: -> Not know.
 Sys illness: -> NO
Habit: -> NO

UGs No

U.V.L. -> Rcs 6/6P
 Lcs 6/6-1 (Blind)

P.H. -> Rcs - 0.50 am 6/6
 Lcs - 0.25 am 6/6
 Add -> +1.25 -> W6

J.P. -> Rcs 15.5
 Lcs 15.3
 Any same as P.H.P

(Signature)

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

 CODE/NAME & ADDRESS : C000045507
 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

 ACCESSION NO : 0022XA004662
 PATIENT ID : FH.12144051
 CLIENT PATIENT ID: UID:12144051
 ABHA NO :

 AGE/SEX : 43 Years Male
 DRAWN : 27/01/2024 09:43:00
 RECEIVED : 27/01/2024 09:46:56
 REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

 UID:12144051 REQNO-1654841
 CORP-OPD
 BILLNO-150124OPCR005095
 BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY - CBC

CBC-5, EDTA WHOLE BLOOD

BLOOD COUNTS, EDTA WHOLE BLOOD

HEMOGLOBIN (HB)	14.7	13.0 - 17.0	g/dL
METHOD : SLS METHOD			
RED BLOOD CELL (RBC) COUNT	5.23	4.5 - 5.5	mil/ μ L
METHOD : HYDRODYNAMIC FOCUSING			
WHITE BLOOD CELL (WBC) COUNT	6.58	4.0 - 10.0	thou/ μ L
METHOD : FLUORESCENCE FLOW CYTOMETRY			
PLATELET COUNT	260	150 - 410	thou/ μ L
METHOD : HYDRODYNAMIC FOCUSING BY DC DETECTION			

RBC AND PLATELET INDICES

HEMATOCRIT (PCV)	42.9	40.0 - 50.0	%
METHOD : CUMULATIVE PULSE HEIGHT DETECTION METHOD			
MEAN CORPUSCULAR VOLUME (MCV)	82.0 Low	83.0 - 101.0	fL
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	28.1	27.0 - 32.0	pg
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION(MCHC)	34.3	31.5 - 34.5	g/dL
METHOD : CALCULATED PARAMETER			
RED CELL DISTRIBUTION WIDTH (RDW)	12.0	11.6 - 14.0	%
METHOD : CALCULATED PARAMETER			
MENTZER INDEX	15.7		
METHOD : CALCULATED PARAMETER			
MEAN PLATELET VOLUME (MPV)	9.6	6.8 - 10.9	fL
METHOD : CALCULATED PARAMETER			

WBC DIFFERENTIAL COUNT



 Dr. Akshay Dhotre, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist

Page 1 Of 22



View Details



View Report

PERFORMED AT :

 Agilus Diagnostics Ltd.
 Hirani-Dani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-30199222, 022-43723322,
 CIN - U74899PB1995PLC045956
 Email : -


Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

 CODE/NAME & ADDRESS : C000045507
 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

 ACCESSION NO : 0022XA004662
 PATIENT ID : PH.12144051
 CLIENT PATIENT ID: UID:12144051
 ABHA NO :

 AGE/SEX :43 Years Male
 DRAWN :27/01/2024 09:43:00
 RECEIVED :27/01/2024 09:46:56
 REPORTED :27/01/2024 15:37:38

CLINICAL INFORMATION :

 UTD:12144051 REQNO-1654841
 CORP-OPD
 BILLNO-150124OPCR005095
 BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
NEUTROPHILS		52	40.0 - 80.0	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING				
LYMPHOCYTES		38	20.0 - 40.0	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING				
MONOCYTES		7	2.0 - 10.0	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING				
EOSINOPHILS		3	1 - 6	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING				
BASOPHILS		00	0 - 2	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING				
ABSOLUTE NEUTROPHIL COUNT		3.42	2.0 - 7.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE LYMPHOCYTE COUNT		2.50	1.0 - 3.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE MONOCYTE COUNT		0.46	0.2 - 1.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE EOSINOPHIL COUNT		0.20	0.02 - 0.50	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE BASOPHIL COUNT		0 Low	0.02 - 0.10	thou/ μ L
METHOD : CALCULATED PARAMETER				
NEUTROPHIL LYMPHOCYTE RATIO (NLR)		1.4		
METHOD : CALCULATED				

MORPHOLOGY

RBC

PREDOMINANTLY NORMOCYTIC NORMOCHROMIC

METHOD : MICROSCOPIC EXAMINATION

WBC

NORMAL MORPHOLOGY

METHOD : MICROSCOPIC EXAMINATION

PLATELETS

ADEQUATE

METHOD : MICROSCOPIC EXAMINATION



 Dr. Akshay Dhotre, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist

Page 2 Of 22




View Details



View Report

PERFORMED AT :

 Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322,
 CIN - U74309PB1995PLC045956
 Email : -



 Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XA004662

AGE/SEX : 43 Years Male

FORTIS VASHI-CHC -SPLZD

PATIENT ID : FH.12144051

DRAWN : 27/01/2024 09:43:00

FORTIS HOSPITAL # VASHI,

CLIENT PATIENT ID: UID:12144051

RECEIVED : 27/01/2024 09:46:56

MUMBAI 440001

ASHA NO :

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654041

CORP-OPD

BILLNO-150124OPCR005095

BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Interpretation(s)


RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait.

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504)

This ratio element is a calculated parameter and out of NABL scope.



Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-36199222, 022-49723322,
CIN - U71809PB1995PLC045956
Email : -



Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

ACCESSION NO : 0022XA004662

PATIENT ID : FH.12144051

CLIENT PATIENT ID: UID:12144051

ASHA NO : 1

AGE/SEX : 43 Years Male

DRAWN : 27/01/2024 09:43:00

RECEIVED : 27/01/2024 09:46:56

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841

CORP-OPD

BILLNO-150124OPCR005095

BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R	05	0 - 14	mm at 1 hr
-------	----	--------	------------

METHOD : WESTERGRÉN METHOD

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C	5.5	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
-------	-----	--	---

METHOD : HB VARIANT (HPLC)

ESTIMATED AVERAGE GLUCOSE(EAG)	111.2	< 116.0	mg/dL
--------------------------------	-------	---------	-------

METHOD : CALCULATED PARAMETER



 Dr. Akshay Dhotra, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist

Page 4 Of 22




View Details



View Report

PERFORMED AT :

 Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39196222, 022-49723322,
 CIN - U74809PB1995PLC045956
 Email : -



 Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

 CODE/NAME & ADDRESS : C000045507
 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440091


 ACCESSION NO : 0022XA004662
 PATIENT ID : FH.12144051
 CLIENT PATIENT ID: UID:12144051
 ABHA NO :

 AGE/SEX : 43 Years Male
 DRAWN : 27/01/2024 09:43:00
 RECEIVED : 27/01/2024 09:46:56
 REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

 UID:12144051 REQNO-1654B41
 CORP-OPD
 BILLNO-150124OPCR005095
 BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays, fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition. CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculitis, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Noting a very accelerated ESR (>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemia, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy ESR in first trimester is 0-45 mm/hr (52 if anemic) and in second trimester (0-70 mm/hr (95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythemia vera, Sickle cell anemia.

LIMITATIONS

Falsely elevated ESR: Increased Estrogen, Drugs (Vitamin A, Dextran etc), Hypochkaterokemia

Falsely Decreased: Polkilocytosis, (Sickle Cells, spherocytes), Microcytosis, Low Estrogen, Very High WBC counts, Drugs (Quinine, salicylates)

REFERENCE :

1. Mahan and Gai's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals, AACF Press, 7th edition, Edited by S. Scdfu3, The reference for



Dr. Akshay Dhotre, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist

Page 5 Of 22




View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd,
 Hirvanandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-30199222, 022-49723322,
 CIN - U74899PB1995PLC045956
 Email : -



Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

ACCESSION NO : 0022XA004662

PATIENT ID : FH.12144051

CLIENT PATIENT ID: UID:12144051

ABHA NO :

AGE/SEX : 43 Years Male

DRAWN : 27/01/2024 09:43:00

RECEIVED : 27/01/2024 09:46:56

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841

CORP-OPD

BILLNO-150124OPCR005095

BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

the adult reference range is "Practical Hematology by Dacie and Lewis, 10th edition, GLYCOSYLATED HEMOGLOBIN(HbA1c), EDTA WHOLE BLOOD-Used For)

- Evaluating the long-term control of blood glucose concentrations in diabetic patients.
 - Diagnosing diabetes.
 - Identifying patients at increased risk for diabetes (prediabetes).
- The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patient's metabolic control has remained continuously within the target range.
- sAG (Estimated average glucose) converts percentage HbA1c to mg/dL, to compare blood glucose levels.
 - sAG gives an evaluation of blood glucose levels for the last couple of months.
 - sAG is calculated as sAG (mg/dL) = 28.7 * HbA1c + 46.7

HbA1c Estimation can get affected due to :

- Shortened erythrocyte survival : Any condition that shortens erythrocyte survival or depresses mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- Vitamin C & E are reported to falsely lower test results (possibly by inhibiting glycation of hemoglobin).
- Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods, falsely increasing results.
- Interference of hemoglobinopathies in HbA1c estimation is seen in
 - Hemoglobin hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
 - Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
 - HbF > 25% or alternate pigment (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy



Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

Page 6 Of 22




View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-35199222, 022-49723322,
CIN - U74899PB1995PLC045956
Email : -



Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

 CODE/NAME & ADDRESS : C000045507
 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

 ACCESSION NO : 0022XA004662
 PATIENT ID : FH.12144051
 CLIENT PATIENT ID: UID:12144051
 ABHA NO :

 AGE/SEX : 43 Years Male
 DRAWN : 27/01/2024 09:43:00
 RECEIVED : 27/01/2024 09:46:56
 REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

 UID:12144051 REQNO-1654841
 CORP-OPD
 BILLNO-1501240PCR005095
 BILLNO-1501240PCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

IMMUNOHAEMATOLOGY

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP	TYPE B
METHOD : TUBE AGGLUTINATION	
RH TYPE	POSITIVE
METHOD : TUBE AGGLUTINATION	

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.



Dr. Akshay Dhotre, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist

Page 7 Of 22



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
 Hiramandini Hospital-Vashi, Mini Seachore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322,
 CTN - U74809981995PLC045956
 Email : -



Patient Ref. No. 22000000896690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XA004662

AGE/SEX : 43 Years Male

FORTIS VASHI-CHC -SPLZD

PATIENT ID : FH.12144051

DRAWN : 27/01/2024 09:43:00

FORTIS HOSPITAL # VASHI,

CLIENT PATIENT ID: UID:12144051

RECEIVED : 27/01/2024 09:46:56

MUMBAI 440001

ABHA NO :

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841

CORP-OPD

BILLNO-150124OPCR005095

BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY

LIVER FUNCTION PROFILE, SERUM


BILIRUBIN, TOTAL	0.59	0.2 - 1.0	mg/dL
METHOD : JENDRASSIK AND GROFF			
BILIRUBIN, DIRECT	0.14	0.0 - 0.2	mg/dL
METHOD : JENDRASSIK AND GROFF			
BILIRUBIN, INDIRECT	0.45	0.1 - 1.0	mg/dL
METHOD : CALCULATED PARAMETER			
TOTAL PROTEIN	7.4	6.4 - 8.2	g/dL
METHOD : BIURET			
ALBUMIN	3.7	3.4 - 5.0	g/dL
METHOD : BCP DYE BINDING			
GLOBULIN	3.7	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER			
ALBUMIN/GLOBULIN RATIO	1.0	1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER			
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	22	15 - 37	U/L
METHOD : UV WITH PSP			
ALANINE AMINOTRANSFERASE (ALT/SGPT)	35	< 45.0	U/L
METHOD : UV WITH PSP			
ALKALINE PHOSPHATASE	109	30 - 120	U/L
METHOD : BNPP-AMP			
GAMMA GLUTAMYL TRANSFERASE (GGT)	34	15 - 85	U/L
METHOD : GAMMA GLUTAMYL CARBOXY ANTIPIRIDINE			
LACTATE DEHYDROGENASE	163	85 - 227	U/L
METHOD : LACTATE -PYRUVATE			

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR)	105 High	Normal : < 100 Pre-diabetes: 100-125 Diabetes: >=126	mg/dL
---------------------------	----------	--	-------

METHOD : HEXOKINASE

Page 8 Of 22



Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CIN - U74699PB1995PLC045956
Email : -



Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XA004662

AGE/SEX : 43 Years Male

FORTIS VASHI-CHC -SPLZD
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

PATIENT ID : FH.12144051

DRAWN : 27/01/2024 09:43:00

CLIENT PATIENT ID: UID:12144051

RECEIVED : 27/01/2024 09:46:56


ABHA NO :

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841
CORP-OPD
BILLNO-150124OPCR005095
BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



KIDNEY PANEL - 1

BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN 9 6 - 20 mg/dL

METHOD : UREASE - UV


Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

Page 9 Of 22



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222,022-49723322,
CIN - U74899PB1995PLC045956
Email : -

Patient Ref. No. 2200000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XA004662

AGE/SEX : 43 Years Male

FORTIS VASHI-CHC -SPLZD
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

PATIENT ID : FH.12144051

DRAWN : 27/01/2024 09:43:00

CLIENT PATIENT ID: UID:12144051

RECEIVED : 27/01/2024 09:46:56


ABHA NO :

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841
CORP-OPD
BILLNO-150124OPCR005095
BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



CREATININE EGFR- EPI

CREATININE	1.15	0.90 - 1.30	mg/dL
METHOD : ALKALINE PICRATE KINETIC JAFFES			
AGE	43		years
GLOMERULAR FILTRATION RATE (MALE)	80.98	Refer Interpretation Below	mL/min/1.73m ²
METHOD : CALCULATED PARAMETER			



Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

Page 10 Of 22



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CIN - U74099PB1995PLC045956
Email :-



 Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507
 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001


ACCESSION NO : 0022XA004662
 PATIENT ID : FH.12144051
 CLIENT PATIENT ID: UID:12144051
 ABHA NO :

AGE/SEX : 43 Years Male
 DRAWN : 27/01/2024 09:43:00
 RECEIVED : 27/01/2024 09:46:56
 REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841
 CORP-OPD
 BILLNO-150124OPCR005095
 BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



BUN/CREAT RATIO

BUN/CREAT RATIO 7.83 5.00 - 15.00
 METHOD : CALCULATED PARAMETER

URIC ACID, SERUM

URIC ACID 5.5 3.5 - 7.2 mg/dL
 METHOD : URICASE UV

TOTAL PROTEIN, SERUM

TOTAL PROTEIN 7.4 6.4 - 8.2 g/dL
 METHOD : BIURET

ALBUMIN, SERUM

Dr. Akshay Dhotre, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist




View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322,
 CIN - U74809PB1995PLC045956
 Email : -



Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XA004662

AGE/SEX : 43 Years - Male

FORTIS VASHI-CHC -SPLZD
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

PATIENT ID : FH.12144051

DRAWN : 27/01/2024 09:43:00

CLIENT PATIENT ID: UID:12144051

RECEIVED : 27/01/2024 09:46:56

ABHA NO :

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841
CORP-OPD
BILLNO-150124OPCR005095
BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
ALBUMIN		3.7	3.4 - 5.0	g/dL
METHOD : BCF DYE BINDING				
GLOBULIN		3.7	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER				
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM, SERUM		137	136 - 145	mmol/L
METHOD : ISE INDIRECT				
POTASSIUM, SERUM		4.83	3.50 - 5.10	mmol/L
METHOD : ISE INDIRECT				
CHLORIDE, SERUM		102	98 - 107	mmol/L
METHOD : ISE INDIRECT				

Interpretation(s)

Interpretation(s)

LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal hemoglobin. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in viral hepatitis, drug reactions, alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & stricture of the bile ducts. Increased, unconjugated (indirect) bilirubin may be a result of hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemangiomas. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatobiliary injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Ductal/biliary bone tumors, osteoarthritis, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Scurvy etc. Lower-than-normal ALP levels seen in Hypochromatosis, Malnutrition, Protein deficiency, Wilson's disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive


Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

Page 12 Of 22




View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-36199222, 022-49723322,
CIN - U74899PB1995PLC045956
Email : -


Patient Ref. No. 2200000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XA004662

AGE/SEX : 43 Years Male

FORTIS VASHI-CHC -SPLZD

PATIENT ID : FH.12144051

DRAWN : 27/01/2024 09:43:00

FORTIS HOSPITAL # VASHI,

CLIENT PATIENT ID: UID:12144051

RECEIVED : 27/01/2024 09:46:56

MUMBAI 440001

ABHA NO :

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID: 12144051 REQNO-1654841

CORP-OPD

BILLNO-150124OPCR005095

BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenström disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

GLUCOSE FASTING FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

Increased in: Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%), Drugs: corticosteroids, phenytoin, estrogen, thiazides,

Decreased in: Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease,

malignancy (adrenocortical, stomach, thymic, sarcoma), infant of a diabetic mother, enzyme deficiency

disease (e.g. galactosemia); Drugs: insulin, ethanol, propylthiouracil, sulfonylureas, salbutamol, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycaemia, Increased insulin response & sensitivity etc.

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include: Pre renal (High protein diet, Increased protein catabolism, GI hemorrhage, Cortisol,

Dehydration, CHF Renal), Renal failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include: Liver disease, SIADH,

CREATININE eGFR- EPI- Kidney Disease outcomes quality initiative (KDIGO) guidelines state that estimation of GFR is the best overall indices of the kidney function,

- It gives a rough measure of number of functioning nephrons. Reduction in GFR implies progression of underlying disease.

- The GFR is a calculation based on serum creatinine test.

- Creatinine is mainly derived from the metabolism of creatine in muscle, and its generation is proportional to the total muscle mass. As a result, mean creatinine generation is higher in men than in women, in younger than in older individuals, and in blacks than in whites.

- Creatinine is filtered from the blood by the kidneys and excreted into urine at a relatively steady rate.

- When kidney function is compromised, excretion of creatinine decreases with a consequent increase in blood creatinine levels. With the creatinine test, a reasonable estimate of the actual GFR can be determined.

- This equation takes into account several factors that impact creatinine production, including age, gender, and race.

- CKD EPI (Chronic kidney disease epidemiology collaboration) equation performed better than MDRD equation especially when GFR is high (>60 mL/min per 1.73m²). This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

- This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist




View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd,
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CIN - U74809PB1995PLC045956
Email : -



Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XA004662

AGE/SEX : 43 Years Male

 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

PATIENT ID : FH.12144051

DRAWN : 27/01/2024 09:43:00

CLIENT PATIENT ID: UID:12144051

RECEIVED : 27/01/2024 09:46:56

ABHA NO :

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

 UID:12144051 REQNO-1654841
 CORP-OPD
 BILLNO-150124OPCR005095
 BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY - LIPID

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL	192	< 200 Desirable 200 - 239 Borderline High >= 240 High	mg/dL
--------------------	-----	---	-------

METHOD : ENZYMATIC-COLORIMETRIC, CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE

TRIGLYCERIDES	140	< 150 Normal 150 - 199 Borderline High 200 - 499 High >= 500 Very High	mg/dL
---------------	-----	---	-------

METHOD : ENZYMATIC ASSAY

HDL CHOLESTEROL	41	< 40 Low >= 60 High	mg/dL
-----------------	----	------------------------	-------

METHOD : DIRECT MEASURE - PEG

LDL CHOLESTEROL, DIRECT	126	< 100 Optimal 100 - 129 Near or above optimal 130 - 159 Borderline High 160 - 189 High >= 190 Very High	mg/dL
-------------------------	-----	---	-------

METHOD : DIRECT MEASURE WITHOUT SAMPLE PRETREATMENT

NON HDL CHOLESTEROL	151 High	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL
---------------------	----------	--	-------

METHOD : CALCULATED PARAMETER

VERY LOW DENSITY LIPOPROTEIN	28.0	<= 30.0	mg/dL
------------------------------	------	---------	-------

METHOD : CALCULATED PARAMETER

CHOL/HDL RATIO	4.7 High	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk
----------------	----------	--

METHOD : CALCULATED PARAMETER



 Dr. Akshay Dhotre, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist

Page 14 Of 22




View Details



View Report

PERFORMED AT :

 Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-35199222, 022-49723322,
 CIN - U74899PB1995PLC045956
 Email : -



 Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507
 FORTIS VASHI-CHC -SPLZD
 FORTIS HOSPITAL # VASHI,
 MUMBAI 440001

ACCESSION NO : **0022XA004662**
 PATIENT ID : FH.12144051
 CLIENT PATIENT ID: UID:12144051
 ABHA NO : 1

AGE/SEX : 43 Years Male
 DRAWN : 27/01/2024 09:43:00
 RECEIVED : 27/01/2024 09:46:56
 REPORTED : 27/01/2024 15:37:38


CLINICAL INFORMATION :

UID:12144051 REQNO-1654841
 CORP-OPD
 BILLNO-150124OPCR005095
 BILLNO-150124OPCR005095

Test Report Status	Results	Biological Reference Interval	Units
--------------------	---------	-------------------------------	-------

LDL/HDL RATIO	3.1 High	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk	
---------------	----------	--	--

METHOD : CALCULATED PARAMETER



Dr. Akshay Dhotre, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 New Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322,
 CIN - U74899PB1995PLCC45956
 Email : -




Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR		REF. DOCTOR :	
CODE/NAME & ADDRESS : C000045507		ACCESSION NO : 0022XA004662	
FORTIS VASHI-CHC -SPLZD		AGE/SEX : 43 Years Male	
FORTIS HOSPITAL # VASHI,		DRAWN : 27/01/2024 09:43:00	
MUMBAI 440001		RECEIVED : 27/01/2024 09:46:56	
PATIENT ID : FH.12144051		REPORTED : 27/01/2024 15:37:38	
CLIENT PATIENT ID: UID:12144051			
ABHA NO : 1			

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841
 CORP-OPD
 BILLNO-150124OPCR005095
 BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



Dr. Akshay Dhotre, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd,
 Hirnandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322,
 CIN : U74899PB1995PLC045956
 Email : -




Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR		REF. DOCTOR :	
CODE/NAME & ADDRESS : C000045507 FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001	ACCESSION NO : 0022XA004662 PATIENT ID : FH,12144051 CLIENT PATIENT ID: UID:12144051 ABHA NO : :	AGE/SEX : 43 Years Male DRAWN : 27/01/2024 09:43:00 RECEIVED : 27/01/2024 09:46:56 REPORTED : 27/01/2024 15:37:38	

CLINICAL INFORMATION :
 UID:12144051 REQNO-1654841
 CORP-OPD
 BILLNO-150124OPCR005095
 BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



Dr. Akshay Dhotre, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist




View Details



View Report

PERFORMED AT :
 Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-36199222, 022-49723322,
 CIN - U74809PB1995PLC045956
 Email : -




Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR		REF. DOCTOR :
CODE/NAME & ADDRESS : C000045507 FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001	ACCESSION NO : 0022XA004662 PATIENT ID : PH.12144051 CLIENT PATIENT ID: UID:12144051 ABHA NO :	AGE/SEX : 43 Years Male DRAWN : 27/01/2024 09:43:00 RECEIVED : 27/01/2024 09:46:56 REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :
 UID:12144051 REQNO-1654841
 CORP-OPD
 BILLNO-150124OPCR005095
 BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



Interpretation(s)

Dr. Akshay Dhotre, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist

Page 18 Of 22

View Details

View Report

PERFORMED AT :
 Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322,
 CIN - U74899PB1995PLC045956
 Email : -

Patient Ref. No. 2200000898690

PATIENT NAME : MR.AMIT SINGH TOMAR		REF. DOCTOR :	
CODE/NAME & ADDRESS : C000045507		ACCESSION NO : 0022XA004662	AGE/SEX : 43 Years Male
FORTIS VASHI-CHC -SPLZD		PATIENT ID : FH.12144051	DRAWN : 27/01/2024 09:43:00
FORTIS HOSPITAL # VASHI,		CLIENT PATIENT ID: UID:12144051	RECEIVED : 27/01/2024 09:46:56
MUMBAI 440001		ABHA NO : 1	REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841
CORP-OPD
BILLNO-150124OPCR005095
BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - URINALYSIS**KIDNEY PANEL - 1****PHYSICAL EXAMINATION, URINE**

COLOR	PALE YELLOW
METHOD : PHYSICAL	
APPEARANCE	CLEAR
METHOD : VISUAL	

CHEMICAL EXAMINATION, URINE

PH	7.0	4.7 - 7.5
METHOD : REFLECTANCE SPECTROPHOTOMETRY - DOUBLE INDICATOR METHOD		
SPECIFIC GRAVITY	<=1.005	1.003 - 1.035
METHOD : REFLECTANCE SPECTROPHOTOMETRY (APPARENT P/A CHANGE OF PRETREATED POLYELECTROLYTES IN RELATION TO IONIC CONCENTRATION)		
PROTEIN	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY - PROTEIN-ERROR-OF-INDICATOR PRINCIPLE		
GLUCOSE	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, DOUBLE SEQUENTIAL ENZYME REACTION-GOD/POD		
KETONES	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, BOTHERA'S PRINCIPLE		
BLOOD	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, PEROXIDASE LIKE ACTIVITY OF HAEMOGLOBIN		
BILIRUBIN	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, DIAZOTIZATION- COUPLING OF BILIRUBIN WITH DIAZOTIZED SALT		
UROBILINOGEN	NORMAL	NORMAL
METHOD : REFLECTANCE SPECTROPHOTOMETRY (MODIFIED EHRLICH REACTION)		
NITRITE	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRITE		
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, ESTERASE HYDROLYSIS ACTIVITY		



Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist



Dr. Rekha Nair, MD
(Reg No. MMC 2001/06/2354)
Microbiologist

Page 19 Of 22




View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Novi Mumbai, 400703
Maharashtra, India
Tel : 022-36199222, 022-49723322,
CIN - U74809PB1995PLC045956
Email : -



Patient Ref. No. 22000000898590

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -5PLZD

FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO : 0022XA004662

PATIENT ID : FH.12144051

CLIENT PATIENT ID: UID:12144051

ABHA NO :

AGE/SEX : 43 Years Male

DRAWN : 27/01/2024 09:43:00

RECEIVED : 27/01/2024 09:46:56

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841

CORP-OPD

BILLNO-150124OPCR005095

BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS

NOT DETECTED

NOT DETECTED

/HPF

METHOD : MICROSCOPIC EXAMINATION

PUS CELL (WBC'S)

0-1

0-5

/HPF

METHOD : MICROSCOPIC EXAMINATION

EPITHELIAL CELLS

0-1

0-5

/HPF

METHOD : MICROSCOPIC EXAMINATION

CASTS

NOT DETECTED

METHOD : MICROSCOPIC EXAMINATION

CRYSTALS

NOT DETECTED

METHOD : MICROSCOPIC EXAMINATION

BACTERIA

NOT DETECTED

NOT DETECTED

METHOD : MICROSCOPIC EXAMINATION

YEAST

NOT DETECTED

NOT DETECTED

METHOD : MICROSCOPIC EXAMINATION


REMARKS

URINARY MICROSCOPIC EXAMINATION DONE ON URINARY CENTRIFUGED SEDIMENT.

Interpretation(s)



Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist



Dr. Rekha Nair, MD
(Reg No. MMC 2001/06/2354)
Microbiologist

Page 20 Of 22




View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd,
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-36199222, 022-49723322,
CIN - U74899MH1995PLC045956
Email : -



Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XA004662

AGE/SEX : 43 Years Male

FORTIS VASHI-CHC -SPLZD

PATIENT ID : FH.12144051

DRAWN : 27/01/2024 09:43:00

FORTIS HOSPITAL # VASHI,

CLIENT PATIENT ID: UID:12144051

RECEIVED : 27/01/2024 09:46:56

MUMBAI 440001

ABHA NO :

REPORTED : 27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841

CORP-OPD

BILLNO-150124OPCR005095

BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

SPECIALISED CHEMISTRY - HORMONE

THYROID PANEL, SERUM

T3	112.1	80.0 - 200.0	ng/dL
METHOD : ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE			
T4	5.60	5.10 - 14.10	ug/dL
METHOD : ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE			
TSH (ULTRASENSITIVE)	4.860 High	0.270 - 4.200	uIU/mL
METHOD : ELECTROCHEMILUMINESCENCE SANDWICH IMMUNOASSAY			

Interpretation(s)



Dr. Akshay Dhotra, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

Page 21 Of 22




View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd,
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-36199222, 022-49723322,
CIN - U74099PB1995PLC045956
Email : -



Patient Ref. No. 22000000898690

PATIENT NAME : MR.AMIT SINGH TOMAR

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

ACCESSION NO : 0022XA004662

PATIENT ID : FH.12144051

CLIENT PATIENT ID: UID:12144051

ABHA NO :

AGE/SEX :43 Years Male

DRAWN :27/01/2024 09:43:00

RECEIVED :27/01/2024 09:46:56

REPORTED :27/01/2024 15:37:38

CLINICAL INFORMATION :

UID:12144051 REQNO-1654841

CORP-OPD

BILLNO-150124OPCR005095

BILLNO-150124OPCR005095

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

SPECIALISED CHEMISTRY - TUMOR MARKER

PROSTATE SPECIFIC ANTIGEN, SERUM

PROSTATE SPECIFIC ANTIGEN	0.345	0.0 - 2.0	ng/mL
---------------------------	-------	-----------	-------

METHOD : ELECTROCHEMILUMINESCENCE,SANDWICH IMMUNOASSAY

Interpretation(s)

- PROSTATE SPECIFIC ANTIGEN, SERUM-- PSA is detected in the male patients with normal, benign hyperplastic and malignant prostate tissue and in patients with prostaticitis.
- PSA is not detected (or detected at very low levels) in the patients without prostate tissue (because of radical prostatectomy or cystoprostatectomy) and also in the female patients.
 - It is a suitable marker for monitoring of patients with Prostate Cancer and it is better to be used in conjunction with other diagnostic procedures.
 - Serial PSA levels can help determine the success of prostatectomy and the need for further treatment, such as radiation, endocrine or chemotherapy and useful in detecting residual disease and early recurrence of tumor.
 - Elevated levels of PSA can be also observed in the patients with non-malignant diseases like Prostatitis and Benign Prostatic Hyperplasia.
 - Specimens for total PSA assay should be obtained before biopsy, prostatectomy or prostatic massage, since manipulation of the prostate gland may lead to elevated PSA (false positive) levels persisting up to 3 weeks.
 - As per American urological guidelines, PSA screening is recommended for early detection of Prostate cancer above the age of 40 years. Following Age specific reference range can be used as a guide lines.
 - Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-10 ng/mL.
 - Total PSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. Recommended follow up on same platform as patient result can vary due to differences in assay method and reagent specificity.

References-

1. Burtis CA, Ashwood ER, Bruns DE, Tietz textbook of clinical chemistry and Molecular Diagnostics, 4th edition.
2. Williamson HA, Snyder LM, Wallace's Interpretation of diagnostic tests, 9th edition.

End Of Report

Please visit www.agilusdiagnostics.com for related Test Information for this accession


Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

Page 22 Of 22




View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322,
CTN - U74839PB1995PLC045956
Email : -



Patient Ref. No. 22000000898690

1/27/2024 10:39:16 AM

AMIT SINGH TOMAR

12144051

Male

43 Years

Hc

Rate 73 Sinus rhythm.....normal P axis, V-rate 50- 99
Minimal ST elevation, inferior leads.....ST >0.06mV, II III aVF

Normal *A*

PR 135
QRS 91
QT 375
QTc 414


--AXIS--

P 7
QRS 28
T 0

12 Lead; Standard Placement

- OTHERWISE NORMAL ECG -

Unconfirmed Diagnosis



Device: Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV

F 50~ 0.50-100 Hz W

100B CL

P7



DEPARTMENT OF NIC

Date: 29/Jan/2024

Name: Mr. Amit Singh Tomar

UHID | Episode No : 12144051 | 5252/24/1501

Age | Sex: 43 YEAR(S) | Male

Order No | Order Date: 1501/PN/OP/2401/10854 | 27-Jan-2024

Order Station : FO-OPD

Admitted On | Reporting Date : 29-Jan-2024 13:03:18

Bed Name :

Order Doctor Name : Dr.SELF.

ECHOCARDIOGRAPHY TRANSTHORACIC

FINDINGS:

- No left ventricle regional wall motion abnormality at rest.
- Normal left ventricle systolic function. LVEF = 60%.
- No left ventricle diastolic dysfunction. No e/o raised LVEDP.
- No mitral regurgitation.
- No aortic regurgitation. No aortic stenosis.
- No tricuspid regurgitation. No pulmonary hypertension.
- Intact IVS and IAS.
- No left ventricle clot/vegetation/pericardial effusion.
- Normal right atrium and right ventricle dimension.
- Normal left atrium and left ventricle dimension.
- Normal right ventricle systolic function. No hepatic congestion.
- IVC measures 12 mm with normal inspiratory collapse .??????

M-MODE MEASUREMENTS:

LA	30	mm
AO Root	22	mm
AO CUSP SEP	18	mm
LVID (s)	25	mm
LVID (d)	40	mm
IVS (d)	11	mm
LVPW (d)	11	mm
RVID (d)	26	mm
RA	30	mm
LVEF	60	%



DEPARTMENT OF NIC

Date: 29/Jan/2024

Name: Mr. Amit Singh Tomar

Age | Sex: 43 YEAR(S) | Male

Order Station : FO-OPD

Bed Name :

UHID | Episode No : 12144051 | 5252/24/1501

Order No | Order Date: 1501/PN/OP/2401/10854 | 27-Jan-2024

Admitted On | Reporting Date : 29-Jan-2024 13:03:18

Order Doctor Name : Dr.SELF .

DOPPLER STUDY:

E WAVE VELOCITY: 0.9 m/sec.


A WAVE VELOCITY:0.8 m/sec

E/A RATIO: 1.1

	PEAK (mmHg)	MEAN (mmHg)	V max (m/sec)	GRADE OF REGURGITATION
MITRAL VALVE	N			Nil
AORTIC VALVE	05			Nil
TRICUSPID VALVE	N			Nil
PULMONARY VALVE	2.0			Nil

Final Impression :

- No RWMA.
- No MR and TR. No PH.
- Normal LV and RV systolic function.


 DR. PRASHANT PAWAR
 DNB(MED), DNB (CARD)

 DR. AMIT SINGH,
 MD(MED),DM(CARD)



Patient Name	: Amit Singh Tomar	Patient ID	: 12144051
Sex / Age	: M / 43Y 8M 28D	Accession No.	: PHC.7370301
Modality	: US	Scan DateTime	: 27-01-2024 12:41:31
IPID No	: 5252/24/1501	ReportDateTime	: 27-01-2024 12:47:32

US - WHOLE ABDOMEN

LIVER is normal in size and echogenicity. Intrahepatic portal and biliary systems are normal. No focal lesion is seen in liver. Portal vein appears normal.

GALL BLADDER is physiologically distended. Gall bladder reveals normal wall thickness. No evidence of calculi in gall bladder. No evidence of pericholecystic collection.

CBD appears normal in caliber.

SPLEEN is normal in size and echogenicity.

BOTH KIDNEYS are normal in size and echogenicity. The central sinus complex is normal. No evidence of calculi/hydronephrosis.

Right kidney measures 9.0 x 3.5 cm.

Left kidney measures 9.0 x 4.9 cm.

PANCREAS: Head & body of pancreas is unremarkable. Rest of the pancreas is obscured.


URINARY BLADDER is normal in capacity and contour. Bladder wall is normal in thickness. No evidence of intravesical mass/calculi.

PROSTATE is normal in size & echogenicity. It measures ~ 15 cc in volume.

No evidence of ascites.

IMPRESSION:

- No significant abnormality is detected.


DR. KUNAL NIGAM
M.D. (Radiologist)