



भी अमिल कुमार किंह उनपनी मणी के रूद्रवा, फास्टीक,

3/11/1 RHE 08/03/2024

American

Dr. R.C. ROY MBBS.,MD. (Radio Diagnosis) Reg. No.-26918

Chandam Diagnostic Cell 99,Shivaji Nagar,Mahmoorgan, Varanasi-221010 (U.P.) Phone No.:0542-2223232





Chandan Diagnostic



Age / Gender: 37/Male


Date and Time: 8th Mar 24 10:41 AM

Patient ID: C

CVAR0124722324

Patient Name:

Mr.AMIT KUMAR SINGH -



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

AUTHORIZED BY

REPORTED BY

em B

Brailwad ..

Dr. Charit MD, DM: Cardiology Dr. Bhagyalaxmi Sunil Bailwad

63382

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.



Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR SINGH -Registered On : 08/Mar/2024 10:51:58 Age/Gender : 37 Y 2 M 21 D /M Collected : 08/Mar/2024 12:17:18 UHID/MR NO : CVAR.0000048411 Received : 08/Mar/2024 12:23:36 Visit ID : CVAR0124722324 Reported : 08/Mar/2024 12:55:57

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|--------------------------------------|----------|----------------|--|---|
| | | | | |
| Blood Group (ABO & Rh typing) *, Bl | ood | | | |
| Blood Group | В | | | ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA |
| Rh (Anti-D) | POSITIVE | | | ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA |
| Complete Blood Count (CBC) * , Whole | e Blood | | | |
| TLC (WBC) | 6,900.00 | g/dl /Cu mm | 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000 | ELECTRONIC IMPEDANCE |
| Polymorphs (Neutrophils) | 60.00 | % | 55-70 | ELECTRONIC IMPEDANCE |
| Lymphocytes | 32.00 | % | 25-40 | ELECTRONIC IMPEDANCE |
| Monocytes | 6.00 | % | 3-5 | ELECTRONIC IMPEDANCE |
| Eosinophils | 2.00 | % | 1-6 | ELECTRONIC IMPEDANCE |
| Basophils ESR | 0.00 | % | <1 | ELECTRONIC IMPEDANCE |
| Observed | 12.00 | Mm for 1st hr. | | |
| Corrected | 6.00 | Mm for 1st hr. | <9 | |
| PCV (HCT) Platelet count | 42.00 | % | 40-54 | |
| Platelet Count | 1.90 | LACS/cu mm | 1.5-4.0 | ELECTRONIC IMPEDANCE/MICROSCOPIC |
| PDW (Platelet Distribution width) | nr | fL | 9-17 | ELECTRONIC IMPEDANCE |
| P-LCR (Platelet Large Cell Ratio) | nr | % | 35-60 | ELECTRONIC IMPEDANCE |











CIN: U85110DL2003PLC308206



Patient Name : 08/Mar/2024 10:51:58 : Mr.AMIT KUMAR SINGH -Registered On Age/Gender : 37 Y 2 M 21 D /M Collected : 08/Mar/2024 12:17:18 UHID/MR NO : CVAR.0000048411 Received : 08/Mar/2024 12:23:36 Visit ID : CVAR0124722324 Reported : 08/Mar/2024 12:55:57 Ref Doctor : Dr.MEDIWHEEL VNS -

Status : Final Report

DEPARTM ENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|----------------------------------|----------|-------------|--------------------|----------------------|
| | | | | |
| PCT (Platelet Hematocrit) | nr | % | 0.108-0.282 | ELECTRONIC IMPEDANCE |
| MPV (Mean Platelet Volume) | nr | fL | 6.5-12.0 | ELECTRONIC IMPEDANCE |
| RBCCount | | | | |
| RBC Count | 4.89 | Mill./cu mm | 4.2-5.5 | ELECTRONIC IMPEDANCE |
| Blood Indices (MCV, MCH, MCHC) | | | | |
| MCV | 81.50 | fl | 80-100 | CALCULATED PARAMETER |
| MCH | 28.30 | pg | 28-35 | CALCULATED PARAMETER |
| MCHC | 34.70 | % | 30-38 | CALCULATED PARAMETER |
| RDW-CV | 13.20 | % | 11-16 | ELECTRONIC IMPEDANCE |
| RDW-SD | 42.10 | fL | 35-60 | ELECTRONIC IMPEDANCE |
| Absolute Neutrophils Count | 4,140.00 | /cu mm | 3000-7000 | |
| Absolute Eosinophils Count (AEC) | 138.00 | /cu mm | 40-440 | |

S.N. Sinta









CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR SINGH -Registered On : 08/Mar/2024 10:51:58 Age/Gender : 37 Y 2 M 21 D /M Collected : 08/Mar/2024 12:17:18 UHID/MR NO : CVAR.0000048411 Received : 08/Mar/2024 12:23:36 Visit ID : CVAR0124722324 Reported : 08/Mar/2024 16:10:17

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING, Plasma

Glucose Fasting 127.40 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

S.N. Sinla









CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR SINGH -: 08/Mar/2024 10:51:59 Registered On Age/Gender : 37 Y 2 M 21 D /M Collected : 08/Mar/2024 12:17:18 UHID/MR NO : CVAR.0000048411 Received : 09/Mar/2024 11:41:25 Visit ID : CVAR0124722324 Reported : 09/Mar/2024 14:34:49 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name Result Unit Bio. Ref. Interval Method |
|---|
|---|

GLYCOSYLATED HAEM OGLOBIN (HBA1C) **, EDTA BLOOD

| Glycosylated Haemoglobin (HbA1c) | 6.70 | % NGSP | HPLC (NGSP) |
|----------------------------------|-------|---------------|-------------|
| Glycosylated Haemoglobin (HbA1c) | 50.00 | mmol/mol/IFCC | |
| Estimated Average Glucose (eAG) | 145 | mg/dl | |

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

| Haemoglobin A1C (%)NGSP | mmol/mol / IFCC Unit | eAG (mg/dl) | Degree of Glucose Control Unit |
|-------------------------|----------------------|-------------|---------------------------------------|
| > 8 | >63.9 | >183 | Action Suggested* |
| 7-8 | 53.0 -63.9 | 154-183 | Fair Control |
| < 7 | <63.9 | <154 | Goal** |
| 6-7 | 42.1 -63.9 | 126-154 | Near-normal glycemia |
| < 6% | <42.1 | <126 | Non-diabetic level |

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy







^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





UHID/MR NO

Ref Doctor

Visit ID

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-3500227 CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR SINGH -Age/Gender

: 37 Y 2 M 21 D /M

: CVAR.0000048411 : CVAR0124722324 : Dr.MEDIWHEEL VNS - Registered On Collected

: 08/Mar/2024 10:51:59 : 08/Mar/2024 12:17:18

Received : 09/Mar/2024 11:41:25 Reported : 09/Mar/2024 14:34:49

Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Unit Bio. Ref. Interval Method Result

c. Alcohol toxicity d. Lead toxicity



Dr. Anupam Singh (MBBS MD Pathology)







^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR SINGH -Registered On : 08/Mar/2024 10:52:00 Age/Gender : 37 Y 2 M 21 D /M Collected : 08/Mar/2024 12:17:18 UHID/MR NO : CVAR.0000048411 Received : 08/Mar/2024 12:23:36 Visit ID : CVAR0124722324 Reported : 08/Mar/2024 14:57:26 : Final Report Ref Doctor : Dr.MEDIWHEEL VNS -Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|---|--------|-----------|--------------------|-------------------|
| | | | | |
| BUN (Blood Urea Nitrogen) Sample:Serum | 15.30 | mg/dL | 7.0-23.0 | CALCULATED |
| Creatinine Sample:Serum | 1.00 | mg/dl | 0.6-1.30 | MODIFIED JAFFES |
| LFT (WITH GAMMA GT) * , Serum | | V | | |
| SGOT / Aspartate Aminotransferase (AST) | 41.60 | U/L | < 35 | IFCC WITHOUT P5P |
| SGPT / Alanine Aminotransferase (ALT) | 66.70 | U/L | < 40 | IFCC WITHOUT P5P |
| Gamma GT (GGT) | 37.40 | IU/L | 11-50 | OPTIMIZED SZAZING |
| Protein | 7.70 | gm/dl | 6.2-8.0 | BIURET |
| Albumin | 4.30 | gm/dl | 3.4-5.4 | B.C.G. |
| Globulin | 3.40 | gm/dl | 1.8-3.6 | CALCULATED |
| A:G Ratio | 1.26 | | 1.1-2.0 | CALCULATED |
| Alkaline Phosphatase (Total) | 79.10 | 🥢 🍠 U/L 🥭 | 42.0-165.0 | IFCC METHOD |
| Bilirubin (Total) | 1.50 | mg/dl | 0.3-1.2 | JENDRASSIK & GROF |
| Bilirubin (Direct) | 0.60 | mg/dl | < 0.30 | JENDRASSIK & GROF |
| Bilirubin (Indirect) | 0.90 | mg/dl | < 0.8 | JENDRASSIK & GROF |
| | | | | |

S.N. Sinla







Test Name

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-3500227 CIN: U85110DL2003PLC308206



Method

Patient Name : Mr.AMIT KUMAR SINGH -Registered On : 08/Mar/2024 10:51:59 Age/Gender : 37 Y 2 M 21 D /M Collected : 08/Mar/2024 12:17:18 UHID/MR NO : CVAR.0000048411 Received : 08/Mar/2024 12:23:36 Visit ID : CVAR0124722324 Reported : 08/Mar/2024 16:38:56

Result

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Unit

Bio. Ref. Interval

| JRINE EXAMINATION, ROUTINE* Color | PALE YELLOW | | | |
|------------------------------------|----------------|-------|-------------------------|--------------|
| Specific Gravity | 1.030 | | | |
| Reaction PH | Acidic (5.5) | | | DIPSTICK |
| Appearance | CLEAR | | | |
| Protein | ABSENT | mg % | < 10 Absent | DIPSTICK |
| | | | 10-40 (+) | |
| | | | 40-200 (++) | |
| | | | 200-500 (+++) | |
| | | | > 500 (++++) | |
| Sugar | ABSENT | gms% | < 0.5 (+) | DIPSTICK |
| | | | 0.5-1.0 (++) | |
| | | | 1-2 (+++) > 2 (++++) | |
| Ketone | ABSENT | mg/dl | 0.1-3.0 | BIOCHEMISTRY |
| Bile Salts | ABSENT | | | |
| Bile Pigments | ABSENT | | | |
| Bilirubin | ABSENT | | | DIPSTICK |
| Leucocyte Esterase | ABSENT | | | DIPSTICK |
| Urobilinogen(1:20 dilution) | ABSENT | | | |
| Nitrite | ABSENT | | | DIPSTICK |
| Blood | ABSENT | | | DIPSTICK |
| Microscopic Examination: | | | | |
| Epithelial cells | 2-3/h.p.f | | | MICROSCOPIC |
| · · | | | | EXAMINATION |
| Pus cells | 2-4/h.p.f | | | |
| RBCs | ABSENT | | | MICROSCOPIC |

RBCs ABSENT

Cast ABSENT

Crystals ABSENT MICROSCOPIC EXAMINATION

Others ABSENT

SUGAR, FASTING STAGE*, Urine

Sugar, Fasting stage ABSENT gms%

Interpretation:





EXAMINATION





CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR SINGH -

: 37 Y 2 M 21 D /M

Registered On Collected

: 08/Mar/2024 10:51:59 : 08/Mar/2024 12:17:18

Age/Gender UHID/MR NO

: CVAR.0000048411

Received

: 08/Mar/2024 12:23:36

Visit ID

: CVAR0124722324

Reported

: 08/Mar/2024 16:38:56

Ref Doctor

Test Name

: Dr.MEDIWHEEL VNS -

Status

Method

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS Unit Bio. Ref. Interval Result

< 0.5 (+)

0.5 - 1.0(++)

(+++)1-2

(++++) > 2



S.N. Sinta









CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR SINGH -: 08/Mar/2024 10:52:00 Registered On Age/Gender : 37 Y 2 M 21 D /M Collected : 08/Mar/2024 12:17:18 UHID/MR NO : CVAR.0000048411 Received : 09/Mar/2024 10:48:05 Visit ID : CVAR0124722324 Reported : 09/Mar/2024 12:22:02 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method | |
|---|--------|-------|--------------------|--------|--|
| | | | | | |
| PSA (Prostate Specific Antigen), Total ** | 0.89 | ng/mL | <4.1 | CLIA | |
| Sample:Serum | | | | | |

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Being

Dr. Anupam Singh (MBBS MD Pathology)









Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR SINGH -Registered On : 08/Mar/2024 10:51:59 Age/Gender Collected : 37 Y 2 M 21 D /M : 08/Mar/2024 12:17:18 UHID/MR NO : CVAR.0000048411 Received : 08/Mar/2024 12:23:36 : 08/Mar/2024 17:28:29 Visit ID Reported : CVAR0124722324 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF IMMUNOLOGY

M EDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interva | l Method |
|-----------------------------------|--------|----------------|-------------------|--------------|
| | | | | |
| THYROID PROFILE - TOTAL*, Serum | | | | |
| | 425.00 | / .11 | 04.64.204.7 | CLIA |
| T3, Total (tri-iodothyronine) | 125.00 | ng/dl | 84.61–201.7 | CLIA |
| T4, Total (Thyroxine) | 8.50 | ug/dl | 3.2-12.6 | CLIA |
| TSH (Thyroid Stimulating Hormone) | 1.200 | μIU/mL | 0.27 - 5.5 | CLIA |
| | | | | |
| Interpretation: | | * | | |
| P | | 0.3-4.5 μIU/r | nL First Trimes | ster |
| | | 0.5-4.6 μIU/r | | mester |
| | | 0.8-5.2 μIU/r | | |
| | | 0.5-8.9 μIU/r | | 55-87 Years |
| | | 0.7-27 μIU/r | nL Premature | 28-36 Week |
| | | 2.3-13.2 μIU/r | nL Cord Blood | > 37Week |
| | | 0.7-64 μIU/r | nL Child(21 wl | c - 20 Yrs.) |
| | | 1-39 µIU | /mL Child | 0-4 Days |
| | | 1.7-9.1 μIU/r | | 2-20 Week |
| | | | | |

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

S.N. Sinta

Dr.S.N. Sinha (MD Path)



Page 10 of 13







CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR SINGH -Registered On : 08/Mar/2024 10:52:00

Age/Gender Collected : 37 Y 2 M 21 D /M : N/A UHID/MR NO : CVAR.0000048411 Received : N/A

Visit ID : CVAR0124722324 Reported : 09/Mar/2024 18:08:05

Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X- Ray Digital Chest P.A. View

- Lung fields are clear.
- Pleural spaces are clear.
- Both hilar shadows appear normal.
- Trachea and carina appear normal.
- Heart size within normal limits.
- Both the diaphragms appear normal.
- Soft tissues and Bony cage appear normal.

IMPRESSION

* NO OBVIOUS DETECTABLE ABNORMALITY SEEN

Dr Raveesh Chandra Roy (MD-Radio)







Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227

CIN: U85110DL2003PLC308206



Patient Name : Mr.AMIT KUMAR SINGH - Registered On : 08/Mar/2024 10:52:00

 Age/Gender
 : 37 Y 2 M 21 D /M
 Collected
 : N/A

 UHID/MR NO
 : CVAR.0000048411
 Received
 : N/A

Visit ID : CVAR0124722324 Reported : 08/Mar/2024 11:44:08

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver measuring 15.8 cm in midclavicular line. Mild diffuse increase in liver echogenicity noted. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is (11.2 mm in caliber) not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common bile duct is (4.3 mm in caliber) not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

• Right kidney:-

- Right kidney is normal in size, measuring ~ 11.1 x 4.9 cms.
- Cortical echogenicity is normal. Pelvicalyceal system is not dilated.
- Cortico-medullary demarcation is maintained. Parenchymal thickness appear normal.

• Left kidney:-

- Left kidney is normal in size, measuring ~ 11.1 x 4.5 cms.
- Cortical echogenicity is normal. Pelvicalyceal system is not dilated.
- Cortico-medullary demarcation is maintained. Parenchymal thickness appear normal.

SPLEEN

• The spleen is normal in size (~ 7.4 cm in its long axis) and has a normal homogenous echotexture.









Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227

CIN: U85110DL2003PLC308206



Patient Name : Mr.AN

: Mr.AMIT KUMAR SINGH -

Registered On

: 08/Mar/2024 10:52:00

Age/Gender

: 37 Y 2 M 21 D /M : CVAR.0000048411 Collected : N/A Received : N/A

UHID/MR NO Visit ID : CVAR.0000048411 Received : CVAR0124722324 Reported

: 08/Mar/2024 11:44:08

Ref Doctor

: Dr.MEDIWHEEL VNS -

Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or large mass.

URETERS

- The upper parts of both the ureters are normal.
- Bilateral vesicoureteric junctions are normal.

URINARY BLADDER

- The urinary bladder is **adequately filled**. Bladder wall is normal in thickness and regular.
- Pre-void urine volume is ~ 148 cc.

PROSTATE

• The prostate gland is normal in size (~ 36 x 32 x 27 mm / 17 gms) and normal in echotexture with smooth outline. No median lobe indentation is seen.

FINAL IMPRESSION:-

- FATTY LIVER GRADE I
- REST OF THE ABDOMINAL ORGANS ARE NORMAL.

Adv: Clinico-pathological-correlation / further evaluation & Follow up

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, LIPID PROFILE (MINI), Uric Acid, ECG / EKG, Tread Mill Test (TMT)



Pay

Dr Raveesh Chandra Roy (MD-Radio)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





