

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.ARUN YADAV Registered On : 27/Jul/2024 09:38:54 Age/Gender Collected : 31 Y 7 M 21 D /M : 2024-07-27 11:51:48 UHID/MR NO : ALDP.0000065757 Received : 2024-07-27 11:51:48 Visit ID Reported : ALDP0144692425 : 29/Jul/2024 12:29:29

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

# DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

#### ECG / EKG

1. Machnism, Rhythm Sinus, Regular

2. Atrial Rate 72 /mt

3. Ventricular Rate 72 /mt

4. P - Wave Normal

5. P R Interval Normal

6. Q R S

Axis: Normal R/S Ratio: Normal Configuration: Normal

7. Q T c Interval Normal

8. S - T Segment Normal

9. T – Wave Normal

**FINAL IMPRESSION** 

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Dr. R K VERMA MBBS, PGDGM











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.ARUN YADAV Registered On : 27/Jul/2024 09:38:52 Age/Gender Collected : 31 Y 7 M 21 D /M : 27/Jul/2024 10:11:01 UHID/MR NO : ALDP.0000065757 Received : 27/Jul/2024 10:24:15 Visit ID : ALDP0144692425 Reported : 27/Jul/2024 12:23:32

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

# **DEPARTMENT OF HAEMATOLOGY**

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	А			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood				
TLC (WBC)  DLC  Polymorphs (Neutrophils ) Lymphocytes Monocytes Eosinophils	7,300.00 51.00 30.00 5.00 4.00	g/dl //Cu mm % % %	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000 40-80 20-40 2-10 1-6	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
· ·				
Basophils <b>ESR</b>	0.00	%	< 1-2	ELECTRONIC IMPEDANCE
Observed	4.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8 Pregnancy	











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.ARUN YADAV Registered On : 27/Jul/2024 09:38:52 Age/Gender Collected : 31 Y 7 M 21 D /M : 27/Jul/2024 10:11:01 UHID/MR NO : ALDP.0000065757 Received : 27/Jul/2024 10:24:15 Visit ID : ALDP0144692425 Reported : 27/Jul/2024 12:23:32

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

# DEPARTMENT OF HAEMATOLOGY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	-	Mm for 1st hr.	< 9	
PCV (HCT)	44.00	%	40-54	
Platelet count				
Platelet Count	1.50	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	17.70	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)		%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.18	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)  RBC Count	14.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count  Blood Indices (MCV, MCH, MCHC)	3.98	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
MCV	111.00	fl	80-100	CALCULATED PARAMETER
MCH	37.30	pg	27-32	CALCULATED PARAMETER
MCHC	33.60	%	30-38	CALCULATED PARAMETER
RDW-CV	14.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	60.60	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,723.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	292.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name Age/Gender

: Mr.ARUN YADAV : 31 Y 7 M 21 D /M

Collected

Registered On

: 27/Jul/2024 09:38:53 : 27/Jul/2024 10:11:00

UHID/MR NO
Visit ID

: ALDP.0000065757 : ALDP0144692425

Received Reported : 27/Jul/2024 10:24:15 : 27/Jul/2024 13:39:58

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

**GLUCOSE FASTING**, Plasma

Glucose Fasting

86.10

mg/dl

< 100 Normal

**GOD POD** 

100-125 Pre-diabetes

≥ 126 Diabetes

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

Glucose PP

99.30

mg/dl

<140 Normal

**GOD POD** 

HPLC (NGSP)

140-199 Pre-diabetes

>200 Diabetes

### **Interpretation:**

Sample:Plasma After Meal

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

### GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.80	% NGSP
Glycosylated Haemoglobin (HbA1c)	29.00	mmol/mol/IFCC
Estimated Average Glucose (eAG)	91	mg/dl

#### **Interpretation:**

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.ARUN YADAV Registered On : 27/Jul/2024 09:38:53 Collected Age/Gender : 31 Y 7 M 21 D /M : 27/Jul/2024 10:11:00 UHID/MR NO : ALDP.0000065757 Received : 27/Jul/2024 10:24:15 Visit ID : ALDP0144692425 Reported : 27/Jul/2024 13:39:58 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

**BUN (Blood Urea Nitrogen)** *Sample:Serum* 

7.50

mg/dL

7.0-23.0

**CALCULATED** 

**Interpretation:** 

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Page 5 of 14





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

<sup>\*</sup>Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

<sup>\*</sup>With optimal control, the HbA 1c moves toward normal levels.

<sup>\*</sup>A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

<sup>\*</sup>Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

<sup>\*</sup>Pregnancy d. chronic renal failure. Interfering Factors:

<sup>\*</sup>Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.ARUN YADAV Registered On : 27/Jul/2024 09:38:53 Age/Gender : 31 Y 7 M 21 D /M Collected : 27/Jul/2024 10:11:00 UHID/MR NO : ALDP.0000065757 Received : 27/Jul/2024 10:24:15 Visit ID : ALDP0144692425 Reported : 27/Jul/2024 13:39:58

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Low-protein diet, overhydration, Liver disease.

Creatinine 0.91 mg/dl 0.7-1.30 MODIFIED JAFFES

Sample:Serum

### **Interpretation:**

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid 5.28 mg/dl 3.4-7.0 URICASE

Sample:Serum

#### **Interpretation:**

Note:-

### Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

### LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	43.60	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	115.00	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	117.00	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.67	gm/dl	6.2-8.0	BIURET
Albumin	4.28	gm/dl	3.4-5.4	B.C.G.
Globulin	2.39	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.79		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	136.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.73	mg/dl	0.3-1.2	Jendrassik & Grof
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.43	mg/dl	< 0.8	JENDRASSIK & GROF

### LIPID PROFILE (MINI), Serum

Cholesterol (Total) 277.00 mg/dl <200 Desirable CHOD-PAP

200-239 Borderline High

> 240 High









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.ARUN YADAV Registered On : 27/Jul/2024 09:38:53 Age/Gender : 31 Y 7 M 21 D /M Collected : 27/Jul/2024 10:11:00 UHID/MR NO : ALDP.0000065757 Received : 27/Jul/2024 10:24:15 Visit ID : ALDP0144692425 Reported : 27/Jul/2024 13:39:58

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

# DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	Jnit Bio. Ref. Inter	rval Method
HDL Cholesterol (Good Cholesterol)	95.60	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	112	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optir 130-159 Borderline Hi 160-189 High > 190 Very High	
VLDL	68.94	mg/dl	10-33	CALCULATED
Triglycerides	344.70	mg/dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP igh
Dogult Doghoolrod				

Result Rechecked

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.ARUN YADAV Registered On : 27/Jul/2024 09:38:53 Age/Gender Collected : 31 Y 7 M 21 D /M : 27/Jul/2024 15:22:54 UHID/MR NO : ALDP.0000065757 Received : 27/Jul/2024 16:07:55 Visit ID : ALDP0144692425 Reported : 27/Jul/2024 19:11:41

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

# **DEPARTMENT OF CLINICAL PATHOLOGY** MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE,	Urine			
Color	PALE YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Sugar	ADCENIT	amc0/	> 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
Others	ABSENT			EXAMINATION
Urine Microscopy is done on centrifuge	ed urine sediment.			
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		
J , J J -		J		









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name

: Mr.ARUN YADAV

Registered On Collected

: 27/Jul/2024 09:38:53

Age/Gender UHID/MR NO : 31 Y 7 M 21 D /M : ALDP.0000065757

: 27/Jul/2024 15:22:54 : 27/Jul/2024 16:07:55

Visit ID

: ALDP0144692425

Received Reported

: 27/Jul/2024 19:11:41

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Status : Final Report

# **DEPARTMENT OF CLINICAL PATHOLOGY** MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

**Test Name** Result Unit Bio. Ref. Interval Method

### **Interpretation:**

(+)< 0.5

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

# SUGAR, PP STAGE, Urine

Sugar, PP Stage

**ABSENT** 

### **Interpretation:**

(+)< 0.5 gms%

(++)0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Akanksha Singh (MD Pathology)

Page 9 of 14







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.ARUN YADAV : 27/Jul/2024 09:38:53 Registered On Age/Gender : 31 Y 7 M 21 D /M Collected : 27/Jul/2024 10:11:00 UHID/MR NO : ALDP.0000065757 Received : 27/Jul/2024 10:24:15 Visit ID : ALDP0144692425 Reported : 27/Jul/2024 15:36:34 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

#### DEPARTMENT OF IMMUNOLOGY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total Sample:Serum	1.14	ng/mL	<4.1	CLIA

### **Interpretation:**

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

### THYROID PROFILE - TOTAL, Serum

T3, Total (tri-iodothyronine)	143.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	6.00	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.800	μIU/mL	0.27 - 5.5	CLIA

### **Interpretation:**

0.3 - 4.5	μIU/mL	First Trimes	ter		
0.5-4.6	$\mu IU/mL$	Second Trimester			
0.8 - 5.2	$\mu IU/mL$	Third Trimes	ster		
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years		
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week		
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week		
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)		
1-39	$\mu IU/mL$	Child	0-4 Days		
1.7-9.1	$\mu IU/mL$	Child	2-20 Week		

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.











UHID/MR NO

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.ARUN YADAV Age/Gender : 31 Y 7 M 21 D /M

: ALDP.0000065757 : ALDP0144692425 Collected Received Reported

Registered On

: 27/Jul/2024 10:11:00 : 27/Jul/2024 10:24:15

: 27/Jul/2024 09:38:53

ported : 27/Jul/2024 15:36:34

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Status : Final Report

### **DEPARTMENT OF IMMUNOLOGY**

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

112

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.ARUN YADAV Age/Gender

: 31 Y 7 M 21 D /M : ALDP.0000065757 Collected Received

Registered On

: 27/Jul/2024 09:38:54 : 2024-07-27 10:04:35 : 2024-07-27 10:04:35

UHID/MR NO Visit ID : ALDP0144692425

Reported

: 27/Jul/2024 15:43:54

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor CARE LTD -

Status : Final Report

### **DEPARTMENT OF X-RAY**

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### X-RAY DIGITAL CHEST PA

# X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) **CHEST P-A VIEW**

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS, DMRE)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name Age/Gender UHID/MR NO : Mr.ARUN YADAV : 31 Y 7 M 21 D /M : ALDP.0000065757

Collected Received : 2024-07-27 12:21:03 : 2024-07-27 12:21:03

: 27/Jul/2024 09:38:54

Visit ID

: ALDP0144692425

Reported

: 27/Jul/2024 12:24:36

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

Registered On

: Final Report

# DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)**

**LIVER**: - Normal in size (13.8 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

**GALL BLADDER**: Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

**CBD**:- Normal in calibre at porta.

**PORTAL VEIN**: - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

**SPLEEN**: - Normal in size, shape and echogenicity. No evidence of mass lesion is seen.

**RIGHT KIDNEY**: - Normal in size (8.4 cm), shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size (9.9 cm), shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER:** Is adequately distended. No evidence of wall thickening/calculus is seen.

**PROSTATE:** Normal in size (3.0 x 3.6 x 2.9 cm vol - 17.1 cc), shape and echo pattern.

**HIGH RESOLUTION**:- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

**IMPRESSION**: No significant abnormality seen.

Please correlate clinically

DR K N SINGH (MBBS,DMRE)



Home Sample Collection 1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name

: Mr.ARUN YADAV

Registered On

: 27/Jul/2024 09:38:54

Age/Gender

: 31 Y 7 M 21 D /M

: 2024-07-27 15:47:29

UHID/MR NO

: ALDP.0000065757

Received

: 2024-07-27 15:47:29

Visit ID

: ALDP0144692425

Reported

Collected

: 29/Jul/2024 13:55:56

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

# DEPARTMENT OF TMT MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### Tread Mill Test (TMT)

**NORMAL** 

\*\*\* End Of Report \*\*\*

Result/s to Follow:

STOOL, ROUTINE EXAMINATION





Dr. R K VERMA MBBS, PGDGM

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*Facilities Available at Select Location

Page 14 of 14



