



CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 15:17

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**

**CBC (Complete Blood Count), Blood**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>RBC PARAMETERS</u></b>			
Haemoglobin	15.9	13.0-17.0 g/dL	Spectrophotometric
RBC	4.89	4.5-5.5 mil/cmm	Elect. Impedance
PCV	46.5	40-50 %	Measured
MCV	95	80-100 fl	Calculated
MCH	32.4	27-32 pg	Calculated
MCHC	34.1	31.5-34.5 g/dL	Calculated
RDW	15.2	11.6-14.0 %	Calculated
<b><u>WBC PARAMETERS</u></b>			
WBC Total Count	4620	4000-10000 /cmm	Elect. Impedance
<b><u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u></b>			
Lymphocytes	32.7	20-40 %	
Absolute Lymphocytes	1510.7	1000-3000 /cmm	Calculated
Monocytes	4.5	2-10 %	
Absolute Monocytes	207.9	200-1000 /cmm	Calculated
Neutrophils	54.9	40-80 %	
Absolute Neutrophils	2536.4	2000-7000 /cmm	Calculated
Eosinophils	6.8	1-6 %	
Absolute Eosinophils	314.2	20-500 /cmm	Calculated
Basophils	1.1	0.1-2 %	
Absolute Basophils	50.8	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<b><u>PLATELET PARAMETERS</u></b>			
Platelet Count	214000	150000-400000 /cmm	Elect. Impedance
MPV	9.2	6-11 fl	Calculated
PDW	16.2	11-18 %	Calculated
<b><u>RBC MORPHOLOGY</u></b>			
Hypochromia	-		
Microcytosis	-		



Use a QR Code Scanner  
Application To Scan the Code

CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 14:34

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR                      6                      2-15 mm at 1 hr.                      Sedimentation

**Clinical Significance:** The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

**Interpretation:**

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

**Limitations:**

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

**Reflex Test:** C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

**Reference:**

- Pack Insert
- Brigiden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East

\*\*\* End Of Report \*\*\*

**Dr. IMRAN MUJAWAR**  
M.D ( Path )  
Pathologist



CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Use a QR Code Scanner  
Application To Scan the Code  
Collected : 28-Sep-2024 / 13:20  
Reported : 28-Sep-2024 / 16:42

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	123.6	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP	158.2	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East  
\*\*\* End Of Report \*\*\*

*J. Mujawar*

**Dr.IMRAN MUJAWAR**  
M.D ( Path )  
Pathologist



CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Use a QR Code Scanner  
Application To Scan the Code  
Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 16:34

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**  
**KIDNEY FUNCTION TESTS**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	20.7	12.8-42.8 mg/dl	Kinetic
BUN, Serum	9.7	6-20 mg/dl	Calculated
CREATININE, Serum	0.97	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	112	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure: <15	Calculated

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

TOTAL PROTEINS, Serum	7.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.9	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.0	1 - 2	Calculated
URIC ACID, Serum	5.9	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	2.7	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.8	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	139	135-148 mmol/l	ISE
POTASSIUM, Serum	4.8	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	104	98-107 mmol/l	ISE

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East  
\*\*\* End Of Report \*\*\*

*Sonia Kher*  
**Dr.SONIA KHER**  
Pathologist



CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Use a QR Code Scanner  
Application To Scan the Code  
Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 14:09

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**

**GLYCOSYLATED HEMOGLOBIN (HbA1c)**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.1	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	99.7	mg/dl	Calculated

**Intended use:**

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

**Clinical Significance:**

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

**Test Interpretation:**

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

**Factors affecting HbA1c results:**

**Increased in:** High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

**Decreased in:** Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

**Reflex tests:** Blood glucose levels, CGM (Continuous Glucose monitoring)

**References:** ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East

\*\*\* End Of Report \*\*\*

*J. Mujawar*

**Dr.IMRAN MUJAWAR**  
M.D ( Path )  
Pathologist



CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 14:52

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**  
**PROSTATE SPECIFIC ANTIGEN (PSA)**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
TOTAL PSA, Serum	0.235	<4.0 ng/ml	CLIA

**Clinical Significance:**

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100 ), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

**Interpretation:**

**Increased In-** Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction,

**Decreased In-** Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artfactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5- $\alpha$ -reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

**Reflex Tests:** % FREE PSA , USG Prostate

**Limitations:**

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallel measurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

**Note :** The concentration of PSA in a given specimen, determined with assay from different manufacturers, may not be comparable due to differences in assay methods and reagent specificity.

**Reference:**

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert



Use a QR Code Scanner  
Application To Scan the Code

CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 14:52

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab  
\*\*\* End Of Report \*\*\*



**Dr. ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant - Pathologist**



CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 16:11

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**  
**EXAMINATION OF FAECES**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>PHYSICAL EXAMINATION</u></b>			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
<b><u>CHEMICAL EXAMINATION</u></b>			
Reaction (pH)	Acidic (6.5)	-	pH Indicator
Occult Blood	Absent	Absent	Guaiaac
<b><u>MICROSCOPIC EXAMINATION</u></b>			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Absent	Absent	-
Undigested Particles	Present ++	-	-
Concentration Method (for ova)	No ova detected	Absent	-

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East

\*\*\* End Of Report \*\*\*

*J. Mujawar*

**Dr.IMRAN MUJAWAR**  
M.D ( Path )  
Pathologist





CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 16:11

Use a QR Code Scanner  
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**  
**URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>PHYSICAL EXAMINATION</u></b>			
Color	Pale yellow	Pale Yellow	-
Transparency	Clear	Clear	-
<b><u>CHEMICAL EXAMINATION</u></b>			
Specific Gravity	1.010	1.002-1.035	Chemical Indicator
Reaction (pH)	Acidic (6.5)	5-8	pH Indicator
Proteins	Absent	Absent	Protein error principle
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<b><u>MICROSCOPIC EXAMINATION</u></b>			
(WBC)Pus cells / hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3	0-5/hpf	
Hyaline Casts	Absent	Absent	
Pathological cast	Absent	Absent	
Calcium oxalate monohydrate crystals	Absent	Absent	
Calcium oxalate dihydrate crystals	Absent	Absent	
Triple phosphate crystals	Absent	Absent	
Uric acid crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	0-20/hpf	
Yeast	Absent	Absent	

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East

*J. Mujawar*

**Dr.IMRAN MUJAWAR**  
M.D ( Path )  
Pathologist



Use a QR Code Scanner  
Application To Scan the Code

CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected :  
Reported :

\*\*\* End Of Report \*\*\*



Use a QR Code Scanner  
Application To Scan the Code

CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 16:02

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**  
**BLOOD GROUPING & Rh TYPING**

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	A
Rh TYPING	Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

**Clinical significance:**

ABO system is most important of all blood group in transfusion medicine

**Limitations:**

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

**References:**

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

\*\*\* End Of Report \*\*\*



*J. Thakker*

**Dr. JYOT THAKKER**  
M.D. (PATH), DPB  
Pathologist & AVP( Medical Services)



CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Use a QR Code Scanner Application To Scan the Code  
Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 15:43

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**  
**LIPID PROFILE**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	170.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	195.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	34.0	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	136.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	98.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	38.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.0	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.9	0-3.5 Ratio	Calculated

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East  
\*\*\* End Of Report \*\*\*

*J. Mujawar*

**Dr.IMRAN MUJAWAR**  
M.D ( Path )  
Pathologist



Use a QR Code Scanner  
 Application To Scan the Code

CID : 2427223598  
 Name : MR.SHANTANU LAXMAN FULAWARE  
 Age / Gender : 40 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Vashi (Main Centre)

Collected : 28-Sep-2024 / 10:13  
 Reported : 28-Sep-2024 / 15:04

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**  
**THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	4.7	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	13.6	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	4.24	0.35-5.5 microIU/ml microU/ml	ECLIA



CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 15:04

Use a QR Code Scanner  
Application To Scan the Code

**Interpretation:**

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

**Clinical Significance:**

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuae of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

**Reflex Tests:**Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

**Limitations:**

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

**Reference:**

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East

\*\*\* End Of Report \*\*\*

*J. Mujawar*

**Dr.IMRAN MUJAWAR**  
**M.D ( Path )**  
**Pathologist**



CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Use a QR Code Scanner  
Application To Scan the Code  
Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 15:40

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**  
**LIVER FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.79	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.27	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.52	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.9	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.0	1 - 2	Calculated
SGOT (AST), Serum	18.4	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	22.7	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	16.0	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	69.1	40-130 U/L	Colorimetric

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East  
\*\*\* End Of Report \*\*\*

*J. Mujawar*

**Dr.IMRAN MUJAWAR**  
M.D ( Path )  
Pathologist



Use a QR Code Scanner  
Application To Scan the Code

CID : 2427223598  
Name : MR.SHANTANU LAXMAN FULAWARE  
Age / Gender : 40 Years / Male  
Consulting Dr. : -  
Reg. Location : Vashi (Main Centre)

Collected : 28-Sep-2024 / 10:13  
Reported : 28-Sep-2024 / 15:18

**MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT**  
**FUS and KETONES**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East  
\*\*\* End Of Report \*\*\*

**Dr.IMRAN MUJAWAR**  
**M.D ( Path )**  
**Pathologist**



*Shantam Fulaware*

*Dr. Alka Patnaik*

M.B.S.C.G.O. Nagpur Reg. No. 1017  
Dip. Psychotherapy-U.K. Reg. No. 1017  
PGDHW

आधार - सामान्य शरणार्थी अधिकार

श्रीत सरकार  
GOVERNMENT OF INDIA  
शरणार्थी प्रमाण  
Shantam Laxman Fulaware

जनम वर्ष / Year of Birth : 1984  
पुंस / Male

8818 4044 5303



SUBURBAN DIAGNOSTIC (I) PVT LTD.  
FLAT NO.101 ANAND SAGAR CHS  
ABOVE RAJKAMAL SHOP  
SECTOR - 17, VASHI,  
NAVI MUMBAI - 400703

Reschedule  
Request

Date:

To,

**Suburban Diagnostics (India) Private Limited**

**VASHI CENTER**

**SHOP NO 22 RAIKAR BHAVAN**

**NEAR NAVARATNA HOTEL**

**SECTOR 17 VASHI NAVI MUMBAI 400703**

**SUBJECT- TO WHOMSOEVER IT MAY CONCERN**

Dear Sir/ Madam,

This is to inform you that I, Myself Mr/ Mrs/ Ms. Shantanu Fulwara,  
don't want to performed the following tests: Rescheduling the test

- 1) TMT
- 2) USG Abdo
- 3) \_\_\_\_\_
- 4) \_\_\_\_\_
- 5) \_\_\_\_\_
- 6) \_\_\_\_\_

CID No. & Date

: 2427223598 28/09/2024

Corporate/ TPA/ Insurance Client Name

: EPIC Re - Mediwheel

Thanking you.

Yours sincerely,

Shf  
28/9/2024

(Mr/Mrs/Ms.

Shantanu Fulwara)

**PHYSICAL EXAMINATION REPORT**

<b>Patient Name</b>	Shantanu Fulwase	<b>Sex/Age</b>	M / 40
<b>Date</b>	28.9.24	<b>CID</b>	2427223598

**History and Complaints**

Since 3 weeks pt. had pain in the back & both lower limbs & tingling & numbness. Feels exhausted after a bit of exercise or walk. Had Covid once. Sep 2020.

**EXAMINATION FINDINGS:**

<b>Height (cms):</b>	169	<b>Temp (0c):</b>	Normal
<b>Weight (kg):</b>	71	<b>Skin:</b>	Dry
<b>Blood Pressure</b>	140/90 mmHg	<b>Nails:</b>	Normal.
<b>Pulse</b>	82/min	<b>Lymph Node:</b>	No
<b>BMI</b>	24.9		

**Systems :**

<b>Cardiovascular:</b>	NAD
<b>Respiratory:</b>	Clear
<b>Genitourinary:</b>	No
<b>GI System:</b>	IBS. 18 yrs. Constipation on & off.
<b>CNS:</b>	No


**Impression:** weakness, no other illness except of B.P. Back pain.

**Advice:** Healthy fiber & regular exercise

CHIEF COMPLAINTS:		
1)	Hypertension:	A. 140/90 mm/Hg.
2)	IHD	No
3)	Arrhythmia	No
4)	Diabetes Mellitus	No
5)	Tuberculosis	No
6)	Asthama	No
7)	Pulmonary Disease	No
8)	Thyroid/ Endocrine disorders	No
9)	Nervous disorders	No
10)	GI system	Bloating, IBS
11)	Genital urinary disorder	No
12)	Rheumatic joint diseases or symptoms	pain in lower limbs & back.
13)	Blood disease or disorder	No
14)	Cancer/lump growth/cyst	No
15)	Congenital disease	No
16)	Surgeries	No
17)	Musculoskeletal System	pain in back & lower limbs

PERSONAL HISTORY:		
1)	Alcohol	No occasionally.
2)	Smoking	No
3)	Diet	Mixed.
4)	Medication	Somprash 40 mg.

SUBURBAN DIAGNOSTIC (I) PVT LTD.  
FLAT NO.101 ANAND SAGAR CHS  
ABOVE RAJKAMAL SHOP  
SECTOR - 17, VASHI.  
NAVI MUMBAI - 400703

  
Dr. Alka Patnaik  
M.B.B.S. C.G.O., Nagpur Reg. No.73367  
Dip. Psysextherapy-U.K. Reg. No.OF395  
PGDHM

Date:- 28.9.24 CID: 2427223598  
Name:- Shantanu Fulaware Sex / Age: 1 M / 20 yrs

**EYE CHECK UP**

Chief complaints: No complains  
Systemic Diseases: No  
Past history: Lasik's correction done 2008.  
Unaided Vision: Normal  
Aided Vision: " "  
Refraction:

	(Right Eye)				(Left Eye)			
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	-	-	-	6/6	-	-	-	6/6
Near	-	-	-	N/6	-	-	-	N/6

Colour Vision: Normal / Abnormal

Remark:




**Dr. Alka Patnaik**  
M.B.B.S. C.G.O., Nagpur Reg. No.73367  
Dip. Psysextherapy-U.K. Reg. No.OF395  
PGDHM

SUBURBAN DIAGNOSTIC (I) PVT LTD.  
FLAT NO.101 ANAND SAGAR CHS  
ABOVE RAJKAMAL SHOP  
SECTOR - 17, VASHI,  
NAVI MUMBAI - 400703

Patient Name: SHANTANU LAXMAN  
Patient ID: 2427223598  
FULAWARE

**SUBURBAN DIAGNOSTICS - VASHI**  
Date and Time: 28th Sep 24 12:13 PM



25.0 mm/s 10.0 mm/mV

Copyright 2014-2024 Tricog Health. All Rights Reserved



Age 40 years 6 months NA days

Gender Male

Heart Rate 70bpm

Patient Vitals

BP: 140/90 mmHg  
Weight: 71 kg  
Height: 169 cm  
Pulse: NA  
SpO2: NA  
Resp: NA  
Others:

Measurements

QRSD: 94ms  
QT: 372ms  
QTcB: 401ms  
PR: 150ms  
P-R-T: 53° 40° -3°

ECG Within Normal Limits: Sinus Rhythm Sinus Arrhythmia Seen. Please correlate clinically.

REPORTED BY

*Dr. Anirban Dasgupta*

Dr. Anirban Dasgupta  
MBBS DNB  
Reg. 2005/02/0920

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

Authenticity Check



Use a QR Code Scanner  
Application To Scan the Code

CID : 2427223598  
Name : Mr Shantanu Laxman Fulaware  
Age / Sex : 40 Years/Male  
Ref. Dr :  
Reg. Location : Vashi Main Centre

Reg. Date : 28-Sep-2024  
Reported : 30-Sept-2024 / 12:36

**X-RAY CHEST PA VIEW**

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

**IMPRESSION:**

**NO SIGNIFICANT ABNORMALITY IS DETECTED.**

-----End of Report-----

Dr Shilpa Beri  
MBBS DMRE  
Reg No 2002/05/2302  
Consultant Radiologist

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024092809310731>