

Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. : -

Reg. Location: G B Road, Thane West (Main Centre)

DECLUI TO

Authenticity Check

E

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:09-Dec-2023 / 10:12 :09-Dec-2023 / 12:43

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	11.9	12.0-15.0 g/dL	Spectrophotometric	
RBC	4.48	3.8-4.8 mil/cmm	Elect. Impedance	
PCV	36.8	36-46 %	Measured	
MCV	82.1	80-100 fl	Calculated	
MCH	26.5	27-32 pg	Calculated	
MCHC	32.3	31.5-34.5 g/dL	Calculated	
RDW	14.3	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	9290	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABSOLUTE COUNTS				
Lymphocytes	28.6	20-40 %		
Absolute Lymphocytes	2656.9	1000-3000 /cmm	Calculated	
Monocytes	6.1	2-10 %		
Absolute Monocytes	566.7	200-1000 /cmm	Calculated	
Neutrophils	57.9	40-80 %		
Absolute Neutrophils	5378.9	2000-7000 /cmm	Calculated	
Eosinophils	7.4	1-6 %		
Absolute Eosinophils	687.5	20-500 /cmm	Calculated	
Basophils	0.0	0.1-2 %		
Absolute Basophils	0.0	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	309000	150000-400000 /cmm	Elect. Impedance
MPV	10.9	6-11 fl	Calculated
PDW	17.1	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia Mild

Microcytosis Occasional



Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. : - Collected : 09-Dec-2023 / 10:12

Reg. Location : G B Road, Thane West (Main Centre) Reported : 09-Dec-2023 / 13:34

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others -

WBC MORPHOLOGY - PLATELET MORPHOLOGY -

COMMENT Eosinophilia

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 67 2-20 mm at 1 hr. Sedimentation

Result Rechecked.

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

Page 2 of 15



Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. :

Reg. Location

: G B Road, Thane West (Main Centre)

Collected

Reported

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

:09-Dec-2023 / 10:12 :09-Dec-2023 / 12:43

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist



Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. : -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E



Use a QR Code Scanner Application To Scan the Code

Collected : 09-Dec-2023 / 10:12 Reported : 09-Dec-2023 / 14:50

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	125.5	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.5	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.11	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.39	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	20.4	5-32 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	9.9	5-33 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	13.8	3-40 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	82.8	35-105 U/L	PNPP
BLOOD UREA, Serum	11.9	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	5.6	6-20 mg/dl	Calculated
CREATININE, Serum	0.43	0.51-0.95 mg/dl	Enzymatic



Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. : -

eGFR, Serum

Reg. Location

: G B Road, Thane West (Main Centre)

131

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:09-Dec-2023 / 10:12

:09-Dec-2023 / 14:46

Calculated

(ml/min/1.73sqm)

Normal or High: Above 90 Mild decrease: 60-89

Collected

Reported

Mild to moderate decrease: 45-

59

Moderate to severe decrease:30

-44

Severe decrease: 15-29 Kidney failure: <15

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

URIC ACID, Serum 4.1

2.4-5.7 mg/dl

Uricase

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 5 of 15



Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. : -

: G B Road, Thane West (Main Centre) Reg. Location



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:09-Dec-2023 / 10:12

Collected Reported :09-Dec-2023 / 13:18

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

HPLC Glycosylated Hemoglobin 6.4 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 137.0 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c. Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

> Dr.IMRAN MUJAWAR M.D (Path) **Pathologist**

> > Page 6 of 15



Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Collected Reported

:09-Dec-2023 / 10:12

Use a OR Code Scanner

Application To Scan the Code

Authenticity Check

:09-Dec-2023 / 13:30

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **BLOOD GROUPING & Rh TYPING**

PARAMETER RESULTS

ABO GROUP AΒ

Rh TYPING Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **

> Dr.IMRAN MUJAWAR M.D (Path) **Pathologist**

> > Page 7 of 15



Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. : -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 09-Dec-2023 / 10:12 : 09-Dec-2023 / 14:50

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	205.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	125.1	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	42.2	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	162.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	138.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	24.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.9	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.3	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 8 of 15



Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. : -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

:09-Dec-2023 / 10:12

Reported :09-Dec-2023 / 12:54

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.1	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	17.0	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	0.989	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0 mIU/ml	ECLIA



Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. : -Collected :09-Dec-2023 / 10:12 :09-Dec-2023 / 12:54

Reported Reg. Location : G B Road, Thane West (Main Centre)

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- Interpretation of the thyroid function tests, Dayan et al. THE LANCET. Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **

> Dr.IMRAN MUJAWAR M.D (Path) **Pathologist**

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Page 10 of 15



Name : MRS.RITIKA PATEL


: 34 Years / Female Age / Gender


Consulting Dr.


Reg. Location : G B Road, Thane West (Main Centre)





Use a OR Code Scanner Application To Scan the Code



















Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. :

50

40

30

20

10


0

Reg. Location : G B Road, Thane West (Main Centre)



Use a QR Code Scanner Application To Scan the Code


09-Dec-2023






09-Dec-2023

28-Jan-2023




BUN


28-Jan-2023



CREATININE



URIC ACID





Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. :

8

6

4

2

0


Reg. Location : G B Road, Thane West (Main Centre)




R

E


Use a QR Code Scanner Application To Scan the Code









SGPT (ALT)




ALBUMIN



SGOT (AST)



ALKALINE PHOSPHATASE





Name : MRS.RITIKA PATEL


Age / Gender : 34 Years / Female

Consulting Dr. :

Reg. Location : G B Road, Thane West (Main Centre)




Use a QR Code Scanner Application To Scan the Code






09-Dec-2023


28-Jan-2023




Free T3




BILIRUBIN (DIRECT)



Estimated Average Glucose (eAG)



Free T4





Name : MRS.RITIKA PATEL

Age / Gender : 34 Years / Female

Consulting Dr. :

Reg. Location: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

ode •

sensitiveTSH

