



CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 13:43

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
<u>RBC PARAMETERS</u>			
Haemoglobin	12.9	12.0-15.0 g/dL	Spectrophotometric
RBC	4.75	3.8-4.8 mil/cmm	Elect. Impedance
PCV	38.9	36-46 %	Measured
MCV	82	80-100 fl	Calculated
MCH	27.2	27-32 pg	Calculated
MCHC	33.2	31.5-34.5 g/dL	Calculated
RDW	14.9	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	7130	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	33.0	20-40 %	
Absolute Lymphocytes	2352.9	1000-3000 /cmm	Calculated
Monocytes	7.9	2-10 %	
Absolute Monocytes	563.3	200-1000 /cmm	Calculated
Neutrophils	56.7	40-80 %	
Absolute Neutrophils	4042.7	2000-7000 /cmm	Calculated
Eosinophils	2.3	1-6 %	
Absolute Eosinophils	164.0	20-500 /cmm	Calculated
Basophils	0.1	0.1-2 %	
Absolute Basophils	7.1	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	297000	150000-400000 /cmm	Elect. Impedance
MPV	9.1	6-11 fl	Calculated
PDW	14.2	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia	-
Microcytosis	-



Use a QR Code Scanner
Application To Scan the Code

CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 12:52

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 42 2-30 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 15:55

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	102.0	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	120.3	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 14:02

Use a QR Code Scanner
Application To Scan the Code

**MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
KIDNEY FUNCTION TESTS**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	19.1	12.8-42.8 mg/dl	Kinetic
BUN, Serum	8.9	6-20 mg/dl	Calculated
CREATININE, Serum	0.83	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	83	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure: <15	Calculated

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

TOTAL PROTEINS, Serum	7.4	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.4	1 - 2	Calculated
URIC ACID, Serum	6.0	2.4-5.7 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.2	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.0	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	141	135-148 mmol/l	ISE
POTASSIUM, Serum	5.1	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	102	98-107 mmol/l	ISE

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 13:03

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	6.2	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	131.2	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***

Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 14:02

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	8.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+(>20/hpf)	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ =75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 15:36

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	O
Rh TYPING	Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

References:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Dr. Vrushi Shroff

Dr.VRUSHALI SHROFF
M.D.(PATH)
Pathologist



CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 14:02

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	154.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	119.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	40.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	113.1	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	89.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	24.1	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.8	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.2	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 13:58

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	4.9	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	20.3	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	1.43	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0 mIU/ml	ECLIA



CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 13:58

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuae of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2335720129
Name : MRS.SUJATA BEHERA
Age / Gender : 56 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 23-Dec-2023 / 08:42
Reported : 23-Dec-2023 / 14:02

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
LIVER FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.46	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.25	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.21	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.4	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.4	1 - 2	Calculated
SGOT (AST), Serum	20.9	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	15.7	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	12.1	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	145.0	35-105 U/L	Colorimetric

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2335720129
Name : Mrs SUJATA BEHERA
Age / Sex : 56 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre
Reg. Date : 23-Dec-2023
Reported : 23-Dec-2023 / 13:00

X-RAY CHEST PA VIEW

Both lung fields are clear.
Both costo-phrenic angles are clear.
The cardiac size and shape are within normal limits.
The domes of diaphragm are normal in position and outlines.
The skeleton under review appears normal.

IMPRESSION:
NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

DR. Akash Chhari
MBBS, MD. Radio-Diagnosis Mumbai
MMC REG NO - 2011/08/2862

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2335720129
Name : Mrs SUJATA BEHERA
Age / Sex : 56 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre
Reg. Date : 23-Dec-2023
Reported : 23-Dec-2023 / 10:02

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (14.8 cm) , shape and smooth margins. It shows bright parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein (10 mm) and CBD (2.2 mm) appears normal.

GALL BLADDER: The gall bladder appears normal. No evidence of gall stones or mass lesions seen

PANCREAS: The pancreas appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Right kidney measures 8.3 x 4.3 cm. Left kidney measures 9.8 x 4.5 cm.

Both the kidneys are normal in size shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

SPLEEN:

The spleen is normal in size (9.1 cm) and echotexture. No evidence of focal lesion is noted.

There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER: The urinary bladder is well distended and reveal no intraluminal abnormality.

UTERUS: The uterus is not seen. (post hysterectomy status).

OVARIES: Not visualized, ? post operated status / ? post menopausal atrophy.

IMPRESSION:- GRADE I FATTY LIVER.

-----End of Report-----

DR. Akash Chhari
MBBS. MD. Radio-Diagnosis Mumbai
MMC REG NO - 2011/08/2862

• PATIENT NAME : MRS . SUJATA BEHERA	• SEX : FEMALE
• REFERRED BY : Arcofemi Healthcare Limited	• AGE : 56 YEARS
• CID NO : 2335720129	• DATE : 23/12/2023

2D & M-MODE ECHOCARDIOGRAM REPORT
COLOR FLOW DOPPLER REPORT

ECHO & DOPPLER FINDINGS :

- Grade I diastolic dysfunction seen at present.
- Mild aortic regurgitation present. Aortic valve appears grossly structurally normal at present
- Borderline mild concentric left ventricular hypertrophy seen
- No regional wall motion abnormality seen at rest at present
- All cardiac chambers appear normal in size.
- All other cardiac valves show normal structure and physiological function
- No significant stenosis nor regurgitation seen
- No defect seen in the inter ventricular and inter atrial septums.
- No evidence of aneurysm / clots / vegetations/ effusion seen.
- TAPSE and MAPSE measured to 17 mm and 15 mm respectively.
- Inadequate TR jet for satisfactory PASP estimation
- **Visual estimation of LVEF of 60 %.**

MEASUREMENTS:

IVS d (mm)	09	Ao (mm)	32
IVS s (mm)	15	LA (mm)	38
LVIDd (mm)	46	EPSS (mm)	02
LVIDs (mm)	22	EF SLOPE (ml/s)	110
Pwd (mm)	07	MV (mm)	17
Pws (mm)	16		

Conti....2

• PATIENT NAME : MR . Danish Kazi	• SEX : MALE
• REFERRED BY : Quantum Corp Health Pvt. Ltd	• AGE : 36 YEARS
• CID NO : 2335720313	• DATE : 23/12/2023

DOPPLER: Mitral E / A

Mitral (m/s)	0.5	Aortic (m/s)	1.10
Tricuspid (m/s)	0.7	Pulmonary (m/s)	0.8

TDI

Septal e' = 0.05 m/s

Lateral e' = 0.05 m/s

Septal a' = 0.08 m/s

Lateral a' = 0.09 m/s

Septal s' = 0.03 m/s

Lateral s' = 0.04 m/s

Septal E/e' = 10



Dr. P. Bhatjiwale, M.D

PG cert in Clinical Cardiology,

Fellowship in 2 D Echo & Doppler Studies

Reg. No 68857

NOTE :2D ECHO has a poor sensitivity in cases of angina pectoris and does not rule out CAD

Adv: Please correlate clinically. CMR/ CAG/ Further cardiac evaluation as indicated.

ECG for rhythm evaluation

-----End of Report-----

Date:- 23/12/2023

CID: 2335720/29

Name:- Sujata Behere

Sex/Age: 56/F

EYE CHECK UP

Chief complaints: NO

Systemic Diseases: NO

Past history: NO

Unaided Vision:

Aided Vision:

Refraction:

	(Right Eye)				(Left Eye)			
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	-	-	-	6/6	-	-	-	6/6
Near	-	-	-	N/10	-	-	-	N/10


Colour Vision: Normal / Abnormal

Remark: -

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD.
Row House No. 3, Aangan,
Thakur Village, Kandivall (east),
Mumbai - 400101.
Tel : 61700000

Patient Name: **SUJATA BEHERA**
Patient ID: **2335720129**

Date and Time: **23rd Dec 23 9:27 AM**



Copyright 2018 (pat) Tecon Health, All Rights Reserved



Age **56** NA
years months
Gender **Female**
Heart Rate **72bpm**
Patient Vitals
BP: **160/110 mmHg**
Weight: **77 kg**
Height: **149 cm**
Pulse: **NA**
SpO2: **NA**
Resp: **NA**
Others:

Measurements
QRSD: **68ms**
QT: **378ms**
QTcB: **413ms**
PR: **138ms**
P-R-T: **26° -2° -2°**

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

DR AKHIL PARULJEKAR
MBBS, MD, MEDICINE, DNB Cardiology
Cardiologist
2012082483

Disclaimer: If Analyzed in the center is based on ECG alone and should be used in conjunction with clinical history, symptoms, and results of other diagnostic and non-invasive tests and must be interpreted by a qualified physician. All printed values are as collected by the technician and derived from the ECG.

Name : *Sujata Behera.*

Age / Gender *56 W / F*

Dr. :

Date : *23.12.23*

GYNAEC EXAMINATION REPORTS

PERSONAL HISTORY

CHIEF COMPLAINTS : *no*

MARITAL STATUS : *married*

MENSTRUAL HISTORY :

(i) MENARCHE : *N.*

(ii) PRESENT MENSTRUAL HISTORY : *Abd. Mysectomy done.*

(iii) PAST MENSTRUAL HISTORY : *N.*

OBSTETRIC HISTORY : *G₂P₂L₂Abd.*

PAST HISTORY : *Hypertension*

PREVIOUS SURGERIES : *Abd. Mysectomy done in 2013*

ALLERGIES : *no*

FAMILY HISTORY : *Rather was Hypertension*

DRUG HISTORY : *Yes*

BOWEL HABITS : *N.*

BLADDER HABITS : *N.*

R
Dr. Jagruti Dhale
MBBS
Consultant Physician
Reg.No.69548

Name :	Age / Gender
Dr. :	Date :

GYNAEC EXAMINATION REPORTS

GENERAL EXAMINATION

TEMPERATURE : *Normal*
PULSE : *76 w*
BP : *160/110*
RS :
CVs : *1 arm*
Breasts : *Soft no mass palpable*
Per Abdomen : *Soft*
Per vaginal : *NR*

RECOMMENDATIONS

ADVISE :

[Signature]
Dr. Jagruti Dhale
MBBS
Consultant Physician
Reg.No.69548