



CID : 2405521172
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 24-Feb-2024 / 08:27
Reported : 24-Feb-2024 / 12:24

Use a QR Code Scanner
Application To Scan the Code

VITAMIN B12

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
VITAMIN B12, Serum	529.0	187-883 pg/ml	ECLIA

Intended Use:

- Vitamin B12 is also referred to as cyanocobalamin/cobalmin.
- It is essential in DNA synthesis, haematopoiesis & CNS integrity.
- It cannot be synthesized in the human body & is seldom found in products of plant origin.
- The absorption of Vit B12 depends on the presence of Intrinsic factor (IF) & may be due to lack of IF secretion by the gastric mucosa (e.g. gastrectomy, gastric atrophy) or intestinal malabsorption (e.g. ileal resection, small intestinal diseases).
- Dietary Sources of vitamin B12 are meat, fish, eggs & dairy products.

Clinical Significance:

- Vitamin B12 or folate are both of diagnostic importance for the recognition of vitamin B12 or folate deficiency, especially in the context of the differential diagnosis of megaloblastic anemia.
- Untreated deficiencies will lead to megaloblastic anemia, irreversible central nervous system degeneration, peripheral neuropathies, dementia, poor cognitive performance & depression.

Interpretation:

Increased In- Vit B12 supplements, chronic granulocytic leukemia, COPD, Chronic renal failure, diabetes, leucocytosis, hepatitis, cirrhosis, obesity, polycythemia vera, protein malnutrition, severe CHF, uremia, Vit A intake, estrogens, drugs such as chloral hydrate.
Decreased In- Inflammatory bowel disease, pernicious anaemia, strict vegetarians, malabsorption due to gastrectomy, smoking, pregnancy, multiple myeloma & haemodialysis. Alcohol & drugs like aminosalicic acid, anticonvulsants, cholestyramine, cimetidine, colchicine, metformin, neomycin, oral contraceptives, ranitidine & triamterine also cause a decrease in Vit B12 levels.

Reflex Tests: Active B12 (holotranscobalamin), Folate, Homocysteine, Methylmalonic acid (MMA) and Intrinsic factor antibody & parietal cell antibody.

Limitations: Preservatives, such as fluoride and ascorbic acid may cause interference

Reference: Vitamin B12 Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2405521172
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 24-Feb-2024 / 08:27
Reported : 24-Feb-2024 / 12:24

Use a QR Code Scanner
Application To Scan the Code

VITAMIN D TOTAL (25-OH VITAMIN D)

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
25-hydroxy Vitamin D, Serum	82.2	Deficiency: < 10 ng/ml Insufficiency: 10 - 30 ng/ml Sufficiency: 30 - 100 ng/ml Toxicity: > 100 ng/ml	ECLIA

Intended Use:

- Diagnosis of vitamin D deficiency
- Differential diagnosis of causes of rickets and osteomalacia
- Monitoring vitamin D replacement therapy
- Diagnosis of hypervitaminosis D

Clinical Significance: Vitamin D is a steroid hormone known for its important role in regulating body levels of calcium and phosphorus and in the mineralization of bone. Measured 25-OH vitamin D includes D3 (Cholecalciferol) and D2 (Ergocalciferol) where D2 is absorbed from food and D3 is produced by the skin on exposure to sunlight. The major storage form of vitamin D is 25-OH vitamin D and is present in the blood at up to 1,000 fold higher concentration compared to the active 1,25-OH vitamin D; and has a longer half life making it an analyte of choice for determination of the vitamin D status.

Interpretation:

Increased In- D intoxication & Excessive exposure to sunlight

Decreased In: Lack of sunlight, Steatorrhea, Biliary and Portal cirrhosis, Pancreatic insufficiency, Inflammatory bowel disease, Alzheimer's disease, Malabsorption, Thyrotoxicosis, Dietary osteomalacia, Anticonvulsant osteomalacia, Celiac disease and Rickets

Reflex Tests: Serum Calcium, PTH and BMD

Limitation:

- For diagnostic purposes, results should be used in conjunction with other data; e.g. symptoms, results of other tests, clinical impressions, etc.
- Heterophilic antibodies in human serum can react with reagent immunoglobulins, interfering with in vitro immunoassays. Patients routinely exposed to animals or to animal serum products can be prone to this interference and anomalous values may be observed.
- Patients routinely exposed to animals or to animal serum products can be prone to this interference and anomalous values may be observed.
- Various methods for measuring vitamin D are available but correlate with significant differences.

Reference:

- Wallach's interpretation of diagnostic tests
- Vitamin D kit insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist

Name : Rowane Fernandez	Age / Gender : 39 / F
Dr. :	Date : 24/2/24

GYNNAEC EXAMINATION REPORTS

PERSONAL HISTORY

CHIEF COMPLAINTS : no.

MARITAL STATUS : Married

MENSTRUAL HISTORY :

(i) MENARCHE : 12 yrs.

(ii) PRESENT MENSTRUAL HISTORY : 8/2/24. Reg. (N) 30 days cycle.

(iii) PAST MENSTRUAL HISTORY :

OBSTETRIC HISTORY : G₃ P₂ A₁ L₂ (N) } PTMA.
 (↑ 13 yrs)
 (↑ 8 yrs)

PAST HISTORY : nil

PREVIOUS SURGERIES : 1 ectopic - (N)

ALLERGIES : no.

FAMILY HISTORY : nil.

DRUG HISTORY : no

BOWEL HABITS : } (N)

BLADDER HABITS : } (N)

Dr. MONALI SHAH
REG NO .57282
Consultant HOMOEOPATH
DIETITIAN & NUTRITIONIST

Name : *Rowanu Fernandes*

Age / Gender *39 / F*

Dr. :

Date : *24/2/24*

GYNAEC EXAMINATION REPORTS

GENERAL EXAMINATION

TEMPERATURE :

RS :

PULSE :

CVs :

BP :

Breasts :

Per Abdomen :

Per vaginal :

RECOMMENDATIONS

ADVISE :

*NAB O/E of
either breast.*

DR. MONALI SHAH
REG. NO. 57282
CONSULTING HOMOEOPATH
DIETITIAN & NUTRITIONIST

Dr. MONALI SHAH
REG NO .57282
Consultant HOMOEOPATH
DIETITIAN & NUTRITIONIST

CID NO: 2405521143	
PATIENT'S NAME: MRS.ROWANE FERNANDES	AGE/SEX: 39 Y/ F
REF BY: -----	DATE: 24/02/2024

2-D ECHOCARDIOGRAPHY

1. RA, LA RV is Normal Size.
2. No LV Hypertrophy.
3. Normal LV systolic function. LVEF 60 % by bi-plane
4. No RWMA at rest.
5. Aortic, Pulmonary, Mitral, Tricuspid valves normal.
6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
7. Inter-ventricular septum is intact and normal.
8. Intra Atrial Septum intact.
9. Pulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11.No Pericardial Effusion
- 12.No Diastolic dysfunction. No Doppler evidence of raised LVEDP.

PATIENT'S NAME: MRS.ROWANE FERNANDES	AGE/SEX: 39 Y/ F
REF BY: -----	DATE: 24/02/2024

1. AO root diameter	2.8 cm
2. IVSd	0.9 cm
3. LVIDd	4.6 cm
4. LVIDs	2.1 cm
5. LVPWd	0.9 cm
6. LA dimension	3.4 cm
7. RA dimension	3.4 cm
8. RV dimension	3.0 cm
9. Pulmonary flow vel:	0.8 m/s
10. Pulmonary Gradient	2.4 m/s
11. Tricuspid flow vel	1.1 m/s
12. Tricuspid Gradient	5 m/s
13. PASP by TR Jet	15 mm Hg
14. TAPSE	2.9 cm
15. Aortic flow vel	1.1 m/s
16. Aortic Gradient	5 m/s
17. MV:E	0.8 m/s
18. A vel	0.7 m/s
19. IVC	15 mm
20. E/E'	10

Impression:

Normal 2d echo study.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN
Consultant Cardiologist
Reg. No. 87714



CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Use a QR Code Scanner
Application To Scan the Code
Collected : 24-Feb-2024 / 08:10
Reported : 24-Feb-2024 / 11:23

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
<u>RBC PARAMETERS</u>			
Haemoglobin	12.3	12.0-15.0 g/dL	Spectrophotometric
RBC	4.52	3.8-4.8 mil/cmm	Elect. Impedance
PCV	36.2	36-46 %	Measured
MCV	80	80-100 fl	Calculated
MCH	27.2	27-32 pg	Calculated
MCHC	34.0	31.5-34.5 g/dL	Calculated
RDW	12.9	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	6340	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	33.5	20-40 %	
Absolute Lymphocytes	2123.9	1000-3000 /cmm	Calculated
Monocytes	8.3	2-10 %	
Absolute Monocytes	526.2	200-1000 /cmm	Calculated
Neutrophils	56.7	40-80 %	
Absolute Neutrophils	3594.8	2000-7000 /cmm	Calculated
Eosinophils	1.4	1-6 %	
Absolute Eosinophils	88.8	20-500 /cmm	Calculated
Basophils	0.1	0.1-2 %	
Absolute Basophils	6.3	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	204000	150000-400000 /cmm	Elect. Impedance
MPV	12.0	6-11 fl	Calculated
PDW	26.4	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia	-
Microcytosis	-



CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 24-Feb-2024 / 08:10
Reported : 24-Feb-2024 / 11:14

Use a QR Code Scanner
Application To Scan the Code

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 41 2-20 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 24-Feb-2024 / 08:10
Reported : 24-Feb-2024 / 13:31

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	79.8	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	92.1	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Use a QR Code Scanner
Application To Scan the Code
Collected : 24-Feb-2024 / 08:10
Reported : 24-Feb-2024 / 12:39

**MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
KIDNEY FUNCTION TESTS**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	14.7	12.8-42.8 mg/dl	Kinetic
BUN, Serum	6.9	6-20 mg/dl	Calculated
CREATININE, Serum	0.85	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	89	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure: <15	Calculated

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

TOTAL PROTEINS, Serum	8.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.2	1 - 2	Calculated
URIC ACID, Serum	4.8	2.4-5.7 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.6	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.8	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	140	135-148 mmol/l	ISE
POTASSIUM, Serum	5.0	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	101	98-107 mmol/l	ISE

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Use a QR Code Scanner
Application To Scan the Code
Collected : 24-Feb-2024 / 08:10
Reported : 24-Feb-2024 / 11:37

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.1	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	99.7	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 24-Feb-2024 / 08:10
Reported : 24-Feb-2024 / 13:13

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	3-4	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	5-6	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ =75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 24-Feb-2024 / 17:39
Reported : 24-Feb-2024 / 18:58

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	O
Rh TYPING	Negative

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:
ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

References:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr. Vrushi Shroff

Dr.VRUSHALI SHROFF
M.D.(PATH)
Pathologist



CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 24-Feb-2024 / 08:10
Reported : 24-Feb-2024 / 12:39

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	208.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	82.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	57.2	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	150.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	135.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	15.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.6	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.4	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2405521143
 Name : MRS.ROWANE FERNANDES
 Age / Gender : 39 Years / Female
 Consulting Dr. : -
 Reg. Location : Borivali West (Main Centre)

Collected : 24-Feb-2024 / 08:10
 Reported : 24-Feb-2024 / 12:16

Use a QR Code Scanner
 Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	5.1	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	18.9	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	1.64	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 24-Feb-2024 / 08:10
Reported : 24-Feb-2024 / 12:16

Use a QR Code Scanner
Application To Scan the Code

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuae of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

Collected : 24-Feb-2024 / 08:10
Reported : 24-Feb-2024 / 12:39

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
LIVER FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.53	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.28	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.25	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	8.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.2	1 - 2	Calculated
SGOT (AST), Serum	21.0	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	11.7	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	9.8	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	102.0	35-105 U/L	Colorimetric

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar


Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist




Use a QR Code Scanner Application To Scan the Code

CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)


Haemoglobin




WBC Total Count




Platelet Count




ESR



CHOLESTEROL



TRIGLYCERIDES







Use a QR Code Scanner Application To Scan the Code

CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)


HDL CHOLESTEROL




LDL CHOLESTEROL




BLOOD UREA




BUN



CREATININE



URIC ACID







Use a QR Code Scanner
 Application To Scan the Code

CID : 2405521143
 Name : MRS.ROWANE FERNANDES
 Age / Gender : 39 Years / Female
 Consulting Dr. : -
 Reg. Location : Borivali West (Main Centre)


TOTAL PROTEINS




ALBUMIN




GLOBULIN




SGOT (AST)



SGPT (ALT)



ALKALINE PHOSPHATASE







Use a QR Code Scanner
Application To Scan the Code

CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)


GAMMA GT




BILIRUBIN (DIRECT)




Glycosylated Hemoglobin (HbA1c)




Estimated Average Glucose (eAG)



Free T3



Free T4






Use a QR Code Scanner
Application To Scan the Code

CID : 2405521143
Name : MRS.ROWANE FERNANDES
Age / Gender : 39 Years / Female
Consulting Dr. : -
Reg. Location : Borivali West (Main Centre)

sensitiveTSH



SUBURBAN DIAGNOSTICS - BORIVALI WEST

Patient Name: ROWANE FERNANDES

Date and Time: 24th Feb 24 10:20 AM

Patient ID: 2405521143

Age **39** **NA** **NA**
years months days

Gender **Female**

Heart Rate **68bpm**

Patient Vitals

BP: NA

Weight: NA

Height: NA

Pulse: NA

Spo2: NA

Resp: NA

Others: _____

Measurements


QRSD: 86ms

QT: 396ms

QTcB: 421ms

PR: 172ms

P-R-T: 74° 65° 69°



ECG Within Normal Limits: Sinus Rhythm Sinus Arrhythmia Seen. Please correlate clinically.

REPORTED BY

Dr Nitin Sonavane
M.B.B.S.AFLH, D.DIAB, D.CARD
Consultant Cardiologist
87714



CID : 2405521143
Name : Mrs ROWANE FERNANDES
Age / Sex : 39 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 24-Feb-2024
Reported : 24-Feb-2024/09:44

USG WHOLE ABDOMEN

LIVER: Liver is normal in size 11.9 cm, with mild generalized increase in parenchymal echotexture. There is no intra-hepatic biliary radical dilatation.No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

KIDNEYS: Right kidney measures 9.8 x 4.1 cm. Left kidney measures 9.6 x 4.4 cm.

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

UTERUS: Uterus is anteverted, normal and measures 6.2 x 3.8 x 4.9 cm. Uterine myometrium shows homogenous echotexture. Endometrium is normal in thickness and measures 5.6 mm. Cervix appears normal.

OVARIES: Both ovaries appear normal in size and echotexture.

The right ovary measures 2.4 x 0.9 cm .

The left ovary measures 1.8 x 1.6 cm.

Bilateral adnexa is clear.

No free fluid or obvious significant lymphadenopathy is seen.



Use a QR Code Scanner
Application To Scan the Code

CID : 2405521143
Name : Mrs ROWANE FERNANDES
Age / Sex : 39 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 24-Feb-2024
Reported : 24-Feb-2024/09:44

Opinion:

- **Grade I fatty infiltration of liver .**

For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report-----

DR.SUDHANSHU SAXENA
Consultant Radiologist
M.B.B.S DMRE (RadioDiagnosis)
RegNo .MMC 2016061376.



Use a QR Code Scanner
Application To Scan the Code

CID : 2405521143
Name : Mrs ROWANE FERNANDES
Age / Sex : 39 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 24-Feb-2024
Reported : 24-Feb-2024/09:44



Use a QR Code Scanner
Application To Scan the Code

CID : 2405521143
Name : Mrs ROWANE FERNANDES
Age / Sex : 39 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 24-Feb-2024
Reported : 24-Feb-2024/13:01

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre within 7 days post which the center will not be responsible for any rectification.

-----End of Report-----

DR.SUDHANSHU SAXENA
Consultant Radiologist
M.B.B.S DMRE (RadioDiagnosis)
RegNo .MMC 2016061376.



Use a QR Code Scanner
Application To Scan the Code

CID : 2405521143
Name : Mrs ROWANE FERNANDES
Age / Sex : 39 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 24-Feb-2024
Reported : 24-Feb-2024/13:01



Use a QR Code Scanner
Application To Scan the Code

CID : 2405521143
Name : Mrs ROWANE FERNANDES
Age / Sex : 39 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 24-Feb-2024
Reported : 24-Feb-2024/13:01

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre within 7 days post which the center will not be responsible for any rectification.

-----End of Report-----

DR.SUDHANSHU SAXENA
Consultant Radiologist
M.B.B.S DMRE (RadioDiagnosis)
RegNo .MMC 2016061376.



Use a QR Code Scanner
Application To Scan the Code

CID : 2405521143
Name : Mrs ROWANE FERNANDES
Age / Sex : 39 Years/Female
Ref. Dr :
Reg. Location : Borivali West

Reg. Date : 24-Feb-2024
Reported : 24-Feb-2024/13:01