

**Health Check up Booking Confirmed Request(bobE6831),Package Code-  
PKG10000366, Beneficiary Code-304866**

1 message

Mediwheel <wellness@mediwheel.in>  
To: bcfagra@gmail.com  
Cc: customercare@mediwheel.in

Fri, Feb 2, 2024 at 6:42 PM



**Mediwheel**  
...Your wellness partner

**011-41195959**

Hi **Blossoms Hospital,**

We have received the confirmation for the following booking. Please provide your confirmation by clicking on the yes and no button.

- Hospital Package Name** : Mediwheel Full Body Annual Plus
- Patient Package Name** : Mediwheel Full Body Health Checkup Male Below 40
- Package Code** : PKG10000366
- Contact Details** : 8770802977
- Email** : Hm119821@bankofbaroda.com
- Booking Date** : 27-01-2024
- Appointment Date** : 10-02-2024
- Confirmation Status** : Booking Confirmed
- Preferred Time** : 9:00am

Member Information		
Booked Member Name	Age	Gender
MR. MORYA HARIOM SINGH	33 year	Male

We request you to facilitate the employee on priority.

Thanks,  
Mediwheel Team

You have received this mail because your e-mail ID is registered with This is a system-generated e-mail **Arcofemi Healthcare Limited**, please don't reply to this message.

Please visit to our Terms & Conditions for more informaion. This email is recieved because you are register with us Click here to unsubscribe.

R

01377 HARIOM SINGH MORYA 33Y/M 10/02/2024 CHEST AP DR SACHIN MALHOTRA  
RI OSSOMS HOSPITAL AGRA

ID: 23

hariom singh morya  
Male 33Years

HR : 67 bpm  
P : 113 ms  
PR : 151 ms  
QRS : 82 ms  
QT/QTc : 352/372 ms  
P/QRS/T : 77/68/67 °  
RV5/SV1 : 1.382/0.552 mV

Diagnosis Information:  
Sinus Rhythm  
\*\*\*Normal ECG\*\*\*

Report Confirmed by:





# BLOSSOMS HOSPITAL



REG. NO. : 221901  
PT. NAME : MR HARIOM SINGH MORYA  
REFF BY : DR VINEET GARG

DATE : 10/02/2024  
AGE : 33Y/M

## 2 D ECHOCARDIOGRAPHY

AML/PML	:	Normal
AORTIC VALVE	:	NON CALCIFIED
AORTIC OPENING	:	1.2 cm
AORTIC ROOT	:	2.5 cm
LA SIZE	:	3.9 cm
EPSS	:	1.0 cm
IVC	:	1.3 cm
PULMONARY VELOCITY	:	1.0 m/sec
AORTIC VELOCITY	:	1.0 m/sec
TRICUSPID VELOCITY	:	1.0 m/sec

### LV STUDY-

- IVS : 1.0/ 1.3
- PW : 1.1/ 1.4
- LVID : 4.7/ 3.6
- EDV : 185ml
- ESV : 70ml
- EF : 60%
- FS : 25%

### IMPRESSION - NO RWMA, LVEF 60%

- No MR, NO AR
- No TR, NO PAH
- NORMAL LVEDP, IVC NORMAL
- IAS/ IVS INTACT
- NO CLOT/VEG/MASS/PE

**DR. VINEET GARG**  
M.D, DM (CARDIOLOGY)

**BLOSSOMS HOSPITAL**  
2, Khandari Quarters  
Master Plan Road  
Agra-282002



Reg. No. UP/AGR/2016/AL/2596

2, Khandari Quarters, Master Plan Road, Agra - 282002



Booking Time 17:08:22  
Sample Drawn: 10/02/2024 17:09:20  
Sample Received: 10/02/2024 17:09:22  
Print Date & Time: 10/02/2024 17:23:27



Date: 10/02/2024 Patient ID: 102374410

Name : MR. HARIOM SINGH MAURYA

Refd by Lab:

Age :

Sex: Male

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Sample Type: Urine,SERUM,EDTA,Flouride Fasting

Investigation : C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

**HAEMATOLOGY**

**COMPLETE BLOOD COUNT**

HAEMOGLOBIN (Hb)  
Method: Non Cyanide.

15.4

gm/dl

13.0 - 17.0

TLC (Total Leucocyte Count )  
Method: DC Detection

6800

/cu mm

4000 - 10000

**DIFFERENTIAL LEUCOCYTE COUNT**  
Method: Method: Flowcytometry / Microscopy

NEUTROPHILS  
Method: Flow cytometry / Microscopy

65

%

45 - 70

LYMPHOCYTES  
Method: Flow cytometry / Microscopy

32

%

20 - 45

MONOCYTES  
Method: Flow cytometry / Microscopy

02

%

00 - 12

EOSINOPHILS  
Method: Flow cytometry / Microscopy

01

%

01 - 06

R B C (Red Blood Cell Count)  
Method: DC Detection

5.01

Millions/cm m 4.50 - 5.50

PCV / Hct (Hematocrit)  
Method: Electrical Impedance

46.2

%

40.0 - 50.0

M C V (Mean Corp Volume)  
Method: Calculated.

86.1

Femtoliter

82.0 - 101.0

M C H (Mean Corp Hb)  
Method: Calculated

29.0

Picogram

27.0 - 32.0

M C H C (Mean Corp Hb Conc)  
Method: Calculated.

32.0

gm/dl

31.5 - 34.5





# STANDARD

## PATHOLOGY

ISO 9001 : 2015 Certified Lab

UP/AGR/AL/2014/2392  
Unit I- Dutta Complex, Rajpur Chungi, Shamshabad Road, Agra Ph: 0562-4040090, 4061894  
Unit II- LG 01, Shanti Madhuvan Plaza, Delhi Gate, Agra Ph: 0562- 4040026



Booking Time: 17:08:22  
Sample Drawn: 10/02/2024 17:09:20  
Sample Received: 10/02/2024 17:09:22  
Print Date & Time: 10/02/2024 17:23:27

Date: 10/02/2024 Patient ID: 102374410

Refd by Lab:

Name : MR. HARIOM SINGH MAURYA

Age :

Sex: Male

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Sample Type: Urine,SERUM,EDTA,Flouride Fasting

Investigation : C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
PLATELET COUNT Method: DC Detection & Microscopy	297	X10 <sup>3</sup> /μL	150 - 450
ABSOLUTE NEUTROPHIL COUNT Method: Calculated	4.42	X10 <sup>3</sup> /μL	2.00 - 7.00
ABSOLUTE LYMPHOCYTE COUNT Method: Calculated	2.18	X10 <sup>3</sup> /μL	1.00 - 3.00
ABSOLUTE MONOCYTE COUNT Method: Calculated	0.14	X10 <sup>3</sup> /μL	0.20 - 1.00
ABSOLUTE EOSINOPHIL COUNT Method: Microscopy	0.07	X10 <sup>3</sup> /μL	0.04 - 0.44
E.S.R. (Westergren) Method: Sedimentation	06	mm 1st hr.	00 - 10
<b>GLYCOSYLATED HAEMOGLOBIN (HbA1c)</b>			
GLYCOSYLATED HAEMOGLOBIN (HbA1c)	5.00	%	Non Diabetic : <6.00 Good Control : 6.00 - 7.00 Fair Control : 7.00 - 8.00 Poor Control : >8.00
ESTIMATED AVERAGE GLUCOSE (eAG)	96.80	mg/dl	65.00 - 135.00

### REMARKS :

In vitro quantitative determination of **HbA1c** in whole blood is utilized in long term monitoring of glycaemia. The HbA1c level correlates with the mean glucose concentration prevailing in the course of the patient's recent history (approx - 8-12 weeks) and therefore provides much more reliable information for glycaemia monitoring than determination of blood glucose or urinary glucose. It is recommended that the determination of **HbA1c** be performed at intervals of 3-6 months during diabetes



Page No: 2 of 9

Dr. Sakshi Mishra  
M.D. (Path.)

All tests have technical limitations, Corroborative clinicopathological interpretation is indicated. In case of any disparity including machine error or typing error the test should be repeated immediately. NOT VALID FOR MEDICO LEGAL PURPOSE.

SAMPLE COLLECTION FACILITY AVAILABLE FROM HOME & NURSING HOME.

HELP LINE NO. : Delhi Gate : 7534855577, Rajpur Chungi : 7534955577

E-mail - standardpathology@gmail.com

**24x7**



Booking Time 17:08:22  
Sample Drawn: 10/02/2024 17:09:20  
Sample Received: 10/02/2024 17:09:22  
Print Date & Time: 10/02/2024 17:23:27



Date: 10/02/2024 Patient ID: 102374410

Name : MR. HARIOM SINGH MAURYA

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Refd by Lab:

Age :

Sex: Male

Sample Type: Urine,SERUM,EDTA,Flouride Fasting

Investigation : C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

mellitus therapy. Results of **HbA1c** should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

**Estimated average glucose (eAG)** - There is a predictable relationship between HbA1c and eAG. It helps people with diabetes to correlate their A1c to daily glucose monitoring levels. It reflects the average glucose levels in the past 2-3 months. The eAG calculation convets the A1c percentage to the same units used by glucometers mg/dl. The following table shows the relationship of eAG and A1c.

HbA1c	eAG (mg/dl)
5	97
6	126
7	154
8	183
9	212
10	240
11	269
12	298

### BIOCHEMISTRY

BLOOD SUGAR FASTING  
Method: Hexokinase

89.00

mg/dl

70.00 - 100.00

Glucose Fasting: <100.0  
Impaired Glu. Tolerance:101.0-125.0  
Diabeties : >125.0

### LIPID PROFILE

CHOLESTEROL  
Method: CHOD-POD

139.00

mg/dl

82.00 - 200.00

Optimal : < 200.00  
Border line High Risk : 200.0 - 239.0  
High Risk: >240.0

TRIGLYCERIDES  
Method: GPO PAP

125.00

mg/dl

0.00 - 150.00



Page No: 3 of 9

Dr. Sakshi Mishra  
M.D. (Path.)

All tests have technical limitations. Corroborative clinicopathological interpretation is indicated. In case of any disparity including machine error or typing error the test should be repeated immediately. NOT VALID FOR MEDICO LEGAL PURPOSE.

SAMPLE COLLECTION FACILITY AVAILABLE FROM HOME & NURSING HOME.

HELP LINE NO. : Delhi Gate : 7534855577, Rajpur Chungi : 7534955577

E-mail - standardpathology@gmail.com

**24x7**



Booking Time 17:08:22  
Sample Drawn: 10/02/2024 17:09:20  
Sample Received: 10/02/2024 17:09:22  
Print Date & Time: 10/02/2024 17:23:27



Date: 10/02/2024 Patient ID: 102374410

Refd by Lab:

Name : MR. HARIOM SINGH MAURYA

Age :

Sex: Male

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Sample Type: Urine,SERUM,EDTA,Flouride Fasting

Investigation : C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
HDL CHOLESTEROL Method: CHOD-POD	41.00	mg/dl	35.30 - 79.50 Optimal: < 150.0 Borderline High Risk:150.0 - 199.0 High Risk :200.0 - 499.0 Very High Risk :>500.0
LDL CHOLESTEROL Method: CHOD-POD	73.00	mg/dl	0.00 - 129.00 Optimal: < 100.0 Near Optimal: 100.0 - 129.0 Border line High Risk: 130.0 - 159.0 High Risk:160.0 - 189.0 Very High Risk: >190.0
VLDL CHOLESTEROL Method: Calculated	25.00	mg/dl	25.00 - 40.00
CHOLESTEROL / HDL RATIO Method: Calculated	3.39	mg/dl	0.00 - 4.90 Low Risk: 3.3-4.4 Avg. Risk: 4.5-7.1 Mod. Risk: 7.2-11.0
LDL / HDL RATIO Method: Calculated	1.78	mg/dl	0.00 - 3.50
NON-HDL CHOLESTEROL Method: Calculated	98.00	mg/dl	<130.0
<b>RENAL FUNCTION TEST</b>			
BLOOD UREA Method: Urease	25.00	mg/dl	17.00 - 43.00







Booking Time 17:08:22  
Sample Drawn: 10/02/2024 17:09:20  
Sample Received: 10/02/2024 17:09:22  
Print Date & Time: 10/02/2024 17:23:27

Date: 10/02/2024 Patient ID: 102374410

Refd by Lab:

Name : MR. HARIOM SINGH MAURYA

Age :

Sex: Male

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Sample Type: Urine,SERUM,EDTA,Flouride Fasting

Investigation : C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
SERUM CREATININE Method: Jaffe's reaction.	0.68	mg/dl	0.00 - 1.20
SERUM URIC ACID Method: Uricase-Peroxidase	4.98	mg/dl	3.60 - 8.20
S. ALKALINE PHOSPHATASE Method: Colorimetric Assay	73.00	U/L	25.00 - 140.00  Male (Adult): 25.0 - 140.0 Female (Adult): 37.0 - 103.0 Child( 10 -17) : 350.0 - 500.0 2-10 Yrs : 100.0 - 350.0 New Born: 1-4 Times the Adult Values
TOTAL PROTEIN Method: Biuret	6.87	gm/dl	6.40 - 8.30
ALBUMIN Method: BCG	4.22	gm/dl	3.47 - 4.94
GLOBULIN Method: Calculated	2.65	gm/dl	2.10 - 5.60
A/G RATIO Method: Calculated	1.59	gm/dl	1.00 - 2.30
SERUM SODIUM Method: Indirect ISE	134.00	mmol/L	132.00 - 146.00
SERUM POTASSIUM Method: Indirect ISE	3.88	mmol /L	3.40 - 5.40
SERUM CALCIUM Method: NM-BAPTA	9.11	mg/dl	8.60 - 10.20





Booking Time: 17:08:22  
Sample Drawn: 10/02/2024 17:09:20  
Sample Received: 10/02/2024 17:09:22  
Print Date & Time: 10/02/2024 17:23:27



Date: 10/02/2024 Patient ID: 102374410

Refd by Lab:

Name : MR. HARIOM SINGH MAURYA

Age :

Sex: Male

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Sample Type: Urine,SERUM,EDTA,Flouide Fasting

Investigation : C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
SERUM PHOSPHORUS Method: UV Molybdate	3.40	mg/dl	2.50 - 4.50

### URINE EXAMINATION REPORT

#### PHYSICAL

COLOUR Method: Visual	STRAW		Pale Yellow
TRANSPARENCY Method: Visual	CLEAR		Clear
SPECIFIC GRAVITY Method: Strip	1.025		1.001 - 1.030
PH Method: pH paper	6.0		5.0 - 8.0
DEPOSIT	ABSENT		Absent

#### BIOCHEMICAL

ALBUMIN Method: Heat Coagulation	NIL		Nil
SUGAR Method: Benedict's	NIL		Nil
BILE SALTS (BS) Method: Hay's sulphur	ABSENT		Absent
BILE PIGMENT (BP) Method: Fouchet's	ABSENT		Absent

#### MICROSCOPIC

PUS CELLS Method: Microscopy	1-2	/HPF	0 - 5
EPITHELIAL CELLS Method: Microscopy	NIL	/HPF	0 - 5
RBC'S Method: Microscopy	NIL	/HPF	0 - 2
CASTS Method: Microscopy	ABSENT		Absent





Booking Time 17:08:22  
Sample Drawn: 10/02/2024 17:09:20  
Sample Received: 10/02/2024 17:09:22  
Print Date & Time: 10/02/2024 17:23:27

Date: 10/02/2024 Patient ID: 102374410  
Name : MR. HARIOM SINGH MAURYA  
Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Refd by Lab:  
Age : Sex: Male

Sample Type: Urine, SERUM, EDTA, Fluoride Fasting

Investigation : C.B.C., E.S.R., FT3, FT4 & TSH, HbA1C, LIPID PROFILE, LIVER FUNCTION TEST, RENAL FUNCTION TEST, SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
CRYSTALS Method: Microscopy	NIL		Nil
BACTERIA Method: Microscopy	ABSENT		ABSENT
OTHERS Method: Microscopy	NIL		Nil

**BIOCHEMISTRY**

**LIVER FUNCTION TEST**

SERUM BILIRUBIN (TOTAL) Method: Colorimetric-Diazo	0.67	mg/dl	0.00 - 1.10
CONJUGATED ( Direct ) Method: Colorimetric-Diazo	0.22	mg/dl	0.00 - 0.30
UNCONJUGATED ( Indirect ) Method: Calculated	0.45	mg/dl	0.10 - 1.00

Full Term  
Age of New Born  
24 hrs : 2 - 6 mg/dl  
48 hrs : 6 - 7 mg/dl  
3-5 Days: 4 - 12 mg/dl  
Premature  
Age of New Born  
24 hrs: 1- 6 mg/dl  
48 hrs: 6 - 8 mg/dl  
3-5 Days: 10 - 15 mg/dl

SGOT /AST Method: without P5P	21.00	U/L	0.00 - 50.00
SGPT /ALT Method: without P5P	17.00	U/L	0.00 - 50.00
S. ALKALINE PHOSPHATASE Method: Colorimetric Assay	73.00	U/L	25.00 - 140.00





Booking Time 17:08:22  
Sample Drawn: 10/02/2024 17:09:20  
Sample Received: 10/02/2024 17:09:22  
Print Date & Time: 10/02/2024 17:23:27

Date: 10/02/2024 Patient ID: 102374410

Refd by Lab:

Name : MR. HARIOM SINGH MAURYA

Age :

Sex: Male

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Sample Type: Urine,SERUM,EDTA,Flouride Fasting

Investigation : C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
TOTAL PROTEIN Method: Biuret	6.87	gm/dl	6.40 - 8.30
ALBUMIN Method: BCG	4.22	gm/dl	3.47 - 4.94
GLOBULIN Method: Calculated	2.65	gm/dl	2.10 - 5.60
A/G RATIO Method: Calculated	1.59	gm/dl	1.00 - 2.30
Gamma GT Method: Enzymatic colorimetric assay	29.00	U/L	0.00 - 61.00
<b>ENDOCRINOLOGY</b>			
FREE TRIIODOTHYRONINE (FT3)	3.77	pmol/l	2.00 - 4.40
FREE THYROXINE (FT4)	1.05	ng/dl	0.89 - 1.76
THYROID STIMULATING HORMONE (TSH)	3.01	uIU/mL	0.27 - 5.50

Male (Adult): 25.0 - 140.0  
Female (Adult): 37.0 - 103.0  
Child( 10 -17) : 350.0 - 500.0  
2-10 Yrs : 100.0 - 350.0  
New Born: 1-4 Times the Adult Values

Adults > 20 Yrs : 0.270 - 5.500  
Children  
1-3 Days : 5.17 - 14.6  
4 - 30 Days : 0.43 - 16.1  
2 -12 Months : 0.62 - 8.05  
2 - 6 Yrs : 0.54 - 4.53  
7 - 11Yrs : 0.66 - 4.14  
12 - 19 Yrs : 0.53 - 3.59





Booking Time 17:08:22  
Sample Drawn: 10/02/2024 17:09:20  
Sample Received: 10/02/2024 17:09:22  
Print Date & Time: 10/02/2024 17:23:27



Date: 10/02/2024 Patient ID: 102374410

Refd by Lab:

Name : MR. HARIOM SINGH MAURYA

Age :

Sex: Male

Ref. By: BLOSSOM'S SUPER SPECIALITIES HOSPITAL

Sample Type: Urine,SERUM,EDTA,Flouride Fasting

Investigation : C.B.C.,E.S.R.,FT3, FT4 & TSH,HbA1C,LIPID PROFILE,LIVER FUNCTION TEST,RENAL FUNCTION TEST,SUGAR FASTING

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

The new recommendations for TSH levels during pregnancy are the following:

**First trimester: less than 2.5 with a range of 0.1-2.5.**

**Second trimester: 0.2-3.0**

**Note :** TSH levels are subject to circadian variation, reaching peak levels between 2-4 am and at a minimum 6-10 pm  
The variation is of the order of 50%, hence time of the day has influence on the measured TSH concentrations.

\*\*\*\* End Of Report \*\*\*\*





Booking Time: 15:36:30  
Sample Drawn: 10/02/2024 15:32:17  
Sample Received: 10/02/2024 15:42:28  
Print Date & Time: 10/02/2024 16:35:23



Date: 10/02/2024 Patient ID: 102388668

Refd by Lab: OUT SIDE SAMPLE

Name : MR. HARIOM SINGH MAURYA

Age : 32 Yrs

Sex: Male

Ref. By: DR. SACHIN MALHOTRA

Sample Type: EDTA

Investigation: BLOOD GROUP (ABO Rh), COLLECTION

Test Name	Value	Unit	Biological Ref Interval
<b>HAEMATOLOGY</b>			
BLOOD GROUP ( ABO )	'B'		
RH TYPING	POSITIVE		

The upper agglutination test for grouping has some limitations. It is not a confirmatory method. Before transfusion of blood, blood group must be checked & confirmed by Blood Bank. For further confirmation Reverse typing card (Dia clon ABO/D) method is suggested.

\*\*\*\* End Of Report \*\*\*\*

