

CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030 8800465156 ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID: ABHA NO : AGE/SEX :50 Years
DRAWN :

Female

RECEIVED: 10/02/2024 15:15:53 REPORTED: 14/02/2024 15:44:53

Test Report Status Final Results Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

XRAY-CHEST

IMPRESSION NO ABNORMALITY DETECTED

ECG

ECG WITHIN NORMAL LIMITS

MAMOGRAPHY (BOTH BREASTS)

MAMOGRAPHY BOTH BREASTS NORMAL

MEDICAL HISTORY

RELEVANT PRESENT HISTORY NOT SIGNIFICANT RELEVANT PAST HISTORY COVID IN 2022.

RELEVANT PERSONAL HISTORY MARRIED / VEG DIET / NO ALLERGIES / NO SMOKING / NO ALCOHOL.

LMP (FOR FEMALES)MENOPAUSALRELEVANT FAMILY HISTORYNOT SIGNIFICANTHISTORY OF MEDICATIONSNOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS1.60mtsWEIGHT IN KGS.81Kgs

32

BMI & Weight Status as follows/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight

30.0 and Above: Obese

Page 1 Of 25

.


BMI





View Details

View Report



Maharashtra, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138394 ACCESSION NO : 0181XB000583 AGE/SEX : 50 Years

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHİ

NEW DELHI 110030 8800465156 PATIENT ID : ANITF180573181

CLIENT PATIENT ID:

ABHA NO :

,0L,0LX .50 lears

DRAWN :

RECEIVED: 10/02/2024 15:15:53 REPORTED: 14/02/2024 15:44:53

Test Report Status Final Results Biological Reference Interval Units

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE NORMAL
PHYSICAL ATTITUDE NORMAL
GENERAL APPEARANCE / NUTRITIONAL OBESE

STATUS

BUILT / SKELETAL FRAMEWORK
FACIAL APPEARANCE
SKIN
UPPER LIMB
LOWER LIMB
NORMAL
NECK
AVERAGE
NORMAL
NORMAL
NORMAL
NORMAL

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

THYROID GLAND NOT ENLARGED

CAROTID PULSATION NORMAL BREAST (FOR FEMALES) NORMAL TEMPERATURE NORMAL

PULSE 74/MIN.REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID

3RUIT

RESPIRATORY RATE NORMAL

CARDIOVASCULAR SYSTEM

BP 130/70 MM HG mm/Hg

(SUPINE)

PERICARDIUM NORMAL
APEX BEAT NORMAL
HEART SOUNDS NORMAL
MURMURS ABSENT


Page 2 Of 25





<u> View Details</u>

View Report



Maharashtra, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS :C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: 0181XB000583

PATIENT ID: ANITF180573181 CLIENT PATIENT ID:

ABHA NO :

AGE/SEX :50 Years

DRAWN :

RECEIVED :10/02/2024 15:15:53

REPORTED :14/02/2024 15:44:53

Test Report Status Final Results Biological Reference Interval Units

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST NORMAL

MOVEMENTS OF CHEST SYMMETRICAL

BREATH SOUNDS INTENSITY NORMAL

BREATH SOUNDS QUALITY VESICULAR (NORMAL)

ADDED SOUNDS ABSENT

PER ABDOMEN

APPEARANCE NORMAL VENOUS PROMINENCE ABSENT

LIVER NOT PALPABLE SPLEEN NOT PALPABLE HERNIA ABSENT

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS NORMAL
CRANIAL NERVES NORMAL
CEREBELLAR FUNCTIONS NORMAL
SENSORY SYSTEM NORMAL
MOTOR SYSTEM NORMAL
REFLEXES NORMAL

MUSCULOSKELETAL SYSTEM

SPINE VORMAL JOINTS VORMAL

BASIC EYE EXAMINATION

Page 3 Of 25

:





View Details

View Report

Thane, 400602 Maharashtra, India

Maharashtra, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030 8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID: ABHA NO

AGE/SEX :50 Years

DRAWN

RECEIVED: 10/02/2024 15:15:53

REPORTED: 14/02/2024 15:44:53

Test Report Status Results Biological Reference Interval Units <u>Final</u>

CONJUNCTIVA NORMAL NORMAL **EYELIDS** EYE MOVEMENTS NORMAL NORMAL CORNEA

DISTANT VISION RIGHT EYE WITHOUT

GLASSES

DISTANT VISION LEFT EYE WITHOUT

GLASSES

DISTANT VISION RIGHT EYE WITH GLASSES DISTANT VISION LEFT EYE WITH GLASSES NEAR VISION RIGHT EYE WITHOUT GLASSES

NEAR VISION LEFT EYE WITHOUT GLASSES NEAR VISION RIGHT EYE WITH GLASSES NEAR VISION LEFT EYE WITH GLASSES

COLOUR VISION

REDUCED VISUAL ACUITY 6/24

REDUCED VISUAL ACUITY 6/24

REDUCED VISUAL ACUITY 6/9 WITH GLASSES NORMAL

REDUCED VISUAL ACUITY N/24 REDUCED VISUAL ACUITY N/24

WITHIN NORMAL LIMIT WITHIN NORMAL LIMIT

NORMAL

SUMMARY

RELEVANT HISTORY RELEVANT GP EXAMINATION FINDINGS REMARKS / RECOMMENDATIONS

NOT SIGNIFICANT NOT SIGNIFICANT

LOW FAT, LOW CALORIE, LOW CARBOHYDRATE, HIGH FIBRE DIET. REGULAR EXERCISE.REGULAR WALK FOR 30-40 MIN DAILY.

REPEAT LIPID PROFILE, BLOOD SUGAR AFTER 3 MONTHS OF DIET AND

EXERCISE.


SURGICAL GE CONSULT FOR CHOLELITHIASIS.

FOLLOW UP WITH GYNAECOLOGIST FOR TREATMENT OF VAGINITS.

Page 4 Of 25







Maharashtra, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0181XB000583

: ANITF180573181 PATIENT ID

CLIENT PATIENT ID: ABHA NO

DRAWN

AGE/SEX

Female

:50 Years

RECEIVED: 10/02/2024 15:15:53 REPORTED :14/02/2024 15:44:53

Test Report Status Results Biological Reference Interval Units <u>Final</u>

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN GRADE I FATTY LIVER. CHOLELITHIASIS.

TMT OR ECHO CLINICAL PROFILE 2D ECHO: NORMAL

Interpretation(s)

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

End Of Report Please visit www.agilusdiagnostics.com for related Test Information for this accession

Page 5 Of 25







Maharashtra, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956





PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS :C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

<u>Final</u>

DELHÍ

NEW DELHI 110030

Test Report Status

8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX :50 Years

DRAWN :

RECEIVED: 10/02/2024 15:15:53 REPORTED: 14/02/2024 15:44:53

Results Biological Reference Interval Units

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turn around time stated in the AGILUS Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Limited

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Page 6 Of 25





View Details

View Report



Agilus Diagnostics Ltd. S.K. Tower,Hari Niwas, Lbs Marg Thane, 400602

Maharashtra, India

PERFORMED AT:

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0181XB000583

: ANITF180573181 PATIENT ID

CLIENT PATIENT ID:

ABHA NO

AGE/SEX :50 Years

DRAWN

RECEIVED: 10/02/2024 15:15:53

REPORTED::14/02/2024:15:44:53

Results Test Report Status Biological Reference Interval Units <u>Final</u>

H	AEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECKUP AB	OVE 40FEMALE		
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN (HB)	12.7	12.0 - 15.0	g/dL
METHOD: SLS- HEMOGLOBIN DETECTION METHOD			
RED BLOOD CELL (RBC) COUNT	4.81 High	3.8 - 4.8	mil/µL
METHOD: HYDRODYNAMIC FOCUSING BY DC DETECTION WHITE BLOOD CELL (WBC) COUNT	8.16	4.0 - 10.0	thou/µL
METHOD : FLUORESCENCE FLOW CYTOMETRY	6.16	4.0 - 10.0	ti lody pie
PLATELET COUNT	332	150 - 410	thou/µL
METHOD: HYDRODYNAMIC FOCUSING BY DC DETECTION			
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV)	43.3	36.0 - 46.0	%
METHOD : CUMULATIVE PULSE HEIGHT DETECTION METHOD	13.3	30.0 40.0	,0
MEAN CORPUSCULAR VOLUME (MCV)	90.0	83.0 - 101.0	fL
METHOD: CALCULATED FROM RBC & HCT			
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	26.4 Low	27.0 - 32.0	pg
METHOD : CALCULATED FROM THE RBC & HGB	29.3 Low	31.5 - 34.5	a/dL
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	29.3 LOW	31.5 - 34.5	g/uL
METHOD: CALCULATED FROM THE HGB & HCT			
RED CELL DISTRIBUTION WIDTH (RDW)	13.9	11.6 - 14.0	%
METHOD: CALCULATED FROM RBC SIZE DISTRIBUTION CURVE	18.7		
MENTZER INDEX		60.400	+I
MEAN PLATELET VOLUME (MPV) METHOD: CALCULATED FROM PLATELET COUNT & PLATELET HEMA	10.2	6.8 - 10.9	†L
METHOD: CALCULATED FROM PLATELET COUNT & PLATELET HEMP	ATOCKII		
WBC DIFFERENTIAL COUNT			
NEUTROPHILS	55	40 - 80	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	35	20 40	%
LYMPHOCYTES METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	33	20 - 40	70
MONOCYTES	6	2 - 10	%
==			



Page 7 Of 25

Dr.Priyal Chinchkhede Consultant Pathologist







Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India CIN - U74899PB1995PLC045956





PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030

8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID: ABHA NO

AGE/SEX

DRAWN

RECEIVED: 10/02/2024 15:15:53 REPORTED: 14/02/2024 15:44:53

:50 Years

Test Report Status <u>Final</u>	Results	Biological Reterence	: Interval Units
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
EOSINOPHILS	3	1 - 6	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
BASOPHILS	1	0 - 1	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
ABSOLUTE NEUTROPHIL COUNT	4.49	2.0 - 7.0	thou/µL
METHOD: PLOW CYTOMETRY WITH LIGHT SCATTERING ABSOLUTE LYMPHOCYTE COUNT	2.89	1.0 - 3.0	thou/µL
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	2.09	1.0 - 3.0	ι Ιοά/με
ABSOLUTE MONOCYTE COUNT	0.45	0.2 - 1.0	thou/µL
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			~1
ABSOLUTE EOSINOPHIL COUNT	0.27	0.02 - 0.50	thou/µL
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
ABSOLUTE BASOPHIL COUNT	0.08	0.02 - 0.10	thou/µL
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.6		

MORPHOLOGY

RBC NORMOCYTIC NORMOCHROMIC

WBC NORMAL MORPHOLOGY

METHOD: MICROSCOPIC EXAMINATION

PLATELETS ADEQUATE

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(> 13)

from Beta thalassaemia trait
(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3,3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive

patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR <

3.3, COVID-19 patients tend to show mild disease.
(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.



Page 8 Of 25

Dr.Prival Chinchkhede Consultant Pathologist









Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India

Fax:





PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID:

ABHA NO

AGE/SEX :50 Years DRAWN

RECEIVED: 10/02/2024 15:15:53 REPORTED: 14/02/2024 15:44:53

Test Report Status Results Biological Reference Interval Units <u>Final</u>

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA

BLOOD

E.S.R

METHOD: MODIFIED WESTERGREN

>140 High

0 - 20

mm

%

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE

BLOOD

5.8 High HBA1C

Non-diabetic Adult < 5.7

Pre-diabetes 5.7 - 6.4

Diabetes diagnosis: > or = 6.5 Therapeutic goals: < 7.0 Action suggested: > 8.0 (ADA Guideline 2021)

METHOD: HPLC

ESTIMATED AVERAGE GLUCOSE(EAG)

METHOD: CALCULATED PARAMETER

119.8 High

< 116.0

mg/dL

Interpretation(s)
ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD-TEST DESCRIPTION:-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase In: Infections, Vasculibes, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as ibacterial endocarditis).
In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia
False Decreased: Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dadie and Lewis, 10th edition.

Bhinchkhede.

Page 9 Of 25

Dr.Prival Chinchkhede Consultant Pathologist









CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID:

ABHA NO

AGE/SEX :50 Years DRAWN

Female

RECEIVED: 10/02/2024 15:15:53

REPORTED: 14/02/2024 15:44:53

Test Report Status Results Biological Reference Interval Units <u>Final</u>

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

- 1. Evaluating the indigental control of blood guices content across in diabetic patients.
 2. Diagnosing diabetes.
 3. Identifying patients at increased risk for diabetes (prediabetes).
 The ADA recommends measurement of HbAIc (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients, to determine whether a patients metabolic control has remained continuously within the target range.
 1. eAG (Estimated average glucose) converts percentage HbAIc to md/dl, to compare blood glucose levels.
- eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

- HbA1c Estimation can get affected due to:

 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

 2. Vitamin C & E are reported to talsely lower test results. (possibly by inhibiting glycation of hemoglobin.

 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction between the first processors and the interface of the consequence of
- addiction are reported to interfere with some assay methods, falsely increasing results.

 4. Interference of hemoglobinopathies in HbA1c estimation is seen in
- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
- c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Bhinchkhede.

Dr.Prival Chinchkhede Consultant Pathologist





Page 10 Of 25







PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030

8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID: ABHA NO

DRAWN

AGE/SEX

:50 Years

RECEIVED: 10/02/2024 15:15:53 REPORTED: 14/02/2024 15:44:53

Test Report Status Results Biological Reference Interval Units <u>Final</u>

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP TYPE O

METHOD: GEL COLUMN AGGLUTINATION METHOD.

POSITIVE RH TYPE

METHOD: GEL COLUMN AGGLUTINATION METHOD.

Interpretation(s)
ABO GROUP & RHITYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface

To determine blood group, red cells are mixed with different antibody solutions to give A, B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant womer are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

Bhindhehede.

Dr.Prival Chinchkhede Consultant Pathologist





Page 11 Of 25





PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID:

ABHA NO

AGE/SEX :50 Years

DRAWN :

RECEIVED :10/02/2024 15:15:53

REPORTED :14/02/2024 15:44:53

Test Report Status <u>Final</u> Results Biological Reference Interval Units

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR)

97 Normal 75 - 99

Pre-diabetics: 100 - 125 Diabetic: > or = 126

METHOD: ENZYMATIC REFERENCE METHOD WITH HEXOKINASE

METHOD: ENZYMATIC REFERENCE METHOD WITH HEXOKINASE

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR)

93

70 - 139

mg/dL

mg/dL

LIPID PROFILE WITH CALCULATED LDL

CHOLESTEROL, TOTAL 210 High Desirable: < 200 mg/dL

Borderline : 200 - 239

High: > / = 240

METHOD: ENZYMATIC COLORIMETRIC ASSAY

TRIGLYCERIDES 97 Normal: < 150 mg/dL

Borderline high: 150 - 199

High: 200 - 499Very High: >/= 500

METHOD: ENZYMATIC COLORIMETRIC ASSAY

HDL CHOLESTEROL 70 High At Risk: < 40 mg/dL

Desirable: > or = 60

METHOD: ENZYMATIC, COLORIMETRIC

CHOLESTEROL LDL 121 High Adult levels: mg/dL

Optimal < 100

Near optimal/above optimal:

100-129

Borderline high: 130-159

High: 160-189 Very high: = 190

METHOD: ENZYMATIC COLORIMETRIC ASSAY

Dr. Ushma Wartikar Consultant Pathologist Bhindhehede.

Dr.Priyal Chinchkhede Consultant Pathologist Bright

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 12 Of 25

View Details

View Report







PATIENT NAME: ANITHA SATISH	REF. DOCTOR :	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO: 0181XB000583 PATIENT ID: ANITF180573181	AGE/SEX :50 Years Female DRAWN :
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	CLIENT PATIENT ID: ABHA NO :	RECEIVED: 10/02/2024 15:15:53 REPORTED: 14/02/2024 15:44:53

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
NON HOL CHOLESTEROL	140 High	Desirable: < 130 mg/dL Above Desirable: 130 -159 Borderline High: 160 - 189 High: 190 - 219 Very high: > / = 220 < OR = 30.0 mg/dL
VERY LOW DENSITY LIPOPROTEIN	19.4 3.0 Low	
CHOL/HDL RATIO	S.U LUW	Low Risk: 3.3 - 4.4 Average Risk: 4.5 - 7.0 Moderate Risk: 7.1 - 11.0 High Risk: > 11.0
LDL/HDL RATIO	1.7	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk

Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non IIDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atheroselerotic cardiovascular disease) by Lipid Association of India

Risk Category	44	52 131 1590	
Extreme risk group	A.CAD with > 1 feature of high risk group		
24/03- 39	B. CAD with > 1 feature of Very high risk	group or recurrent ACS (within 1 year) despite LDL-C < or =	
	50 mg/dl or polyvascular disease		
Very High Risk	1. Established ASCVD 2. Diabetes with 2	2 major risk factors or evidence of end organ damage 3.	
368 ST	Familial Homozygous Hypercholesterolen	nia	
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ		
damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl. 5. Extreme of a single risk factor. 6. Coro			
	Artery Calcium - CAC >300 AU. 7. Lipon	protein a >/= 50mg/dl 8. Non stenotic carotid plaque	
Moderate Risk	2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Atl	nerosclerotic cardiovascular disease) Risk I	Factors	
1. Age > or 45 yea	rs in males and > or 55 years in females	3. Current Cigarette smoking or tobacco use	
2. Family history of	premature ASCVD	4. High blood pressure	
5. Low IIDL			

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals	2	Consider Drug Tl	1.00.000.000.000.000
3.0	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)

Dr. Ushma Wartikar Consultant Pathologist Bhinchkhede.

Dr.Priyal Chinchkhede Consultant Pathologist Dr.(Mrs)Neelu K Bhojani

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 13 Of 25









CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID:

ABHA NO

DRAWN

AGE/SEX :50 Years

Female

RECEIVED: 10/02/2024 15:15:53 REPORTED :14/02/2024 15:44:53

Test Report Status Results Biological Reference Interval Units <u>Final</u>

Extreme Risk Group Category A	<50 (Optional goal < OR 30)	<80 (Optional goal <or 60)<="" th=""><th>>OR = 50</th><th>>OR = 80</th></or>	>OR = 50	>OR = 80
Extreme Risk Group Category B	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>> 30</td><td>>60</td></or></td></or>	<or 60<="" =="" td=""><td>> 30</td><td>>60</td></or>	> 30	>60
Very High Risk	<50	<80	>OR 50	>OR 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR 130*	>OR 160

^{*}After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL	0.59	Upto 1.2	mg/dL
METHOD: COLORIMETRIC DIAZO BILIRUBIN, DIRECT METHOD: DIAZO METHOD	0.33 High	< 0.30	mg/dL
BILIRUBIN, INDIRECT	0.26	0.1 - 1.0	mg/dL
TOTAL PROTEIN METHOD: COLORIMETRIC	7.6	6.0 - 8.0	g/dL
ALBUMIN	4.4	3.97 - 4.94	g/dL
METHOD: COLORIMETRIC			
GLOBULIN	3.2	2.0 - 3.5	g/dL
ALBUMIN/GLOBULIN RATIO	1.4	1.0 - 2.1	RATIO
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	21	< OR = 35	U/L
METHOD: UV ABSORBANCE ALANINE AMINOTRANSFERASE (ALT/SGPT) METHOD: UV ABSORBANCE	24	< OR = 35	U/L
ALKALINE PHOSPHATASE	72	35 - 104	U/L
METHOD: COLORIMETRIC			
GAMMA GLUTAMYL TRANSFERASE (GGT)	12	0 - 40	U/L
METHOD: ENZYMATIC, COLORIMETRIC LACTATE DEHYDROGENASE METHOD: UV ABSORBANCE	184	125 - 220	U/L

BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN 11 6 - 20 mg/dL

METHOD: ENZYMATIC ASSAY

Dr. Ushma Wartikar Consultant Pathologist

PERFORMED AT:

Dr.Prival Chinchkhede Consultant Pathologist

Bhinchkhede

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 14 Of 25











PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030 8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID:

DRAWN

AGE/SEX : 50 Years

RECEIVED: 10/02/2024 15:15:53 REPORTED :14/02/2024 15:44:53

Test Report Status Results Biological Reference Interval Units <u>Final</u>

ABHA NO

CREATININE, SERUM

0.83 0.5 - 0.9mg/dL CREATININE

METHOD: COLORIMETRIC

BUN/CREAT RATIO

BUN/CREAT RATIO 13.25 8.0 - 15.0

URIC ACID, SERUM

URIC ACID 2.4 - 5.7mg/dL 4.8

METHOD: ENZYMATIC COLORIMETRIC ASSAY

TOTAL PROTEIN, SERUM

g/dL TOTAL PROTEIN 7.6 6.0 - 8.0

METHOD: COLORIMETRIC

ALBUMIN, SERUM

3.97 - 4.94 ALBUMIN 4.4 g/dL

METHOD: COLORIMETRIC

GLOBULIN

2.0 - 3.5g/dL **GLOBULIN** 3.2

ELECTROLYTES (NA/K/CL), SERUM

Dr. Ushma Wartikar Consultant Pathologist

Dr.Priyal Chinchkhede Consultant Pathologist

Phinchkhede

Dr.(Mrs)Neelu K Bhojani

Lab Head





Page 15 Of 25







PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF CODE/NAME & ADDRESS : C000138394 AGE/SEX

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030

8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID: ABHA NO

:50 Years DRAWN

98 - 107

Female

mmol/L

RECEIVED: 10/02/2024 15:15:53

REPORTED :14/02/2024 15:44:53

Test Report Status	Final	Results	Biological Reference Interval	Units

SODIUM, SERUM	137	136 - 145	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY POTASSIUM, SERUM	4.34	3.5 - 5.1	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY			

102

METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY

Interpretation(s)

CHLORIDE, SERUM

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, antidepressants (SSRI), antipsychotics.	Decreased in: Low potassium intake, prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome, osmotic diuresis (e.g., hyperglycemia), alkalosis, familial periodic paralysis, trauma (transient). Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessives weating, severe vomiting or diarrhea), diabetes mellitus, diabetes insipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice, oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration, renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium-sparing diuretics, NSAIDs, beta-blockers, ACE inhibitors, highdose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences: Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluic is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

Decreased in:Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease, malignancy(adrenocortical),stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g. galactosemia), Drugs-insulin,ethanol,propranoloi; sulfonylureas, stolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within its fluid light. Thus develope the page of the correct terrains and the correct terrains.

individuals. Thus, glycosylatec hemoglobin (HbA1c) levels are favored to monitor glycemic control.

Dr. Ushma Wartikar Consultant Pathologist

Dr.Priyal Chinchkhede Consultant Pathologist

Bhinchkhede.

Dr.(Mrs)Neelu K Bhojani Lab Head






Page 16 Of 25





Fax:









PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

LIENT PATIENT ID: ABHA NO

AGE/SEX DRAWN

:50 Years

RECEIVED: 10/02/2024 15:15:53

REPORTED::14/02/2024:15:44:53

Test Report Status Results Biological Reference Interval Units <u>Final</u>

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic

index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seer due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER PUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretor (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (inect) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin is also elevated more than unconjugated (indirect) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termec Gilbert syndrome, due to low levels of the enzyme that

attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatits, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys,heart,muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pandreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and

globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome,Protein-losing enteropathy étc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular

permeability or decreased lymphatic clearance, mainutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blooc flow, Loss of body fluic (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as serzures (eclampsia)), or high blooc pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to: Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapic weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome Causes of decreased levels-Low Zinc intake,OCP,Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic

syndrome, Protein-losing enteropathy etc.
ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr. Ushma Wartikar Consultant Pathologist

Dr.Prival Chinchkhede

Consultant Pathologist

Bhinchkhede

Dr.(Mrs)Neelu K Bhojani Lab Head



Page 17 Of 25





CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 PATIENT ID : ANITF180573181

ACCESSION NO: 0181XB000583

CLIENT PATIENT ID:

81 DRAWN

DRAWN :

AGE/SEX

Female

RECEIVED :10/02/2024 15:15:53

:50 Years

REPORTED :14/02/2024 15:44:53

Test Report Status Final Results Biological Reference Interval Units

ABHA NO

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW

METHOD: MICROSCOPIC EXAMINATION

APPEARANCE CLEAR

METHOD: MICROSCOPIC EXAMINATION

CHEMICAL EXAMINATION, URINE

PH 6.0 4.6 - 8.0

METHOD: METHYL RED & BROMOTHYMOL BLUE

SPECIFIC GRAVITY 1.015 1.003 - 1.035
PROTEIN NOT DETECTED NOT DETECTED

METHOD: TETRA BROMOPHENOL BLUE/SULFOSALICYLIC ACID

GLUCOSE NOT DETECTED NOT DETECTED

METHOD: GLUCOSE OXIDASE / PEROXIDASE (GOD - POD) METHOD

KETONES NOT DETECTED NOT DETECTED

METHOD: SODIUM NITROPRUSSIDE REACTION

BLOOD NOT DETECTED NOT DETECTED

METHOD: STRIP TEST - DIAZONIUM SALT COUPLING

UROBILINOGEN NORMAL NORMAL

METHOD: CAFFEINE BENZOATE

NITRITE NOT DETECTED NOT DETECTED

METHOD: STRIP NAPHTHOETHYLENEDIAMINE HYDROCHOLORIDE, TATTANIC ACID

LEUKOCYTE ESTERASE NOT DETECTED NOT DETECTED

METHOD: STRIP HETROCYCLIC CARBOXYLIC ACID ESTER, DIAZONIUM SALT

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS

MOT DETECTED

NOT DETECTED

/HPF

METHOD: MICROSCOPIC EXAMINATION

PUS CELL (WBC'S)

0-1

O-5

/HPF

METHOD: MICROSCOPIC EXAMINATION

EPITHELIAL CELLS

0-1

0-5

/HPF

METHOD: MICROSCOPIC EXAMINATION

Dhindhkhede.

Dr.Priyal Chinchkhede Dr. Ushma Wartikar Consultant Pathologist Consultant Pathologist Diagonie

Dr.(Mrs)Neelu K Bhojani Lab Head






Page 18 Of 25

Maw Dataile

View Report



Mumbai, 400078 Maharashtra, India





RECEIVED: 10/02/2024 15:15:53

REPORTED: 14/02/2024 15:44:53

PATIENT NAME: ANITHA SATISH

CODE/NAME & ADDRESS: C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : ANITF180573181 ANITF180573181 ARWN :

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID:

DELHI NEW DELHI 110030 CLIENT PATIENT ABHA NO :

Test Report Status Final Results Biological Reference Interval Units

CASTS NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

CRYSTALS NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

BACTERIA NOT DETECTED NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

YEAST NOT DETECTED NOT DETECTED

Interpretation(s)

8800465156

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice

Bhindhenede.

Dr.Priyal Chinchkhede Consultant Pathologist

PERFORMED AT:

Dr. Ushma Wartikar Consultant Pathologist

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 19 Of 25









Fax: CIN-U74899PB1995PLC045956





CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030 8800465156

ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID: ABHA NO

AGE/SEX :50 Years Female

DRAWN

RECEIVED: 10/02/2024 15:15:53 REPORTED::14/02/2024:15:44:53

Test Report Status Results Biological Reference Interval Units <u>Final</u>

Uric acid	arthritis Urinary infectionwhen present in significant numbers & with pus cells.		
Bacteria			
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis		

Dhindrehede.

Dr.Priyal Chinchkhede Consultant Pathologist Dr. Ushma Wartikar Consultant Pathologist

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 20 Of 25



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: 0181XB000583

PATIENT ID : ANITF180573181

CLIENT PATIENT ID: ABHA NO : DRAWN :

AGE/SEX

Female

RECEIVED: 10/02/2024 15:15:53

:50 Years

REPORTED :14/02/2024 15:44:53

Test Report Status Final Results Biological Reference Interval Units

CYTOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

PAPANICOLAOU SMEAR

TEST METHOD CONVENTIONAL GYNEC CYTOLOGY

METHOD: MICROSCOPIC EXAMINATION

SPECIMEN TYPE 290/24

TWO UNSTAINED CERVICAL SMEARS RECEIVED

METHOD: MICROSCOPIC EXAMINATION

REPORTING SYSTEM 2014 BETHESDA SYSTEM FOR REPORTING CERVICAL CYTOLOGY

SPECIMEN ADEQUACY SATISFACTORY

METHOD: PAP STAIN & MICROSCOPIC EXAMINATION

MICROSCOPY THE SMEARS SHOW MAINLY SUPERFICIAL SQUAMOUS CELLS, FEW

INTERMEDIATE SQUAMOUS CELLS, OCCASIONAL SQUAMOUS METAPLASTIC CELLS, FEW PARABASAL CELLS AND FEW CLUSTERS OF

ENDOCERVICAL CELLS IN THE BACKGROUND OF MODERATE

POLYMORPHS.

METHOD: PAP STAIN

INTERPRETATION / RESULT NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY

METHOD: PAP STAIN & MICROSCOPIC EXAMINATION

ENDOMETRIAL CELLS (IN A WOMAN >/= 45

YRS)

METHOD: PAP STAIN & MICROSCOPIC EXAMINATION

ABSENT

Comments

PLEASE NOTE PAPANICOLAU SMEAR STUDY IS A SCREENING PROCEDURE FOR CERVICAL CANCER WITH INHERENT FALSE NEGATIVE RESULTS HENCE SHOULD BE INTERPRETED WITH CAUTION. NO CYTOLOGICAL EVIDENCE OF HPV INFECTION IN THE SMEARS STUDIED. SMEARS WILL BE PRESERVED FOR 5 YEARS ONLY.



Dr.Priyal Chinchkhede Consultant Pathologist



Page 21 Of 25

View Details

View Report





PATIENT NAME: ANITHA SATISH

CODE/NAME & ADDRESS: CO00138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

PATIENT ID : ANITF180573181

REF. DOCTOR: SELF

AGE/SEX: 50 Years Female
DRAWN:

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID:

DELHI NEW DELHI 110030 CLIENT PATIENT ABHA NO :

RECEIVED :10/02/2024 15:15:53
REPORTED :14/02/2024 15:44:53

Test Report Status <u>Final</u> Results Biological Reference Interval Units

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

MICROSCOPIC EXAMINATION, STOOL

REMARK SAMPLE NOT RECEIVED

Interpretation(s)

8800465156

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF CONDITION					
Pus cells	Pus in the stool is an indication of infection				
Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as ulcerative colitis				
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.				
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.				
Charcot-Leyden crystal	Parasitic diseases.				
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.				
Frank blood	Bleeding in the rectum or colon.				
Occult blood	Occult blood indicates upper GI bleeding.				
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.				
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show up in stool when there is inflammation or infection.				
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.				
рН	Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have an acidic stool.				

ADDITIONAL STOOL TESTS:


Dr. Sheetal Sawant Consultant Microbiologist Page 22 Of 25











<u>Final</u>



PATIENT NAME: ANITHA SATISH REF. DOCTOR: SELF CODE/NAME & ADDRESS : C000138394 ACCESSION NO: 0181XB000583 AGE/SEX :50 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : ANITF180573181 DRAWN F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED: 10/02/2024 15:15:53 DELHI ABHA NO REPORTED: 14/02/2024 15:44:53 NEW DELHI 110030 8800465156 Test Report Status Results Biological Reference Interval Units

1. Stool Culture: This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if treatment for GI infection worked.

- 2. Fecal Calprotectin: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) from Irritable Bowel Syndrome (IBS).
- 3. Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia.
- Clostridium Difficile Toxin Assay: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to overuse of broad spectrum antibiotics which alter the normal GI flora.
- 5, Biofire (Film Array) GI PANEL: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array Test, (Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria, fungi, virus, parasite and other opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.
- Rota Virus Immunoassay: This test is recommended in severe gastroenteritis in infants & children associated with watery 6. diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

Dr. Sheetal Sawant Consultant Microbiologist Page 23 Of 25













CODE/NAME & ADDRESS: C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

CLIENT PATIENT ID:

PATIENT ID : ANITF180573181

ACCESSION NO: 0181XB000583

ABHA NO

AGE/SEX :50 Years Female

DRAWN

RECEIVED: 10/02/2024 15:15:53

REPORTED: 14/02/2024 15:44:53

Test Report Status Results Biological Reference Interval Units <u>Final</u>

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

THYROID PANEL, SERUM

Т3 102.0 Non-Pregnant Women ng/dL

80.0 - 200.0 Pregnant Women

1st Trimester: 105.0 - 230.0 2nd Trimester: 129.0 - 262.0

3rd Trimester: 135.0 - 262.0

METHOD: ELECTROCHEMILUMINESCENCE

8.04 Non-Pregnant Women µg/dL **T4**

5.10 - 14.10 Pregnant Women

1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70

METHOD: ELECTROCHEMILUMINESCENCE

1.320 Non Pregnant Women μIU/mL TSH (ULTRASENSITIVE)

0.27 - 4.20

Pregnant Women (As per American Thyroid Association) 1st Trimester 0.100 - 2.500 2nd Trimester 0.200 - 3.000 3rd Trimester 0.300 - 3.000

METHOD: ELECTROCHEMILUMINESCENCE

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically

Dr. Ushma Wartikar Consultant Pathologist

PERFORMED AT:

Dr.Prival Chinchkhede Consultant Pathologist

Bhinchkhede

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 24 Of 25









CODE/NAME & ADDRESS :C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030

8800465156

ACCESSION NO : 0181XB000583

l Coccocion no : 01012200000

PATIENT ID: ANITF180573181 CLIENT PATIENT ID:

ABHA NO :

DRAWN :

AGE/SEX :50 Years

s Female

RECEIVED: 10/02/2024 15:15:53 REPORTED: 14/02/2024 15:44:53

Test Report Status Final Results Biological Reference Interval Units

active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSII	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment
2	Iligh	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TS11 levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist c.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3) Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4. TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

Dr. Ushma Wartikar Consultant Pathologist

Dr.Priyal Chinchkhede Consultant Pathologist

@hindrenede

Dr.(Mrs)Neelu K Bhojani Lab Head



Page 25 Of 25

View Details

Maw Report

