

2 D ECHO PENDING



| Patient Name | : Mrs. ASHWINI AMOL GAIKWAD | Age/Gender | : 34 Y/F |
|---------------------|-----------------------------|-------------|--------------------|
| UHID/MR No. | : CAUN.0000133055 | OP Visit No | : CAUNOPV167092 |
| Sample Collected on | : | Reported on | : 24-02-2024 17:03 |
| LRN# | : RAD2247452 | Specimen | : |
| Ref Doctor | : SELF | | |
| Emp/Auth/TPA ID | : 369326 | | |
| | | | |

DEPARTMENT OF RADIOLOGY

ULTRASOUND - WHOLE ABDOMEN

<u>Liver</u> appears normal in size, shape and echotexture. No focal lesion is seen. PV and CBD are normal. No dilatation of the intrahepatic biliary radicals.

<u>Gall bladder</u> is well distended. No evidence of calculus. Wall thickness appears normal. No evidence of periGB collection. No evidence of focal lesion is seen.

Spleen appears normal. No focal lesion seen. Spleenic vein appears normal.

<u>Pancreas</u> appears normal in echopattern. No focal/mass lesion/calcification. No evidence of peripancreatic free fluid or collection. Pancreatic duct appears normal.

Both <u>the kidneys</u> appear normal in size, shape and echopattern. Cortical thickness and C M differentiation are maintained. No calculus / hydronephrosis seen on either side.

Right kidney - 9.7 x 4.1 cm.

Left kidney $-10.9 \times 4.6 \text{ cm}$.

<u>Urinary Bladder</u>: - is well distended and appears normal. No evidence of any wall thickening or abnormality. No evidence of any intrinsic or extrinsic bladder abnormality detected.

<u>Uterus</u> appears normal in size measuring 9.3 x 3.8 x 4.6 cm. It shows normal shape & echo pattern. Endometrial echo-complex appears normal and measures 6.7 mm.

Both ovaries- appear normal in size, shape and echo pattern.

Right ovary $-3.0 \times 2.0 \text{ cm}$.

Left ovary $-2.7 \times 1.8 \text{ cm}$.

No obvious free fluid or lymphadenopathy is noted in the abdomen .



: Mrs. ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y/F

IMPRESSION:-

No significant abnormality detected.

Suggest – clinical correlation.

(The sonography findings should always be considered in correlation with the clinical and other investigation finding where applicable.) It is only a professional opinion, not valid for medico legal purpose.

Dr. SUHAS SANJEEV KATHURIA MBBS,DMRE, RADIOLOGY

Radiology



Patient Name : Mrs. ASHWINI AMOL GAIKWAD Age/Gender : 34 Y/F

UHID/MR No. : CAUN.0000133055 **OP Visit No** : CAUNOPV167092

Sample Collected on : Reported on : 24-02-2024 16:01

LRN# : RAD2247452 Specimen : Ref Doctor : SELF

Ref Doctor : SELF **Emp/Auth/TPA ID** : 369326

DEPARTMENT OF RADIOLOGY

X-RAY CHEST PA

No evidence of any focal lesion.

Trachea is central in position.

Costophrenic angles are clear.

Cardio thoracic ratio is normal.

Cardiac silhouette is well maintained.

Mediastinal and hilar regions are normal.

Both diaphragmatic domes are well visualized and normal.

Visualized skeleton and soft tissues around thoracic cage appear normal.

COMMENT: No significant abnormality seen.

Please correlate clinically.

Scathura

Dr. SUHAS SANJEEV KATHURIA MBBS,DMRE, RADIOLOGY

Radiology







: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID Ref Doctor : CAUNOPV167092

Emp/Auth/TPA ID

: Dr.SELF : 369326

Collected Received

: 24/Feb/2024 10:54AM

: 24/Feb/2024 01:38PM

Reported

: 24/Feb/2024 04:12PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEDADTMENT OF LIVEWATOR OGA

PERIPHERAL SMEAR, WHOLE BLOOD EDTA

RBC's are Normocytic Normochromic, WBC's mild leucopenia Platelets are Adequate No Abnormal cells/hemoparasite seen.

Page 1 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:BED240048910









: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID Ref Doctor : CAUNOPV167092 : Dr.SELF

Emp/Auth/TPA ID

: 369326

Collected

: 24/Feb/2024 10:54AM

Received

: 24/Feb/2024 01:38PM

Reported

: 24/Feb/2024 04:12PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result | Unit | Bio. Ref. Range | Method |
|--------------------------------------|---------|----------------------------|-----------------|--------------------------------|
| HEMOGRAM , WHOLE BLOOD EDTA | | | 36 | |
| HAEMOGLOBIN | 12.8 | g/dL | 12-15 | Spectrophotometer |
| PCV | 37.20 | % | 36-46 | Electronic pulse & Calculation |
| RBC COUNT | 4.65 | Million/cu.mm | 3.8-4.8 | Electrical Impedence |
| MCV | 80 | fL | 83-101 | Calculated |
| MCH | 27.5 | pg | 27-32 | Calculated |
| MCHC | 34.4 | g/dL | 31.5-34.5 | Calculated |
| R.D.W | 14.7 | % | 11.6-14 | Calculated |
| TOTAL LEUCOCYTE COUNT (TLC) | 3,970 | cells/cu.mm | 4000-10000 | Electrical Impedance |
| DIFFERENTIAL LEUCOCYTIC COUNT (I | DLC) | | | |
| NEUTROPHILS | 52.6 | % | 40-80 | Electrical Impedance |
| LYMPHOCYTES | 31.6 | % | 20-40 | Electrical Impedance |
| EOSINOPHILS | 2.3 | % | 1-6 | Electrical Impedance |
| MONOCYTES | 12.5 | % | 2-10 | Electrical Impedance |
| BASOPHILS | 1 | % | <1-2 | Electrical Impedance |
| ABSOLUTE LEUCOCYTE COUNT | | | | · |
| NEUTROPHILS | 2088.22 | Cells/cu.mm | 2000-7000 | Calculated |
| LYMPHOCYTES | 1254.52 | Cells/cu.mm | 1000-3000 | Calculated |
| EOSINOPHILS | 91.31 | Cells/cu.mm | 20-500 | Calculated |
| MONOCYTES | 496.25 | Cells/cu.mm | 200-1000 | Calculated |
| BASOPHILS | 39.7 | Cells/cu.mm | 0-100 | Calculated |
| Neutrophil lymphocyte ratio (NLR) | 1.66 | | 0.78- 3.53 | Calculated |
| PLATELET COUNT | 178000 | cells/cu.mm | 150000-410000 | Electrical impedence |
| ERYTHROCYTE SEDIMENTATION RATE (ESR) | 4 | mm at the end of 1 hour | 0-20 | Modified Westergren |
| PERIPHERAL SMEAR | | | | |

RBC's are Normocytic Normochromic,

WBC's mild leucopenia

Page 2 of 15

Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:BED240048910









: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID Ref Doctor : CAUNOPV167092

Emp/Auth/TPA ID

: Dr.SELF : 369326

Collected

: 24/Feb/2024 10:54AM : 24/Feb/2024 01:38PM

Received

: 24/Feb/2024 04:12PM

Reported

Status Sponsor Name : Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324 Platelets are Adequate

No Abnormal cells/hemoparasite seen.

Page 3 of 15

Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:BED240048910







: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID

: CAUNOPV167092

Ref Doctor Emp/Auth/TPA ID

: 369326

: Dr.SELF

Sponsor Name

Collected : 24/Feb/2024 10:54AM

: 24/Feb/2024 01:38PM

Reported : 24/Feb/2024 05:32PM

Status : Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

Received

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result | Unit | Bio. Ref. Range | Method |
|------------------------------|-----------------------|------|-----------------|--------------------------------|
| BLOOD GROUP ABO AND RH FACTO | OR , WHOLE BLOOD EDTA | | (ie | |
| BLOOD GROUP TYPE | В | | | Microplate Hemagglutination |
| Rh TYPE | Positive | | | Microplate Hemagglutination |

Page 4 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:BED240048910







: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID Ref Doctor : CAUNOPV167092

Emp/Auth/TPA ID

: Dr.SELF : 369326

Collected Received

: 24/Feb/2024 01:50PM : 24/Feb/2024 03:57PM

: 24/Feb/2024 05:38PM

Reported

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result | Unit | Bio. Ref. Range | Method |
|------------------------------|--------|-------|-----------------|------------|
| GLUCOSE, FASTING, NAF PLASMA | 73 | mg/dL | 70-100 | HEXOKINASE |

Comment:

As per American Diabetes Guidelines, 2023

| Fasting Glucose Values in mg/dL | Interpretation |
|---------------------------------|----------------|
| 70-100 mg/dL | Normal |
| 100-125 mg/dL | Prediabetes |
| ≥126 mg/dL | Diabetes |
| <70 mg/dL | Hypoglycemia |

Note:

1.The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2 occasions.

2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

| GLUCOSE, POST PRANDIAL (PP), 2 | | | | |
|---|----|-------|--------|------------|
| HOURS, SODIUM FLUORIDE PLASMA (2 HR) | 80 | mg/dL | 70-140 | HEXOKINASE |

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Page 5 of 15



DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:PLP1423713







: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID Ref Doctor : CAUNOPV167092

Emp/Auth/TPA ID

: Dr.SELF : 369326

Collected Received

: 24/Feb/2024 10:54AM

: 24/Feb/2024 01:38PM

Reported Status

: 24/Feb/2024 08:05PM

Sponsor Name

: Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result | Unit | Bio. Ref. Range | Method | |
|---|--------|-------|-----------------|------------|--|
| HBA1C (GLYCATED HEMOGLOBIN), WHOLE BLOOD EDTA | | | | | |
| HBA1C, GLYCATED HEMOGLOBIN | 5.5 | % | | HPLC | |
| ESTIMATED AVERAGE GLUCOSE (eAG) | 111 | mg/dL | | Calculated | |

Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

| REFERENCE GROUP | HBA1C % | |
|------------------------|-----------|--|
| NON DIABETIC | <5.7 | |
| PREDIABETES | 5.7 – 6.4 | |
| DIABETES | ≥ 6.5 | |
| DIABETICS | | |
| EXCELLENT CONTROL | 6 – 7 | |
| FAIR TO GOOD CONTROL | 7 – 8 | |
| UNSATISFACTORY CONTROL | 8 – 10 | |
| POOR CONTROL | >10 | |

Note: Dietary preparation or fasting is not required.

- 1. HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic Control by American Diabetes Association guidelines 2023.
- 2. Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- 3. Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- 4. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- 5. In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control A: HbF >25%
 - B: Homozygous Hemoglobinopathy.

(Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)

Page 6 of 15

DR. MANISH T. AKARE M.B.B.S, MD(Path.)

Consultant Pathologist

SIN No:EDT240022062











: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID Ref Doctor : CAUNOPV167092

Emp/Auth/TPA ID

: Dr.SELF

: 369326

Collected

: 24/Feb/2024 10:54AM

Received

: 24/Feb/2024 01:54PM

Reported

: 24/Feb/2024 09:24PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result | Unit | Bio. Ref. Range | Method |
|-----------------------|--------|-------|-----------------|-------------------------------|
| LIPID PROFILE , SERUM | | | 34 | |
| TOTAL CHOLESTEROL | 161 | mg/dL | <200 | CHO-POD |
| TRIGLYCERIDES | 62 | mg/dL | <150 | GPO-POD |
| HDL CHOLESTEROL | 52 | mg/dL | 40-60 | Enzymatic Immunoinhibition |
| NON-HDL CHOLESTEROL | 110 | mg/dL | <130 | Calculated |
| LDL CHOLESTEROL | 97.17 | mg/dL | <100 | Calculated |
| VLDL CHOLESTEROL | 12.43 | mg/dL | <30 | Calculated |
| CHOL / HDL RATIO | 3.11 | | 0-4.97 | Calculated |

Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

| | Desirable | Borderline High | High | Very High | |
|---------------------|--|-----------------|-----------|-----------|--|
| TOTAL CHOLESTEROL | < 200 | 200 - 239 | ≥ 240 | | |
| TRIGLYCERIDES | <150 | 150 - 199 | 200 - 499 | ≥ 500 | |
| LDL | Optimal < 100 Near Optimal 100-129 | 130 - 159 | 160 - 189 | ≥ 190 | |
| HDL | ≥ 60 | | | | |
| NON-HDL CHOLESTEROL | Optimal <130; Above Optimal 130-159 | 160-189 | 190-219 | >220 | |

- 1. Measurements in the same patient on different days can show physiological and analytical variations.
- 2. NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.
- 3. Primary prevention algorithm now includes absolute risk estimation and lower LDL Cholesterol target levels to determine eligibility of drug therapy.
- 4. Low HDL levels are associated with Coronary Heart Disease due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
- 5. As per NCEP guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
- 6. VLDL, LDL Cholesterol Non HDL Cholesterol, CHOL/HDL RATIO, LDL/HDL RATIO are calculated parameters when Triglycerides are below 400 mg/dL. When Triglycerides are more than 400 mg/dL LDL cholesterol is a direct measurement.

Page 7 of 15



DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:SE04640804









: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID

: CAUNOPV167092

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 369326 Collected

: 24/Feb/2024 10:54AM

Received

: 24/Feb/2024 01:54PM

Reported Status

: 24/Feb/2024 09:24PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result | Unit | Bio. Ref. Range | Method |
|--|--------|-------|-----------------|-----------------------|
| LIVER FUNCTION TEST (LFT) , SERUM | | | 34 | |
| BILIRUBIN, TOTAL | 0.44 | mg/dL | 0.3–1.2 | DPD |
| BILIRUBIN CONJUGATED (DIRECT) | 0.10 | mg/dL | <0.2 | DPD |
| BILIRUBIN (INDIRECT) | 0.34 | mg/dL | 0.0-1.1 | Dual Wavelength |
| ALANINE AMINOTRANSFERASE (ALT/SGPT) | 13.15 | U/L | <35 | IFCC |
| ASPARTATE AMINOTRANSFERASE (AST/SGOT) | 22.6 | U/L | <35 | IFCC |
| ALKALINE PHOSPHATASE | 50.90 | U/L | 30-120 | IFCC |
| PROTEIN, TOTAL | 7.15 | g/dL | 6.6-8.3 | Biuret |
| ALBUMIN | 4.39 | g/dL | 3.5-5.2 | BROMO CRESOL GREEN |
| GLOBULIN | 2.76 | g/dL | 2.0-3.5 | Calculated |
| A/G RATIO | 1.59 | | 0.9-2.0 | Calculated |

Comment:

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin)

Common patterns seen:

1. Hepatocellular Injury:

- AST Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.
- ALT Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI .• Disproportionate increase in AST, ALT compared with ALP. • Bilirubin may be elevated.
- AST: ALT (ratio) In case of hepatocellular injury AST: ALT > 1In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen to be increased in NAFLD, Wilsons's diseases, Cirrhosis, but the increase is usually not >2.

2. Cholestatic Pattern:

- ALP Disproportionate increase in ALP compared with AST, ALT.
- Bilirubin may be elevated.• ALP elevation also seen in pregnancy, impacted by age and sex.
- To establish the hepatic origin correlation with GGT helps. If GGT elevated indicates hepatic cause of increased ALP.
- 3. Synthetic function impairment: Albumin-Liver disease reduces albumin levels. Correlation with PT (Prothrombin Time) helps.

Page 8 of 15



DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:SE04640804









: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID Ref Doctor : CAUNOPV167092

Emp/Auth/TPA ID

: Dr.SELF : 369326 Collected Received : 24/Feb/2024 10:54AM

: 24/Feb/2024 01:54PM

Reported

Status

: 24/Feb/2024 09:24PM

Sponsor Name

: Final Report

ج

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result | Unit | Bio. Ref. Range | Method | | | |
|---|--------|--------|-----------------|-----------------------------|--|--|--|
| RENAL PROFILE/KIDNEY FUNCTION TEST (RFT/KFT), SERUM | | | | | | | |
| CREATININE | 0.58 | mg/dL | 0.55-1.02 | Modified Jaffe, Kinetic | | | |
| UREA | 14.12 | mg/dL | 17-43 | GLDH, Kinetic Assay | | | |
| BLOOD UREA NITROGEN | 6.6 | mg/dL | 8.0 - 23.0 | Calculated | | | |
| URIC ACID | 2.28 | mg/dL | 2.6-6.0 | Uricase PAP | | | |
| CALCIUM | 9.24 | mg/dL | 8.8-10.6 | Arsenazo III | | | |
| PHOSPHORUS, INORGANIC | 2.90 | mg/dL | 2.5-4.5 | Phosphomolybdate Complex | | | |
| SODIUM | 138.52 | mmol/L | 136–146 | ISE (Indirect) | | | |
| POTASSIUM | 3.8 | mmol/L | 3.5–5.1 | ISE (Indirect) | | | |
| CHLORIDE | 104.8 | mmol/L | 101–109 | ISE (Indirect) | | | |

Page 9 of 15

DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:SE04640804







: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No Visit ID

: CAUN.0000133055 : CAUNOPV167092

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 369326 Collected

: 24/Feb/2024 10:54AM

Received

: 24/Feb/2024 01:54PM

Reported

: 24/Feb/2024 09:24PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result | Unit | Bio. Ref. Range | Method |
|--|--------|------|-----------------|--------|
| GAMMA GLUTAMYL TRANSPEPTIDASE (GGT) , SERUM | 12.13 | U/L | <38 | IFCC |

Page 10 of 15



DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:SE04640804







: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID Ref Doctor : CAUNOPV167092

Emp/Auth/TPA ID

: Dr.SELF

: 369326

Collected

: 24/Feb/2024 10:54AM

: 24/Feb/2024 07:28PM

Received Reported

Status

: 24/Feb/2024 08:39PM

Sponsor Name

: Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result Unit | | Bio. Ref. Range | Method | | |
|---|-------------|--------|-----------------|--------|--|--|
| THYROID PROFILE TOTAL (T3, T4, TSH) , SERUM | | | | | | |
| TRI-IODOTHYRONINE (T3, TOTAL) | 1.08 | ng/mL | 0.7-2.04 | CLIA | | |
| THYROXINE (T4, TOTAL) | 12.55 | μg/dL | 5.48-14.28 | CLIA | | |
| THYROID STIMULATING HORMONE (TSH) | 0.965 | μIU/mL | 0.34-5.60 | CLIA | | |

Comment:

| For pregnant females | Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association) | | |
|----------------------|--|--|--|
| First trimester | 0.1 - 2.5 | | |
| Second trimester | 0.2 - 3.0 | | |
| Third trimester | 0.3 – 3.0 | | |

- 1. TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- 2. TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- 3. Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.
- 4. Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

| TSH | Т3 | T4 | FT4 | Conditions |
|-------|------|------|------|---|
| High | Low | Low | Low | Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis |
| High | N | N | N | Subclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Replacement Therapy. |
| N/Low | Low | Low | Low | Secondary and Tertiary Hypothyroidism |
| Low | High | High | High | Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy |
| Low | N | N | N | Subclinical Hyperthyroidism |
| Low | Low | Low | Low | Central Hypothyroidism, Treatment with Hyperthyroidism |
| Low | N | High | High | Thyroiditis, Interfering Antibodies |
| N/Low | High | N | N | T3 Thyrotoxicosis, Non thyroidal causes |
| High | High | High | High | Pituitary Adenoma; TSHoma/Thyrotropinoma |

Page 11 of 15

DR. MANISH T. AKARE M.B.B.S, MD(Path.) Consultant Pathologist

SIN No:SPL24032303









: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID Ref Doctor : CAUNOPV167092

Emp/Auth/TPA ID

: Dr.SELF : 369326

Collected

: 24/Feb/2024 10:54AM

Received

: 24/Feb/2024 07:28PM

Reported Status

: 24/Feb/2024 08:39PM

Sponsor Name

: Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

DR. MANISH T. AKARE M.B.B.S, MD(Path.) Consultant Pathologist

SIN No:SPL24032303

This test has been performed at Apollo Health and Lifestyle ltd- Sadashiv Peth Pune, Diagnostics Lab

Page 12 of 15









: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055

Visit ID Ref Doctor : CAUNOPV167092

Emp/Auth/TPA ID :

: Dr.SELF : 369326

Test Name

Collected

: 24/Feb/2024 10:54AM

Received

: 24/Feb/2024 01:58PM

Reported

: 24/Feb/2024 02:16PM

Status

Unit

: Final Report

Bio. Ref. Range

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

Method

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

Result

| rest name | Result | Unit | Bio. Ref. Range | wethod |
|------------------------------|--------------------|------|------------------|----------------------------|
| COMPLETE URINE EXAMINATION (| CUE) , URINE | | 34 | |
| PHYSICAL EXAMINATION | | | | |
| COLOUR | PALE YELLOW | | PALE YELLOW | Visual |
| TRANSPARENCY | CLEAR | | CLEAR | Visual |
| pH | <5.5 | | 5-7.5 | DOUBLE INDICATOR |
| SP. GRAVITY | 1.020 | | 1.002-1.030 | Bromothymol Blue |
| BIOCHEMICAL EXAMINATION | | | | |
| URINE PROTEIN | NEGATIVE | | NEGATIVE | PROTEIN ERROR OF INDICATOR |
| GLUCOSE | NEGATIVE | | NEGATIVE | GLUCOSE OXIDASE |
| URINE BILIRUBIN | NEGATIVE | | NEGATIVE | AZO COUPLING REACTION |
| URINE KETONES (RANDOM) | NEGATIVE | | NEGATIVE | SODIUM NITRO PRUSSIDE |
| UROBILINOGEN | NORMAL | | NORMAL | MODIFED EHRLICH REACTION |
| BLOOD | NEGATIVE | | NEGATIVE | Peroxidase |
| NITRITE | NEGATIVE | | NEGATIVE | Diazotization |
| LEUCOCYTE ESTERASE | NEGATIVE | | NEGATIVE | LEUCOCYTE ESTERASE |
| CENTRIFUGED SEDIMENT WET M | OUNT AND MICROSCOP | Y | | |
| PUS CELLS | 3 - 4 | /hpf | 0-5 | Microscopy |
| EPITHELIAL CELLS | 1 - 2 | /hpf | <10 | MICROSCOPY |
| RBC | NIL | /hpf | 0-2 | MICROSCOPY |
| CASTS | NIL | | 0-2 Hyaline Cast | MICROSCOPY |
| CRYSTALS | ABSENT | | ABSENT | MICROSCOPY |

Page 13 of 15



Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

SIN No:UR2290958







: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No

: CAUN.0000133055 : CAUNOPV167092

Visit ID Ref Doctor

Emp/Auth/TPA ID

: Dr.SELF : 369326

Collected Received

: 24/Feb/2024 01:50PM

: 24/Feb/2024 07:08PM

Reported

: 24/Feb/2024 07:53PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result | Unit | Bio. Ref. Range | Method |
|------------------------------|----------|------|-----------------|----------|
| URINE GLUCOSE(POST PRANDIAL) | NEGATIVE | | NEGATIVE | Dipstick |

Page 14 of 15

DR. MANISH T. AKARE M.B.B.S, MD(Path.) Consultant Pathologist

SIN No:UPP016788









: Mrs.ASHWINI AMOL GAIKWAD

Age/Gender

: 34 Y 4 M 23 D/F

UHID/MR No Visit ID : CAUN.0000133055 : CAUNOPV167092

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 369326

Collected

: 24/Feb/2024 10:54AM

Received

: 24/Feb/2024 01:31PM

Reported

: 24/Feb/2024 01:56PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324

| Test Name | Result | Unit | Bio. Ref. Range | Method |
|------------------------|----------|------|-----------------|----------|
| URINE GLUCOSE(FASTING) | NEGATIVE | | NEGATIVE | Dipstick |

*** End Of Report ***

Result/s to Follow:

LBC PAP TEST (PAPSURE)

Page 15 of 15



DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:UF010799

