



Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AKASH KUMAR GUPTA Registered On : 08/Mar/2024 11:00:14 Age/Gender Collected : 08/Mar/2024 11:42:52 : 31 Y O M O D /M UHID/MR NO : CHFD.0000285601 Received : 08/Mar/2024 12:02:50 Visit ID : CHFD0634142324 Reported : 08/Mar/2024 13:57:26

# DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , B	lood			
Blood Group	А			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Who	le Blood			
Haemoglobin	15.30	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) DLC	9,000.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils )	66.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	31.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	1.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	12.00	Mm for 1st hr.		
Corrected	6.00	Mm for 1st hr.	< 9	
PCV (HCT)	46.20	%	40-54	
Platelet count				
Platelet Count	1.20	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.80	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	62.60	%	35-60	ELECTRONIC IMPEDANCE











Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AKASH KUMAR GUPTA Registered On : 08/Mar/2024 11:00:14 Age/Gender : 31 Y O M O D /M Collected : 08/Mar/2024 11:42:52 UHID/MR NO Received : CHFD.0000285601 : 08/Mar/2024 12:02:50 Visit ID : CHFD0634142324 Reported : 08/Mar/2024 13:57:26

# DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.18	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	16.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.07	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	91.10	fΙ	80-100	CALCULATED PARAMETER
MCH	33.20	pg	28-35	CALCULATED PARAMETER
MCHC	30.20	%	30-38	CALCULATED PARAMETER
RDW-CV	11.70	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	41.00	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,940.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	180.00	/cu mm	40-440	

Dr. R. B. Varshney M.D. Pathology











Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AKASH KUMAR GUPTA

: 31 Y O M O D /M

Registered On

: 08/Mar/2024 11:00:15 : 08/Mar/2024 11:42:52

Age/Gender UHID/MR NO

: CHFD.0000285601

Collected Received

: 08/Mar/2024 12:09:55

Visit ID

: CHFD0634142324

Reported

: 08/Mar/2024 13:45:07

Ref Doctor

Dr. MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

Status

: Final Report

## **DEPARTMENT OF BIOCHEMISTRY**

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

**GLUCOSE FASTING**, Plasma

Glucose Fasting

105.11

mg/dl

< 100 Normal

**GOD POD** 

100-125 Pre-diabetes

≥ 126 Diabetes

# **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP

131.55

mg/dl

<140 Normal

**GOD POD** 

140-199 Pre-diabetes

>200 Diabetes

# Interpretation:

Sample:Plasma After Meal

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.40	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	25.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	79	mg/dl	

#### **Interpretation:**

# NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- · eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



1800-419-0002





Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AKASH KUMAR GUPTA Registered On : 08/Mar/2024 11:00:15 Collected Age/Gender : 31 Y O M O D /M : 08/Mar/2024 11:42:52 UHID/MR NO : CHFD.0000285601 Received : 08/Mar/2024 12:09:55 Visit ID : CHFD0634142324 Reported : 08/Mar/2024 13:45:07

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report HEALTHCARE LTD FZD -

## **DEPARTMENT OF BIOCHEMISTRY**

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

lest Name Result Unit Bio. Ref. Interval Method	Test Name	Result	Unit	Bio. Ref. Interval	Method	
---	-----------	--------	------	--------------------	--------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	7.64	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	1.23	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	4.20	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) \*, Serum





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AKASH KUMAR GUPTA Registered On : 08/Mar/2024 11:00:15 Age/Gender Collected : 08/Mar/2024 11:42:52 : 31 Y O M O D /M UHID/MR NO : CHFD.0000285601 Received : 08/Mar/2024 12:09:55 Visit ID : CHFD0634142324 Reported : 08/Mar/2024 13:45:07

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

# DEPARTMENT OF BIOCHEMISTRY

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	Init Bio. Ref. Interva	al Method
SGOT / Aspartate Aminotransferase (AST)	31.48	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	55.22	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	20.83	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.40	gm/dl	6.2-8.0	BIURET
Albumin	3.65	gm/dl	3.4-5.4	B.C.G.
Globulin	2.75	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.33	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	261.56	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.72	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.36	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.36	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE ( MINI ) * , Serum				
Cholesterol (Total)	125.34	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	51.95	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	51	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL .	22.68	mg/dl	10-33	CALCULATED
Triglycerides	113.40	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

Dr. R. B. Varshney M.D. Pathology



1800-419-0002







Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AKASH KUMAR GUPTA Registered On : 08/Mar/2024 11:00:14 Age/Gender Collected : 08/Mar/2024 11:42:52 : 31 Y O M O D /M UHID/MR NO : CHFD.0000285601 Received : 08/Mar/2024 12:12:25 Visit ID : CHFD0634142324 Reported : 08/Mar/2024 14:22:42

# DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	· , Urine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
Sugar	ADJENT	g111370	0.5-1.0 (++)	DII STICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile P <mark>igments</mark>	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	OCCASIONAL			MICROSCOPIC
				EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC
01	ADCENIT			EXAMINATION
Cast	ABSENT			MICDOCCODIC
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			LAMINATION
0111013	/ NDOLINI			

Dr. R. B. Varshney M.D. Pathology











Ph: 9235400973,

CIN: U85110DL2003PLC308206



Method

Patient Name : Mr.AKASH KUMAR GUPTA

Age/Gender :

UHID/MR NO

Visit ID

**Test Name** 

: 31 Y O M O D /M

: CHFD.0000285601

: CHFD0634142324

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Collected Received

Status

Registered On

: 08/Mar/2024 11:00:14

Bio. Ref. Interval

: 08/Mar/2024 11:49:38

Received : 08/Mar/2024 12:12:25 Reported : 09/Mar/2024 19:12:50

: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

**SUGAR, FASTING STAGE \***, Urine

Sugar, Fasting stage

**ABSENT** 

Result

gms%

Unit

**Interpretation:** 

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

Dr. R. B. Varshney M.D. Pathology

Page 7 of 13









UHID/MR NO

Ref Doctor

Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AKASH KUMAR GUPTA

Age/Gender : 31 Y 0 M 0 D /M

: CHFD.0000285601

Visit ID : CHFD0634142324

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Registered On

Collected

: 08/Mar/2024 11:00:15

: 08/Mar/2024 16:02:47

: Final Report

Received : 08/Mar/2024 16:08:54

Reported : 08/Mar/2024 17:52:41

# DEPARTMENT OF CLINICAL PATHOLOGY

Status

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

**SUGAR, PP STAGE \***, Urine

Sugar, PP Stage

**ABSENT** 

**Interpretation:** 

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. R. B. Varshney M.D. Pathology

Page 8 of 13









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AKASH KUMAR GUPTA : 08/Mar/2024 11:00:16 Registered On Age/Gender : 31 Y O M O D /M Collected : 08/Mar/2024 11:42:52 UHID/MR NO : CHFD.0000285601 Received : 08/Mar/2024 18:00:16 Visit ID : 08/Mar/2024 18:59:08

: CHFD0634142324 Reported

Dr. MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

## DEPARTMENT OF IMMUNOLOGY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.21	ng/mL	<4.1	CLIA

# **Interpretation:**

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Dr. Anupam Singh (MBBS MD Pathology)











Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AKASH KUMAR GUPTA Registered On : 08/Mar/2024 11:00:15 Age/Gender Collected : 31 Y O M O D /M : 08/Mar/2024 11:42:52 UHID/MR NO : CHFD.0000285601 Received : 08/Mar/2024 12:49:28 Visit ID : CHFD0634142324 Reported : 08/Mar/2024 13:41:29

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

## DEPARTMENT OF IMMUNOLOGY

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	I Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	136.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.40	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	6.100	μlU/mL	0.27 - 5.5	CLIA
Interpretation:		,		
, P		0.3-4.5 μIU/r	nL First Trimes	ster
		0.5-4.6 μIU/r	nL Second Trin	nester
		0.8-5.2 μIU/r	nL Third Trime	ester
		0.5-8.9 μIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/r	nL Cord Blood	> 37Week
		0.7-64 μIU/r	nL Child(21 wk	s - 20 Yrs.)
		1-39 μIU	/mL Child	0-4 Days
		1.7-9.1 μIU/1		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. R. B. Varshney M.D. Pathology









Add: Mukut Complex, Rekabganj,Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.Al

: Mr.AKASH KUMAR GUPTA

Registered On

: 08/Mar/2024 11:00:16

Age/Gender UHID/MR NO : 31 Y O M O D /M

Collected Received : N/A : N/A

Visit ID

: CHFD.0000285601 : CHFD0634142324

Reported

: 08/Mar/2024 12:33:40

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

Status

: Final Report

# DEPARTMENT OF X-RAY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

## X-RAY DIGITAL CHEST PA \*

# X-RAY REPORT

# (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

## **IMPRESSION:**

NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation.

Manufuda Sifi MD Radiodiagnosis

Page 11 of 13







Add: Mukut Complex, Rekabganj,Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.AKASH KUMAR GUPTA Registered On : 08/Mar/2024 11:00:16

 Age/Gender
 : 31 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CHFD.0000285601
 Received
 : N/A

Visit ID : CHFD0634142324 Reported : 08/Mar/2024 11:34:21

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

# DEPARTMENT OF ULTRASOUND

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

# ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

# WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

#### LIVER

• Liver is enlarged in size 15.36 cm and shows diffuse increase in echogenecity s/o fatty liver grade-I. No obvious focal lesion is seen.

# PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

# **BILIARY SYSTEM**

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size. GB Wall thicknes is normal.

#### **PANCREAS**

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

## GREAT VESSELS

• Great vessels are normal.

# KIDNEYS

- Both the kidneys are normal in size and cortical echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

# **SPLEEN**

• The spleen is normal in size and has a normal homogenous echo-texture.

# LYMPH NODES

• No pre- or para - aortic lymph node mass is seen.

# RETROPERITONEUM

• Retroperitoneum is free.

# ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or mass.



Home Sample Collection 1800-419-0002



Add: Mukut Complex, Rekabganj,Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name

: Mr.AKASH KUMAR GUPTA

Registered On

: 08/Mar/2024 11:00:16

Age/Gender UHID/MR NO

: 31 Y O M O D /M

Collected Received : N/A

: N/A

Visit ID

: CHFD.0000285601 : CHFD0634142324

Reported

: 08/Mar/2024 11:34:21

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status

: Final Report

# DEPARTMENT OF ULTRASOUND

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

• No free fluid is noted in peritoneal cavity.

# **URETERS**

- The upper parts of both the ureters are normal.
- Thevesico ureteric junctions are normal.

## URINARY BLADDER

• The urinary bladder is normal.

#### PROSTATE

• The Prostate gland is normal in size.

# **FINAL IMPRESSION:-**

• BORDERLINE HEPATOMEGALY WITH GRADE-I FATTY LIVER.

# Adv: Clinico-pathological correlation and follow-up.

\*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)



Onvoud Dr. R. B. Varshney

Ultrasonologist

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*\*Facilities Available at Select Location\*\*





