

F- 41, P.C. Colony, Opp. Madhuban Complex, Near Malahi Pakari Chowk, Kankarbagh, Patna – 20

9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

 Date
 10/10/2021
 Srl No. 21
 Patient Id 2110100021

 Name
 Mr. ABHINASH KUMAR
 Age 38 Yrs.
 Sex M

Ref. By Dr.BOB

Test Name Value Unit Normal Value

HAEMATOLOGY

HB A1C 7.9 %

EXPECTED VALUES:

Metabolicaly healthy patients = 4.8 - 5.5 % HbAlC Good Control = 5.5 - 6.8 % HbAlC Fair Control = 6.8-8.2 % HbAlC

Poor Control = >8.2 % HbAIC

REMARKS:-

In vitro quantitative determination of **HbAIC** in whole blood is utilized in long term monitoring of glycemia

The **HbAIC** level correlates with the mean glucose concentration prevailing in the course of the patient's recent history (approx - 6-8 weeks) and therefore provides much more reliable information for glycemia monitoring than do determinations of blood glucose or urinary glucose.

It is recommended that the determination of **HbAIC** be performed at intervals of 4-6 weeksduring Diabetes

Mellitus therapy.

Results of **HbAIC** should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST

Page 1



F- 41, P.C. Colony, Opp. Madhuban Complex, Near Malahi Pakari Chowk, Kankarbagh, Patna – 20

9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

| Date | 10/10/2021 | Srl No | . 21 | Patient le | d 2110100021 | |
|---------|--------------------|--------|---------|------------|--------------|--|
| Name | Mr. ABHINASH KUMAR | Age | 38 Yrs. | Sex | M | |
| Ref. By | Dr.BOB | | | | | |

| Test Name | Value | Unit | Normal Value |
|-----------------------------------|-------|--------------|--------------|
| COMPLETE BLOOD COUNT (CBC) | | | |
| HAEMOGLOBIN (Hb) | 14.1 | gm/dl | 13.5 - 18.0 |
| TOTAL LEUCOCYTE COUNT (TLC) | 9,800 | /cumm | 4000 - 11000 |
| DIFFERENTIAL LEUCOCYTE COUNT (DLC | C) | | |
| NEUTROPHIL | 67 | % | 40 - 75 |
| LYMPHOCYTE | 24 | % | 20 - 45 |
| EOSINOPHIL | 02 | % | 01 - 06 |
| MONOCYTE | 07 | % | 02 - 10 |
| BASOPHIL | 00 | % | 0 - 0 |
| ESR (WESTEGREN's METHOD) | 13 | mm/lst hr. | 0 - 15 |
| R B C COUNT | 5.11 | Millions/cmm | 4.5 - 5.5 |
| P.C.V / HAEMATOCRIT | 42.7 | % | 40 - 54 |
| MCV | 83.56 | fl. | 80 - 100 |
| MCH | 27.59 | Picogram | 27.0 - 31.0 |
| MCHC | 33 | gm/dl | 33 - 37 |
| PLATELET COUNT | 2.05 | Lakh/cmm | 1.50 - 4.00 |

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD

CONSULTANT PATHOLOGIST



F- 41, P.C. Colony, Opp. Madhuban Complex, Near Malahi Pakari Chowk, Kankarbagh, Patna – 20

9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

| Date | 10/10/2021 | Srl No | . 21 | Patient Id | 2110100021 |
|-------------------|-----------------------------|--------|---------|------------|------------|
| Name Ref. By D | Mr. ABHINASH KUMAR r.BOB | Age | 38 Yrs. | Sex | M |

| Test Name | Value | Unit | Normal Value | | | | |
|----------------------------------|-------|--------|---------------|--|--|--|--|
| BIOCHEMISTRY | | | | | | | |
| BLOOD SUGAR FASTING | 370.1 | mg/dl | 70 - 110 | | | | |
| SERUM CREATININE | 1.19 | mg% | 0.7 - 1.4 | | | | |
| BLOOD UREA | 29.3 | mg /dl | 15.0 - 45.0 | | | | |
| SERUM URIC ACID | 5.4 | mg% | 3.4 - 7.0 | | | | |
| LIVER FUNCTION TEST (LFT) | | | | | | | |
| BILIRUBIN TOTAL | 0.60 | mg/dl | 0 - 1.0 | | | | |
| CONJUGATED (D. Bilirubin) | 0.15 | mg/dl | 0.00 - 0.40 | | | | |
| UNCONJUGATED (I.D.Bilirubin) | 0.45 | mg/dl | 0.00 - 0.70 | | | | |
| TOTAL PROTEIN | 7.2 | gm/dl | 6.6 - 8.3 | | | | |
| ALBUMIN | 3.6 | gm/dl | 3.4 - 4.8 | | | | |
| GLOBULIN | 3.6 | gm/dl | 2.3 - 3.5 | | | | |
| A/G RATIO | 1 | | | | | | |
| SGOT | 23.8 | IU/L | 5 - 40 | | | | |
| SGPT | 26.5 | IU/L | 5.0 - 55.0 | | | | |
| ALKALINE PHOSPHATASE IFCC Method | 104.9 | U/L | 40.0 - 130.0 | | | | |
| GAMMA GT LFT INTERPRET | 25.7 | IU/L | 8.0 - 71.0 | | | | |
| LIPID PROFILE | | | | | | | |
| TRIGLYCERIDES | 124.7 | mg/dL | 40.0 - 165.0 | | | | |
| TOTAL CHOLESTEROL | 183.5 | mg/dL | 123.0 - 199.0 | | | | |
| | | | | | | | |



F- 41, P.C. Colony, Opp. Madhuban Complex, Near Malahi Pakari Chowk, Kankarbagh, Patna – 20

9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

| Date 10/10/2021 Name Mr. ABHINASH KUMAR Ref. By Dr.BOB | Srl No. Age | 21 38 Yrs. | Patient Id 2110100021 Sex M | |
|--|----------------------------|---------------|--------------------------------|--|
| Test Name | Value | Unit | Normal Value | |
| H D L CHOLESTEROL DIRECT | 63.8 | mg/dL | 40.0 - 79.4 | |
| VLDL | 24.94 | mg/dL | 4.7 - 22.1 | |
| L D L CHOLESTEROL DIRECT | 94.76 | mg/dL | 63.0 - 129.0 | |
| TOTAL CHOLESTEROL/HDL RATIO | 2.876 | | 0.0 - 4.97 | |
| LDL / HDL CHOLESTEROL RATIO | 1.485 | | 0.00 - 3.55 | |
| THYROID PROFILE | | | | |
| Т3 | 0.87 | ng/ml | 0.60 - 1.81 | |
| T4 Chemiluminescence | 9.51 | ug/dl | 4.5 - 10.9 | |
| TSH | 2.17 | uIU/ml | | |
| Chemiluminescence REFERENCE RANGE | | | | |
| PAEDIATRIC AGE GROUP 0-3 DAYS 3-30 DAYS I MONTH -5 MONTHS 6 MONTHS- 18 YEARS | 1-20 0.5 - 6.5 0.5 - | | | |
| <u>ADULTS</u> | 0.39 - 6.16 | ulu/ml | | |

Note: TSH levels are subject to circadian variation, rising several hours before the onset of sleep, reaching peak levels between 11 pm to 6 am. Nadir concentrations are observed during the afternoon. Diurnal variation in TSH level approximates \pm 50 %, hence time of the day has influence on the measured serum TSH concentration.



F- 41, P.C. Colony, Opp. Madhuban Complex, Near Malahi Pakari Chowk, Kankarbagh, Patna – 20

9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

 Date
 10/10/2021
 Srl No. 21
 Patient Id 2110100021

 Name
 Mr. ABHINASH KUMAR
 Age 38 Yrs.
 Sex M

Ref. By Dr.BOB

Test Name Value Unit Normal Value

Assay performed on enhanced chemi lumenescence system (Centaur-Siemens)

Serum T3,T4 & TSH measurements form the three components of Thyroid screening panel, useful in diagnosing various disorders of Thyroid gland function.

- 1. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH level.
- 2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 levels along with depressed TSH values.
- 3. Normal T4 levels are accompanied by increased T3 in patients with T3 thyrotoxicosis.
- 4. Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels may be encountered in severe illness, renal failure and during therapy with drugs like propranolol and propyl thiouracil.
- 5. Although elevated TSH levels are nearly always indicative of primary hyporthyroidism, and may be seen in secondary thyrotoxicosis.

BLOOD GROUP ABO "A"

RH TYPING POSITIVE

URINE EXAMINATION TEST

PHYSICAL EXAMINATION

QUANTITY 20 ml.

COLOUR PALE YELLOW

TRANSPARENCY CLEAR SPECIFIC GRAVITY 1.030

PH 6.0



F- 41, P.C. Colony, Opp. Madhuban Complex, Near Malahi Pakari Chowk, Kankarbagh, Patna – 20

9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

| Date | 10/10/2021 | Srl No. | 21 | Patient Id | 2110100021 | |
|----------------|--------------------|---------|---------|------------|------------|--|
| Name | Mr. ABHINASH KUMAR | Age | 38 Yrs. | Sex | М | |
| Ref. By Dr.BOB | | | | | | |

| Non By Bribob | | | |
|-------------------------|-------|------|--------------|
| Test Name | Value | Unit | Normal Value |
| CHEMICAL EXAMINATION | | | |
| ALBUMIN | NIL | | |
| SUGAR | NIL | | |
| MICROSCOPIC EXAMINATION | | | |
| PUS CELLS | 0-1 | /HPF | |
| RBC'S | NIL | /HPF | |
| CASTS | NIL | | |
| CRYSTALS | NIL | | |
| EPITHELIAL CELLS | 0-1 | /HPF | |
| BACTERIA | NIL | | |
| OTHERS | NIL | | |

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD

CONSULTANT PATHOLOGIST